00071-XXXX

00000517

MATERIAL SAFETY DATA SHEET

Page 1

Tri Art Manufacturing Inc. 4 Harvey Street Kingston; Ontario; K7K 5B9 Canada

PRODUCT: Tempera Products All Colors

Section 01: CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Identity Manufacturer name and address	Tempera Products All Colors Tri-art Manufacturing Inc. 4 Harvey Street Kingston Ontario Canada K7K 5B9 613-541-0299
24 hour emergency phone number	(613) 541-0299 (9 am to 5 pm EST). Paint for consumer use. This product is non-toxic and is has been formulated to be used by children.
Chemical family	

Section 02: HAZARDS IDENTIFICATION

Hazard Classification / CategorySignal Word	Non-toxic - does not meet OSHA Hazard Communication classification criteria. Non-toxic.
Precautionary Statements	Avoid prolonged contact with skin. Avoid contact with eyes. Wash skin thoroughly after handling. Do not ingest this product and wash hands before consuming food
Description of Hazards	Direct skin contact may result in little or no irritation. Prolonged contact, may be more irritating. Eye contact may cause mild transient irritation. If ingested, may cause irritation of mouth, throat, and stomach. Swallowing may cause irritation, nausea and vomiting. Ingestion of larger amounts may cause defects to the central nervous system (e.g. dizziness, headache).
Mixtures Statement	

Section 03: COMPOSITION/INFORMATION ON INGREDIENTS					
Hazardous Ingredients CAS # Wt. %					
CALCIUM CARBONATE	1317-65-3	3-7			
CARBON BLACK	1333-86-4	1-5			
PROPYLENE GLYCOL	57-55-6	1-5			
TITANIUM DIOXIDE	13463-67-7	0.1-1.0			

*Carbon black is an ingredient in Bear Black only

Section 04: FIRST AID MEASURES

Eye Contact	Immediately flush eyes with running water for at least 5 to 10 minutes. If irritation persists,
Ingestion	seek prompt medical attention. Do not induce vomiting. Never give anything by mouth if victim is unconscious. Consult a
NationSkin Contact	physician. Unintentional inhalation of this product should not pose any health risks. Wash off with soap and plenty of water. In the unlikely event that irritation occurs, consult
Additional Information	with your doctor.

Section 05: FIRE FIGHTING MEASURES

Extinguishing Media	This product does not burn in its liquid form. Use extinguishing media suitable to the surrounding fire.
Hazardous Combustion Products Special Fire Fighting Procedures	Carbon oxides in the event the dried paint is involved in a fire.
Unusual Fire/Explosion Hazards	Not flammable under normal conditions of use. This product is not sensitive to mechanical impact or static discharge.

00000517

MATERIAL SAFETY DATA SHEET

Page 2

PRODUCT: Tempera Products All Colors

Section 06: ACCIDENTAL RELEASE MEASURES

Section 07: HANDLING AND STORAGE

Section 08: EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Limits					
Ingredients	TWA ACGIH TLV		OSHA PEL PEL STEL		NIOSH REL
CALCIUM CARBONATE	Not established	Not established	15 mg/m3 Total dust; 5 mg/m3 Respirable fraction	Not established	10 mg/m3 Total dust; 5 mg/m3 Respirable fraction
CARBON BLACK					
PROPYLENE GLYCOL	10 vmg/m3	Not established	Not established	Not established	Not established
TITANIUM DIOXIDE	10 mg/m3	Not established	15 mg/m3 Total dust	Not established	Lowest feasible concentration
*Carbon black is an ingredient in Bear Black only					
Protective Equipment Clothing/Type Eye/Type Gloves/Type Engineering Controls	•••••••	 No special protective Take the necessary No gloves are require 	ve equipment is necessa e clothing is required to u precautions to avoid liqui ed to handle this product n requirements are neces	se this product. To describe the contact with eyes.	

Section 09: PHYSICAL AND CHEMICAL PROPERTIES

Physical Appearance..... Liquid. Color..... Various colors. Odour.. Mild odour. Not available. Not available. Not available. 8.8 - 9.2. 1.06 - 1.09. 0° C / 32° F. Dilutable in water. 100°C / 212°F. Relative Density / Specific Gravity..... Melting / Freezing Point. Solubility Initial Boiling Point / Boiling Range..... Similar to water. Non-flammable. Not applicable. Not applicable. Not applicable. Not available. 71-75% Viscosity..... 800 - 1400 poise #3 spindle @ 0.5 RPM.

Section 10: STABILITY AND REACTIVITY

 $\text{Item Numbers: } 00071\text{-}1025, 00071\text{-}1029, 00071\text{-}2025, 00071\text{-}2025, 00071\text{-}2029, 00071\text{-}3015, 00071\text{-}3019, 00071\text{-}4015, 00071\text{-}4019, 00071\text{-}4515, 00071\text{-}4519, 00071\text{-}5015, 00071\text{-}5019, 00071\text{-}5165, 00071\text{-}5169, 00071\text{-}6005, 00071\text{-}} \\ \text{Page 2 of 4} \\ 6009, 00071\text{-}7015, 00071\text{-}7019, 00071\text{-}8005, 00071\text{-}8005, 00071\text{-}8005, 00071\text{-}8005, 00071\text{-}} \\ \text{Page 2 of 4} \\ \text{Page 3 of 4} \\ \text{Page 3 of 4} \\ \text{Page 4 of 4} \\ \text{Page 4 of 4} \\ \text{Page 5 of 4} \\ \text{Page 6} \\ \text{Page 7 of 4} \\ \text{Page 7 of 4} \\ \text{Page 8} \\ \text{Page 8} \\ \text{Page 9} \\ \text{Page 9}$

00000517

MATERIAL SAFETY DATA SHEET

Page 3

PRODUCT: Tempera Products All Colors

Section 11: TOXICOLOGICAL INFORMATION

Skin and eye contact are possible routes of exposure. Mists and vapours are unlikely to be Route Of Exposure..... generated during intended use of this product. Do not take internally or ingest this product. Ingestion of large amounts may be harmful. If product is heated or mists are formed, inhalation may cause irritation to the nose, throat and respiratory tract. Direct skin contact may result in little or no irritation. Prolonged contact may be more irritating. Eye contact may cause mild transient irritation. May cause irritation of mouth, throat, and stomach. Effects Of Acute Exposure.....

Swallowing may cause irritation, nausea and vomiting. Effects Of Chronic Exposure..... None known.

This product has been reviewed by a board certified toxicologist and is judged to be non Carcinogenicity Of Material..... toxic

None are anticipated under normal use Aggravated Medical Conditions.....

Use of this product following our recommended instructions should not cause any health hazards, other than those indicated above

Toxicological Data

Ingredients LC50-inh, rat LD50-Oral,rat

CALCIUM CARBONATE >2,000 mg/kg Rat oral Not available CARBON BLACK Not available > 5000 mg/kg Rat oral

PROPYLENE GLYCOL Not available 22,000 mg/kg Rat oral; 20,800 Rabbit dermal

TITANIUM DIOXIDE >6820 mg/m3 4 hr. rat >24,000 mg/kg Rat oral

*Carbon black is an ingredient in Bear

Black only

Section 12: ECOLOGICAL INFORMATION

Data From Toxicity Tests..... Data from toxicity tests are not available at this time .

Environmental. No data at this time

Bioaccumulation Potential..... No data available at this time. Other Adverse Effects..... No data available at this time

Absorption Potential..... No data available at this time

Section 13: DISPOSAL CONSIDERATIONS

Appropriate Disposal Methods..... Empty containers should be recycled in accordance with local municipal recycling

practices. Containers that are not empty should be brought to your local waste paint recycling facility

Appropriate Disposal Considerations..........
Properties Affect Disposal...... Wherever possible unused paint should be brought to your local waste paint facility. None anticipated.

Sewage Disposal Comments.....

Wherever possible, paint should not be washed down the sewer.

Section 14: TRANSPORT INFORMATION

UN Number... Not regulated. Not regulated. Not regulated. Not regulated. None known. Guidance On Transport In Bulk...... Any Special Precautions..... Not regulated. None known

Section 15: REGULATORY INFORMATION

Globally Harmonized System Classification..
CEPA Status..... Not classified.

The ingredients in this product appear on the DSL All ingredients are listed on the TSCA inventory. TSCA Inventory Status.....

OSHA..... SARA TITLE III This product is not considered hazardous Not applicable.

Section 311/312 - Hazard Categories...... Section 302 - Extremely Hazardous

SARA Section 313..... This material is not subject to SARA notification requirements, since it does not contain any Toxic Chemical constituents above de minimus concentrations.

EPA Hazardous Air Pollutants (HAPS) 40CFR63 HS Code..... 3213.10.00.00.

California Proposition 65..... Carbon black is known by the state of California to cause cancer. However, Carbon black is listed when found in unbound, airborne particles of respirable size. Titanium dioxide is known by the state of California to cause cancer. However, Titanium dioxide is listed when found in unbound, airborne particles of respirable size.

Item Numbers: 00071-1025, 00071-1029, 00071-2025, 00071-2025, 00071-2029, 00071-2029, 00071-3015, 00071-3019, 00071-4015, 00071-4019, 00071-4015, 00071-4015, 00071-5015, 00071-5015, 00071-5015, 00071-5165, 00071-5169, 00071-6005, 00071-

00000517

MATERIAL SAFETY DATA SHEET

Page 4

PRODUCT: Tempera Products All Colors

Section 16: OTHER INFORMATION

HDTS Chemicals Inc. - www.hdtschemicals.com - email: service@hdtschemicals.com .
This Safety Data Sheet was prepared by Tri-Art Manufacturing and obtained from supplier information. The information in the Safety Data Sheet is off ered for your consideration and guidance when exposed to this product. Tri-Art Manufacturing Inc. disclaims all expressed or implied warranties and assume no responsibilities for the accuracy or completeness of the data contained herein. The data in this MSDS does not apply to use with any other product or in any other process. This Material Safety Data Sheet may not be changed, or altered in any way without the expressed knowledge and permission of Tri-Art Manufacturing Inc. Prepared By..... Disclaimer.....

Manufacturing Inc.

Preparation Date..... Oct11/12