00407-4003

REVISION DATE: 15/07/09

## SAFTETY DATA SHEET WINSOR & NEWTON ARTISTS' PICTURE CLEANER

## 1 IDENTIFICATION OF THE SUBSTANCE/ PREPARATION AND COMPANY UNDERTAKING

PRODUCT NAME

WINSOR & NEWTON ARTISTS' PICTURE CLEANER

APPLICATION

Cleaner for soiled oil paintings

**SUPPLIER** 

ColArt America Inc.
11 Constitution Avenue

Piscataway New Jersey 08855-1396

Emergency telephone number Tel. number for information

1-800-628-3385 732-562-0770

## 2. COMPOSITION INFORMATION ON INGREDIENTS

### COMPOSITION COMMENTS:

Hazardous Components	CAS Number	OSHA PEL	TLV
Dipentene	205-341-0	No data	No data

 Dipentene
 205-341-0
 No data
 No data

 Pine Oil
 8002-09-3
 No data
 No data

### 3. HAZARD IDENTIFICATION

## CLASSIFICATION

In accordance with ASTM D4236 Standard Practice for Labeling Art Materials for Chronic Adverse Health Effects this product labeled as:

# WARNING: MAY BE HARMFUL IF SWALLOWED. COMBUSTIBLE. SKIN IRRITANT

CAUTION: Contains Pine Oil. Avoid ingestion. Avoid prolonged contact with skin. Wash hands immediately after use. Do not store or use near heat or flame. Keep out of reach of children. If skin contact occurs, wash with soap and water for 5 minutes. If swallowed, get prompt medical attention.

## 4. FIRST AID MEASURES

## INHALATION

Move the exposed person to fresh air at once. Provide rest, warmth and fresh air. Get medical attention if any discomfort continues,

#### INGESTION

DO NOT INDUCE VOMITING! Rinse mouth thoroughly. Drink plenty of water, Get medical attention if any discomfort

1

#### SKIN CONTACT

Remove affected person from source of contamination. Remove contaminated clothing. Wash the skin immediately with soap and water. Get prompt medical attention if any discomfort continues.

#### EYE CONTACT

Make sure to remove any contact lenses from the eyes before rinsing. Promptly wash eyes with plenty of water while lifting the eye lid. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.

### 5. FIRE FIGHTING MEASURES

### **EXTINGUISHING MEDIA**

This product is not flammable. Use fire extinguishing media appropriate for surrounding materials.

## 6. ACCIDENTAL RELEASE MEASURES

### SPILL CLEAN UP METHODS

Ventilate well. Wear necessary protective equipment. Absorb in vermiculite, dry sand or earth and place in to containers. Do not contaminate water courses or sewer. Dispose of the medium in accordance with local regulations.

## 7. HANDLING AND STORAGE

### USAGE PRECAUTIONS

Avoid spilling, skin and eye contact. Ventilate well, avoid breathing vapors. Use approve respirator if air contamination is above accepted levels. Persons susceptible for allergic reactions should not handle this product.

### STORAGE PRECAUTIONS

Keep in original container. Store at moderate temperatures in dry, well ventilated area.

## 8. EXPOSURE CONTROLS/ PERSONAL PROTECTION

## **ENGINEERING MEASURES**

Provide adequate general and local exhaust ventilation.

#### HAND PROTECTION

Use suitable protective gloves if risk of skin contamination.

## EYE PROTECTION

If risk of splashing, wear safety goggles or face shield.

# OTHER PROTECTION

Wear appropriate clothing to prevent any possibility of liquid contact and repeated or prolonged vapor contact.

2

Item Numbers: 00407-4003 Page 2 of 4

## HYGEINE MEASURES

Wash at the end of each work shift and before eating, smoking and using the toilet. Promptly remove any clothing that becomes contaminated. Use appropriate skin cream to prevent drying of skin. When using do not eat, drink or smoke.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE Two phase liquid

COLOR Buff

ODOR Characteristic

SOLUBILITY Insoluble in water

BOILING POINT (°C) >100 760 mm Hg

RELATIVE DENSITY 0.98

VOLATILE BY VOL (%) 5 - 10

FLASH POINT (°C) >100 (Closed cup)

## 10. STABILITY AND REACTIVITY

**STABILITY** 

Stable under normal temperature conditions.

CONDITIONS TO AVOID

Avoid excessive heat for prolonged periods of time.

HAZARDOUS DECOMPOSITION PRODUCTS

High temperature generates fumes of carbon dioxide and carbon monoxide.

## 11. TOXICOLOGICAL INFORMATION

GENERAL INFORMATION

INHALATION

May cause sensitization by inhalation.

INGESTION

May cause discomfort if swallowed

SKIN CONTACT

Prolonged contact may cause sensitization.

3

Item Numbers: 00407-4003 Page 3 of 4

#### EYE CONTACT

Spray and vapor in the eyes may cause irritation and smarting.

#### ROUTE OF ENTRY

Inhalation. Skin and eye contact.

#### MEDICAL SYMPTOMS

Inhalation of large quantities of vapor may cause dizziness, headache. Prolonged contact with skin may cause irritation.

### 12. ECOLOGICAL INFORMATION

#### **ECOTOXICITY**

Dangerous to the environment. May cause long-term adverse effects in the aquatic environment.

#### 13. DISPOSAL CONSIDERATIONS

#### **DISPOSAL METHODS**

Dispose of waste and residues in accordance with local authority requirements.

### 14. TRANSPORT INFORMATION

RAIL TRANSPORT NOTES

Not classified

SEA TRANSPORT NOTES

Not classified

AIR TRANSPORT NOTES

Not classified

#### 15. REGULATORY INFORMATON

This product has been evaluated by a toxicologist and is labeled for acute and chronic health hazards in accordance with the Labeling of Hazardous Art Materials Act and Federal regulation 16 CFR 1500.14 of the Federal Hazardous Substances Act.

This product conforms to ASTM D 4236 Standard Practice for Labeling Art Materials for Chronic Adverse Health Hazards. The warning given on the product label is:

WARNING: MAY BE HARMFUL IF SWALLOWED. COMBUSTIBLE. SKIN IRRITANT CAUTION: Contains Pine Oil. Avoid ingestion. Avoid prolonged contact with skin. Wash hands immediately after use. Do not store or use near heat or flame. Keep out of reach of children. If skin contact occurs, wash with soap and water for 5 minutes. If swallowed, get prompt medical attention.

## 16. OTHER INFORMATION

## INFORMATON SOURCE

Material Safety ~Data Sheet, Misc. manufacturers.

REVISION DATE 15/07/09

4

Item Numbers: 00407-4003 Page 4 of 4