00409-1001

Material Safety Data Sheet

THIS DOCUMENT CONSISTS OF TWO MSDS'S

- Artists Paintstik all varieties and colors except cadmium colors
- Artists Paintstik cadmium colors

Section 1

Product and Company Identification

- Artists Paintstik

all varieties and colors except cadmium colors

MSDS #: 135A Revision #: 2.4

Date Prepared: July 3, 1993 Date Revised: April 17, 2012

Manufacturer:

Supplier/Importer:

Jack Richeson & Company, Inc 557 Marcella Drive Kimberly, WI 54136 Phone: 800-233-2404 Fax: 800-233-2545

Emergency Telephone: Call CHEMTREC USA 800-424-9300 International (Call Collect) 1-703-527-3887 Chemical Formula: Mixture

CAS No.: Not Applicable. Derivation: Not Applicable.

Synonyms: Not Applicable.

General Use: Paints for fine arts and crafts.

Composition/Information on Ingredients Section 2

Ingredient Linseed Oil 5,8 CAS No. 8001-26-1

The color Cobalt Blue contains 15% elemental cobalt1.

(For Section 2 footnotes: See Section 15)

Section 3

Hazards Identification

EMERGENCY OVERVIEW: Combustion Hazard: Waste soaked with this product may spontaneously catch fire if improperly discarded.

POTENTIAL HEALTH EFFECTS:

Primary Exposure Routes: None.

Acute Effects

Eyes: Contact may cause mild eye irritation including stinging, watering, and redness. Irritating fumes may be produced during the paint drying process if exposed to large surface area.

Ingestion: Possible nausea or diarrhea if large amounts ingested.

Inhalation: Irritating fumes may be produced during the paint drying process if exposed to large surface

Chronic Effects

Page 1 of 10

Artists Paintstik

all varieties and colors except cadmium colors

MSDS #: 135A Revision #: 2.4 Date Prepared: July 3, 1993
Date Revised: February 17, 2009

Eyes: None. Skin: None. Ingestion: None. Inhalation: None.

Carcinogenicity: Not Applicable.
Target Organ Effects: Not Applicable.

Medical Conditions Aggravated by Long-Term Exposure: Not Determined.

Other Information: Not Applicable.

Section 4

First Aid

Eye Contact: Flush with water.

Skin Contact: Wash with soap and water.
Ingestion: Consult physician if discomfort occurs.

Inhalation: Move away from source of exposure and into fresh air. Consult physician if discomfort

occurs.

Other Information: None.

Section 5

Fire Fighting Measures

Flash Point (method): 400°F/204°C (unknown) Autolgnition Temperature: Not Determined. LEL: Not Determined. LEL: Not Determined. Flammability Classification: Not determined.

Extinguishing Media: Carbon Dioxide, Foam, Dry Chemical, Water.

Hazardous Combustion Products: Carbon Monoxide, Carbon Dioxide, possibly other toxic gases.

Unusual Fire or Explosion Hazards: Rags and waste paper containing this product may burn spontaneously. Store wiping rags containing this product in metal containers with tight lids.

Fire-Fighting Instructions/Equipment: Keep personnel removed and upwind of any fire. Wear full fire-fighting turn-out gear (full Bunker gear), and respiratory protection (SCBA).

Section 6

Accidental Release Measures

Use recommended personal protective equipment (see Section 8).

Small Spill: Sweep or scrape up.

Large Spill: Generally treat as a small spill. If large quantities are exposed to excessive heat, this product may melt. Allow melted material to cool and then scrape up.

Section 7

Handling and Storage

Handling Precautions: Use recommended personal protective equipment (see Section 8). Wash thoroughly after handling.

Storage Requirements: Store in a cool, dry area.

Section 8 Exposure Controls/Personal Protection

Eye/Face Protection: None.

Page 2 of 10

Page 2 of 5

Artists Paintstik

all varieties and colors except cadmium colors

MSDS #: 135A Revision #: 2.4

Date Prepared: July 3, 1993 Date Revised: February 17, 2009

Skin Protection: None.

Respiratory Protection: None

Other Personal Protective Equipment: None.

Engineering Controls: Normal room ventilation. Make sure area is well ventilated if large surface area of paint is drying.

Administrative Controls: Users of this product must be properly trained and qualified in its use.

Other Information: None.

Section 9 Physical and Chemical Properties

Appearance/Physical State: Solid paint of various colors.

Odor: Oil paint.

Odor Threshold (ppm): Not Determined

Specific Gravity (H₂O = 1): >1

Sofubility in Water: Insoluble.

Coefficient of Water/Oil Solubility: <1

pH: Not Applicable.

Melting Point: Approximately 150°F/66°C

Bolling Point: Not Determined.

Vapor Pressure (mm Hg at 20°C): Not Determined. Expected to be low.

Vapor Density (Air = 1): Not Applicable.

Evaporation Rate (n-BuAc=1): Not Applicable.

V.O.C.: 0%(w/w), 0%(v/v), 0 lbs./gal.(U.S.), 0 kg/l

Section 10

Stability and Reactivity

Chemical Stability: Stable.

Hazardous Polymerization: Will not occur.

Conditions to Avoid: High surface area exposure can result in release of heat while paint is drying.

Chemicals to Avoid: Oxidizers.

Hazardous Decomposition Products (non-thermal): Aldehydes (including acrolein) may be produced from almospheric oxidation (drying).

Section 11

Toxicological Information

Sensitization to Product: Not Applicable.

Irritancy of Product: Not Applicable.

Reproductive Toxicity: Not Applicable.

Teratogenicity: Not Applicable.

Mutagenicity: Not Applicable

Toxicological information regarding individual ingredients, if applicable, may be found in Section 2.

Section 12

Ecological Information

Not Determined.

Page 3 of 10

Artists Paintstik

all varieties and colors except cadmium colors

MSDS #: 135A Revision #: 2.4 Date Prepared: July 3, 1993 Date Revised: February 17, 2009

Section 13

Disposal Considerations

Rags and waste paper containing this product may burn spontaneously. Store wiping rags containing this product in metal containers with tight lids. Dispose of in accordance with applicable federal, state, and local regulations.

Section 14

Transport Information

U.S. D.O.T.

Proper Shipping Name: Not Regulated. Hazard Class or Division: Not Regulated.

J.D. Number: Not Regulated.

Australian Code for the Transport of Dangerous Goods

Dangerous Goods Class and Subsidiary Risk: Not Determined.

Section 15

Regulatory Information

Footnotes for Section 2:

- Subject to the reporting requirements of SARA Title III, Section 313
- 2 Appears on the California Safe Drinking Water and Toxic Enforcement Act Substances List.
- 3 Appears on the Massachusetts Substances List.
- 4 Appears on the New Jersey Right-To-Know Hazardous Substances List.
- 5 Appears on the Pennsylvania Hazardous Substances List.
- 6 Appears on the Canadian WHMIS Ingredient Disclosure List.

Arts and Crafts Material Institute (U.S.): Certified as non-toxic by ACMI.

- U.S. Federal Hazardous Substance Labeling Act: Artists Paintstik was tested by an independent laboratory and found to be non-toxic, non-irritating to the skin and eyes within the meaning of the U.S. Federal Hazardous Substance Labeling Act.
- U.S. OSHA Hazard Status: This product is not considered to be hazardous as defined by the U.S. OSHA HCS (29 CFR 1910 1200).

U.S. EPA SARA sec. 311/312 Hazard Categories: Not Applicable.

HMIS Rating (U.S.): Health 0, Flammability 1, Reactivity 0

NFPA Rating: Health 1, Flammability 1, Reactivity 0

Canadian WHMIS Status: This product is not considered to be hazardous as defined by Canadian WHMIS Controlled Products Regulations.

WHMIS Rating (Canada): None.

WHMIS Risk Phrases and Precautionary Statements: None.

CHIP 2 Categories of Danger (England): None.

Worksafe Australia Status: This product is not classified as hazardous according to criteria of Worksafe Australia.

HAZCHEM Code (Australia): None.

Poisons Schedule Number (Australia): None.

U.S. Toxic Substances Control Act (TSCA): All ingredients contained in this product are listed on the U.S. EPA TSCA Chemical Substance Inventory.

Canadian Domestic Substances List (DSL): All ingredients contained in this product are listed on the Canadian EPA (CEPA) Domestic Substances List (DSL).

European Inventory of Existing Chemical Substances (EINECS): All ingredients contained in this product are listed on the European Inventory of Existing Chemical Substances (EINECS).

Page 4 of 10

Page 4 of 5

Artists Paintstik

all varieties and colors except cadmium colors

MSDS #: 135A Revision #: 2.4

Date Prepared: July 3, 1993 Date Revised: February 17, 2009

Further regulatory information regarding individual ingredients, if applicable, may be found in Section 2

This product has been classified in accordance with the hazard criteria of the U.S. OSHA Hazard Communication Standard, the Canadian WHMIS Controlled Products Regulations, and the Australian NMRCWHS. This MSDS contains the information required by the above regulations and conforms to ANSI Z400.1-1993.

Section 16

Other Information

Page 5 of 10