MATERIAL SAFETY DATA SHEET

-1014 -7193 -7194

MSDS #: T600-C

Page 1 of 3

Chartpak, Inc. One River Road Leeds, MA 01053

Phone: 413-584-5446 or 800-628-1910

Emergency Medical Number: 888-786-0972

Creation Date: June 23, 2008

Section One: Product Information

Product Name: Academy Oil Colors

Product Sizes: 7,5, 24, 37, and 150 ml

Product Class: Artists' Oil Colors

Section Two:	Ingredients				
Ingradianta		CAS Number	9/ by Moight	DEL/TLV	

Ingredients	CAS Number	% by Weight	PEL/TLV	
Zinc Oxide	1314-13-2	75.0%	10 mg/m3	
Titanium Dioxide	13463-67-6	45.0%	10 mg/m3	

Section Three:	Hazards Identification	
Goodion Illico.	riazaras identification	

^{**}WARNING: DO NOT SPRAY APPLY -- This product contains cadmium, a chemical known to the State of California to cause cancer by means of inhalation.

^{**}WARNING: This product contains lead, a chemical known to the State of California to cause cancer and birth defects or other reproductive harm.

Section Four:	First Aid Measures	
Inhalation:	None under normal use conditions.	

Skin Contact: None under normal use conditions.

Eye Contact: None under normal use conditions.

Ingestion: None under normal use conditions.

This Material Safety Data Sheet is applicable to the consumer use of the following colors: T212, T21211 (150mL), T232, T23211 (150mL)

MATERIAL SAFETY DATA SHEET

MSDS #: T600-C

Page 2 of 3

Section Five: Fire Fighting Measures

Flash Point: Not available

Flammability Limits (% by volume): Lower: Not explosive Upper: Not explosive

Extinguishing Media: As appropriate for surrounding area

No special fire fighting procedures required Special Fire Fighting Measures:

Unusual Fire and Explosion

Not combustible

Accidental Release Measures Section Six:

No special spill procedures required

Section Seven: Handling and Storage

Handling: No special handling requirements.

Storage: No special storage requirements.

Section Eight: **Exposure Controls and Personal Protection**

Respiratory Protection and Special Ventilation Requirements: None required

Other Protective Equipment

(Gloves, Goggles, Etc.):

None

Work/Hygiene Practices: Studio hygiene rules should be observed. Wash thoroughly before eating, drinking, and smoking.

Section Nine: Physical and Chemical Properties

Boiling Point: Not determined Melting Point: Not determined Vapor Pressure: Not determined Specific Gravity: Not determined

Specific Vapor Density (AIR = 1): Not determined Evaporation Rate (Butyl Acetate = 1): Not determined

Solubility in Water: Not determined Reactivity in Water: Non-reactive

Appearance and Odor: Colored paints; oily odor

Section Ten: Stability and Reactivity

Stability: Stable

Conditions to Avoid: Excessive heat Chemical Incompatibility: None known Hazardous Decomposition: None known Hazardous Polymerization: Will not occur

MATERIAL SAFETY DATA SHEET

MSDS #: T600-C

Page 3 of 3

Toxicological Information Section Eleven:

IARC Monographs: No

National Toxicology Program: No

OSHA Regulated: No

Effects/Symptoms of Acute Exposure:

None expected

Chronic Exposure:

Effects/Symptoms of None expected

Medical Conditions Usually Aggravated By Overexposure of This Product:

None known

Section Twelve: **Ecological Information**

Not available

Section Thirteen: **Disposal Considerations**

Dispose in accordance with Federal, State, and Local Regulations

Section Fourteen: Transport Information

Not regulated as a hazardous material by DOT, IMO, or IATA.

Section Fifteen: Regulatory Information

TSCA INVENTORY:

The product on this Material Safety Data Sheet is not listed on the United States Environmental Protection Agency Toxic Substances Control Act Inventory. However, the components of the product are included in the TSCA Inventory.

Section Sixteen: Other Information

HMIS Code

Health 0

Flammability 0

Reactivity 0

Personal Protection N/A

Chartpak, Inc. is a member of The Art and Creative Materials Institute, Inc. This product is charpak, inc. is a member of the Art and Creative Materials institute, inc. This product is certified by the Institute to be labeled in accordance with the voluntary chronic hazard labeling standard ASTM D-4236 and is labeled with the CL (Cautionary Label) Seal. Products bearing the CL Seal are certified to be properly labeled in a program of toxicological evaluation by a medical expert for any known health risks and with information on the safe and proper use of these materials. Conforms to ASTM D-4236.

0=Minimal / 4 = Severe

May be used to comply with OSHA Hazard Communication Standard 29 CFR 1910.1200. Standard must be consulted for specific requirements.