

MATERIAL SAFETY DATA SHEET**PRODUCT NAME:** MARSHALL VIRIDIAN GREEN EXTRA STRONG
PHOTO OIL COLOR**PRODUCT CODE(S):** MS2VGX, MS4VGX**DATE:** 01-01-13**MANUFACTURER:** SECTION I PRODUCT IDENTIFICATION
OMEGABRANDESS DISTRIBUTION
626 HANOVER PIKE, SUITE 102
HAMPSTEAD, MD 21074

INFORMATION AND EMERGENCY PHONE DURING BUSINESS HOURS 410-374-3250

FOR EMERGENCY ASSISTANCE INVOLVING A SPILL, LEAK, OR FIRE WITH THIS
PRODUCT CALL CHEMTREC 800-424-9300.**PRODUCT CLASS:** COLOR IN OIL**SYNONYMS:** NONE**SECTION II HAZARDOUS INGREDIENTS**

COMPONENTS	CAS #	OSHA PEL	ACHIG TLV	WGT %
Ethyl Alcohol	64-17-5	1000	1000 ppm	>0.4%
Chlorinated Copper Phthalocyanine	147-14-8	not listed	not listed	<33.5%

SECTION III PHYSICAL / CHEMICAL CHARACTERISTICS**BOILING POINT:** N/A
COLOR: Green
VAPOR PRESSURE (mm Hg): 40
SOLUBILITY IN WATER: <1%
EVAPORATION RATE: <1
STABILITY: PRODUCT IS STABLE UNDER NORMAL CONDITIONS**SECTION IV FIRE AND EXPLOSION HAZARD DATA****FLASH POINT:** 148°F SETA**FLAMMABLE LIMITS:** OSHA III A**EXTINGUISHING MEDIA:** FOAM, CO₂, DRY CHEMICAL.**SPECIAL FIRE FIGHTING INSTRUCTIONS:** AVOID USE OF WATER. IMPLEMENT IF ONLY ALTERNATIVE. WEAR SELF-CONTAINED BREATHING APPARATUS PRESSURE-DEMAND (MSHA/NIOSH APPROVED OR EQUIVALENT) AND FULL PROTECTIVE GEAR.**UNUSUAL FIRE & EXPLOSION HAZARDS:** USE WATER TO KEEP FIRE-EXPOSED CONTAINERS COOL. RAGS AND WASTE PAPER CONTAINING THIS MATERIAL MAY HEAT AND BURN SPONTANEOUSLY. STORE WIPING MATERIAL IN METAL CANS WITH TIGHT LIDS. SOAK WITH WATER.**SECTION V REACTIVITY DATA****CONDITIONS TO AVOID:** OXIDIZING MATERIALS; VIOLENT REACTIONS TO CL₂, CHLORINATED RUBBER.

MARSHALL VIRIDIAN GREEN EXTRA STRONG PHOTO OIL COLOR**PAGE 2**

HAZARDOUS DECOMPOSITION OR BY-PRODUCTS: THERMAL DECOMPOSITION MAY YIELD CARBON DIOXIDE, CARBON MONOXIDE AMMONIA, HALOGENS, AND CARBONYL HALIDE.

HAZARDOUS POLYMERIZATION: WILL NOT OCCUR. SPONTANEOUS COMBUSTION MAY OCCUR.

SECTION VI HEALTH HAZARD DATA

CHRONIC EFFECTS OF OVEREXPOSURE/CARCINOGENICITY: NOT LISTED AS A CARCINOGEN BY NTP, IARC AND IS NOT REGULATED BY OSHA.

EMERGENCY AND FIRST AID PROCEDURES:

EYES: FLUSH EYES WITH CLEAN WATER FOR AT LEAST 15 MINUTES LIFTING EYELIDS. IF IRRITATION PERSISTS CONSULT A PHYSICIAN IMMEDIATELY.

SKIN: MAY BE REMOVED FROM SKIN WITH WATERLESS HAND CLEANER FOLLOWED BY WASHING AFFECTED AREA WITH SOAP AND WATER. IF ANY IRRITATION DEVELOPS, CONSULT A PHYSICIAN.

INHALATION: REMOVE TO FRESH AIR. IF BREATHING IS DIFFICULT, CONSULT A PHYSICIAN.

IF SWALLOWED: KEEP PERSON WARM AND QUIET; GET IMMEDIATE MEDICAL ATTENTION.

SECTION VII PRECAUTIONS FOR SAFE HANDLING AND USE

IF SPILLED OR RELEASED: SMALL SPILLS SHOULD BE PICKED UP WITH ABSORBENT MATERIAL AND TRANSFERRED INTO CLOSED METAL CONTAINERS AND SOAKED WITH WATER. LARGE SPILLS CAN BE SCOOPED UP AND PUT INTO METAL CONTAINERS AND SALVAGED.

WASTE DISPOSAL METHOD: CAREFULLY INCINERATE OR USE SECURE LANDFILLS OR SPECIAL WASTE LANDFILL. COMPLY WITH ALL APPLICABLE FEDERAL, STATE, AND LOCAL REGULATIONS.

STORAGE AND HANDLING: AVOID ACCUMULATION OF CONTAMINATED RAGS OR WIPING MATERIALS BY IMMEDIATE IMMERSION IN WATER.

SECTION VIII CONTROL MEASURES

RESPIRATORY PROTECTION: NOT NORMALLY NEEDED.

VENTILATION: RECOMMENDED

EYES: WEAR CHEMICAL SAFETY GOGGLES

PROTECTIVE GLOVES: NEOPRENE RUBBER GLOVES. PREVENT REPEATED OR PROLONGED SKIN CONTACT.

The conditions of handling, storage, use, and disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons we do not assume responsibility and expressly disclaim liability for loss, damage, or expense arising out of or in any way connected with the handling, storage, use, or disposal of the product. The opinions expressed herein are those of qualified experts, chemists, and technicians supplied by various chemical manufacturers. We believe that the information contained herein is current as of the date of this Material Safety Data Sheet. Since the use of this information, these opinions, and the conditions of use of the product are not within the control of OMEGABRANDESS DISTRIBUTION, it is the user's obligation to determine the conditions of safe use of the product.