



Certificate of Compliance & Material Safety Data Sheet

For Health Emergencies: CALL A POISON CONTROL CENTER
For Transportation Emergencies ONLY: Call Chem-Tel
USA, Canada, Puerto Rico, US Virgin Islands: Call 800-255-3924
Outside North America: Call Collect 813-248-0585

| | | | | |
|--------------------------------|--------------|--------------|--------------|--------------|
| 00452-all codes except: | | | | |
| -1019 | -3093 | -3103 | -3203 | -4093 |
| -4123 | -4353 | -4533 | -5183 | -9023 |

Date Prepared
Rev: 5 June 2009
Replaces: 10 May 2007

Certificate of Compliance Section 1 - PRODUCT AND COMPANY IDENTIFICATION

1.1 PRODUCT NAME: Professional Permalba® Oil Colors - Carrying the AP Non-Toxic Seal of the Art & Creative Materials Institute.

(Note: See additional MSDS for those Professional Permalba® Oil Colors bearing the CL – Caution Label Required Seal of the Art & Creative Materials Institute.)

1.2 ITEM NUMBER AND SIZES: Colors Listed in Section 2 below - 37ml and 150ml tubes, 473ml jars

1.3 CPSC SAFETY REGULATION CITATION

This adult product is certified to comply with the Consumer Product Safety Act (CPSA), the Federal Hazardous Substances Act, (FHSA) and its Labeling for Hazardous Art Materials Amendment, (LHAMA.)

1.4 MANUFACTURER IDENTIFICATION:

Martin/F. Weber Co.
2727 Southampton Road • Philadelphia, PA 19154 USA
Phone: 215-677-5600 • Fax: 215-677-3336
Email: compliance@weberart.com • Web: www.weberart.com

1.5 CONTACT INFORMATION:

Regulatory & Compliance Manager
Martin/F. Weber Co.
2727 Southampton Road • Philadelphia, PA 19154 USA
Phone: 215-677-5600 • Fax: 215-677-3336
Email: compliance@weberart.com

1.6 DATE & PLACE OF MANUFACTURE:

For purposes of the Consumer Product Safety Improvement Act, (CPSIA), this product is deemed to be manufactured as of the date of shipment, at the above address.

1.7 DATE & PLACE PRODUCT TESTED FOR COMPLIANCE WITH THE REGULATIONS ABOVE (1.4):

Date: 1 January 2006
Place: Duke University Medical Center
2200 West Main Street, Suite 400
Durham NC 27705

1.8 THIRD-PARTY LABORATORY(S) ON WHICH THIS CERTIFICATE DEPENDS

N/A

MSDS Section 1 - PRODUCT AND COMPANY IDENTIFICATION

1.1 PRODUCT NAME: Professional Permalba® Oil Colors - Carrying the AP Non-Toxic Seal of the Art & Creative Materials Institute.

(Note: See additional MSDS for those Professional Permalba® Oil Colors bearing the CL – Caution Label Required Seal of the Art & Creative Materials Institute.)

1.2 ITEM NUMBER AND SIZES: Colors Listed in Section 2 below - 37ml and 150ml tubes, 473ml jars

1.3 COMPANY IDENTIFICATION:

Martin/F. Weber Co.
2727 Southampton Road • Philadelphia, PA 19154 USA
Phone: 215-677-5600 • Fax: 215-677-3336
Email: compliance@weberart.com • Web: www.weberart.com

SECTION 2 – COMPOSITION INFORMATION

COMPONENT

CAS

MAX. AMOUNT
(% Weight)

Martin/F. Weber Company is a member of the Art & Creative Materials Institute, (ACMI) 1280 Main Street, 2nd Floor, PO Box 479, Hanson, MA 02341 USA. ACMI is a non-profit, international organization which tests and evaluates product formulations for toxicity, recommends and requires appropriate labeling. Our art and craft materials are certified by the institute to be labeled in accordance with the voluntary chronic hazard labeling standard, ASTM D-4236 of the American Society for Testing & Materials. This standard is incorporated into the US Federal Hazard Substances Act and it's LHAMA (Labeling for Hazardous Art Materials) amendment.

These products are appropriately labeled with the AP Non-Toxic Seal of ACMI. They have been certified in a program of toxicological evaluation by a medical expert, subject to review by the institute's Toxicological Advisory Board to contain no materials in sufficient quantities to be toxic or injurious to humans or to cause acute or chronic health problems.

| Item | Color and Size |
|------|--|
| 1000 | PROF. PERMALBA 37ML ALIZARIN CRIMSON PERM. |
| 1001 | PROF. PERMALBA 37ML ALIZARIN ORANGE PERM. |
| 1002 | PROF. PERMALBA 37ML BRILLIANT YELLOW LIGHT |
| 1003 | PROF. PERMALBA 37ML BURNT SIENNA |
| 1004 | PROF. PERMALBA 37ML BURNT UMBER |
| 1012 | PROF. PERMALBA 37ML CERULEAN BLUE |
| 1013 | PROF. PERMALBA 37ML CHROME OXIDE GREEN |
| 1015 | PROF. PERMALBA 37ML COBALT TURQUOISE |
| 1016 | PROF. PERMALBA 37ML COBALT VIOLET PERM. |
| 1017 | PROF. PERMALBA 37ML DIOXAZINE PURPLE |
| 1018 | PROF. PERMALBA 37ML FRENCH ULTRAMARINE |
| 1019 | PROF. PERMALBA 37ML GREEN EARTH |
| 1020 | PROF. PERMALBA 37ML INDANTHRONE BLUE |
| 1021 | PROF. PERMALBA 37ML INDIAN YELLOW PERM. |
| 1022 | PROF. PERMALBA 37ML INDIGO |
| 1023 | PROF. PERMALBA 37ML IRRIDESC. ANTIQUE GOLD |
| 1024 | PROF. PERMALBA 37ML IRRIDESCENT BRONZE |
| 1025 | PROF. PERMALBA 37ML IRRIDESCENT COPPER |

| Item | Color and Size |
|------|---|
| 1026 | PROF. PERMALBA 37ML IRRIDESCENT PEWTER |
| 1027 | PROF. PERMALBA 37ML IRRIDESCENT WHITE |
| 1028 | PROF. PERMALBA 37ML IVORY BLACK |
| 1029 | PROF. PERMALBA 37ML LAMP BLACK |
| 1030 | PROF. PERMALBA 37ML LEMON YELLOW |
| 1031 | PROF. PERMALBA 37ML MARS BLACK |
| 1033 | PROF. PERMALBA 37ML METALLIC SILVER |
| 1034 | PROF. PERMALBA 37ML NAPLES YELLOW PERMAN. |
| 1035 | PROF. PERMALBA 37ML OLIVE GREEN |
| 1037 | PROF. PERMALBA 37ML PAYNES GRAY |
| 1038 | PROF. PERMALBA 37ML PERINONE ORANGE |
| 1040 | PROF. PERMALBA 37ML PERM. GREEN LIGHT |
| 1041 | PROF. PERMALBA 37ML PERYLENE MAROON |
| 1042 | PROF. PERMALBA 37ML PERYLENE RED |
| 1043 | PROF. PERMALBA 37ML PHTHALOCYANINE BLUE |
| 1044 | PROF. PERMALBA 37ML PHTHALOCYANINE GREEN |
| 1045 | PROF. PERMALBA 37ML PHTHALO. YELLOW GREEN |
| 1046 | PROF. PERMALBA 37ML PRUSSIAN BLUE |

| | |
|------|--|
| 1047 | PROF. PERMALBA 37ML QUINACRIDONE RED |
| 1048 | PROF. PERMALBA 37ML QUINACRIDONE VIOLET |
| 1049 | PROF. PERMALBA 37ML RAW SIENNA |
| 1050 | PROF. PERMALBA 37ML RAW UMBER |
| 1051 | PROF. PERMALBA 37ML ROSE Madder PERM. |
| 1052 | PROF. PERMALBA 37ML SAP GREEN PERMANENT |
| 1053 | PROF. PERMALBA 37ML TITANIUM WHITE |
| 1054 | PROF. PERMALBA 37ML TRANSP. GOLD OCHRE |
| 1055 | PROF. PERMALBA 37ML ULTRAMARINE VIOLET |
| 1056 | PROF. PERMALBA 37ML UNBLEACHED TITANIUM PROF. PERMALBA 37ML VAN DYKE BROWN PERM. |
| 1057 | |
| 1058 | PROF. PERMALBA 37ML VENETIAN RED |
| 1059 | PROF. PERMALBA 37ML VERMILLION PERMANENT |
| 1060 | PROF. PERMALBA 37ML VIRIDIAN |
| 1061 | PROF. PERMALBA 37ML YELLOW OCHRE |
| 1062 | PROF. PERMALBA 37ML ZINC WHITE |
| 1063 | PROF. PERMALBA 37ML ZINC YELLOW PERM. |
| 1200 | PROF. PERMALBA 150ML ALIZARIN CRIMSON |
| 1203 | PROF. PERMALBA 150ML BURNT SIENNA |
| 1204 | PROF. PERMALBA 150ML BURNT UMBER |

| | |
|----------|---|
| 1212 | PROF. PERMALBA 150ML CERUL. BLUE GENUINE |
| 1217 | PROF. PERMALBA 150ML DIOXAZINE PURPLE |
| 1218 | PROF. PERMALBA 150ML FRENCH ULTRAMARINE |
| 1243 | PROF. PERMALBA 150ML PHTHALOCYANINE BLUE |
| 1244 | PROF. PERMALBA 150ML PHTHALO. GREEN |
| 1252 | PROF. PERMALBA 150ML SAP GREEN PERMANENT |
| 1253 | PROF. PERMALBA 150ML TITANIUM WHITE |
| 1260 | PROF. PERMALBA 150ML VIRIDIAN |
| 1261 | PROF. PERMALBA 150ML YELLOW OCHRE |
| 1262 | PROF. PERMALBA 150ML ZINC WHITE |
| 2757 | ORIGINAL PERMALBA WHITE OIL COLOR 37 ML |
| 2758 | ORIGINAL PERMALBA WHITE OIL COLOR 150 ML |
| 2758-3PK | PROMO 3 PACK - ORIGINAL PERMALBA WHITE |
| 2762 | PROF. PERMALBA BLACK OC150ML |
| 2763 | PROF. PERMALBA BLACK OC 37ML |
| 2766 | PROMO 2-PERMALBA WHITE & RES-N-GEL 150ML |
| 2767 | PROMO 2-PERMALBA WHITE & PERM. BLACK 150ML |
| 2958 | ORIGINAL PERMALBA WHITE OC 473ML JAR |

SECTION 3 – HAZARDS IDENTIFICATION

3.1 EMERGENCY OVERVIEW

Appearance: Colored Paste

Physical State: Paste

Odor: Characteristic Linseed Oil or Safflower Oil

Hazards of Product: n/a.

3.2 POTENTIAL HEALTH EFFECTS

EFFECTS OF SINGLE ACUTE OVEREXPOSURE: n/a

CHRONIC, PROLONGED OR REPEATED OVEREXPOSURE: n/a

MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE: n/a

3. 3 POTENTIAL ENVIRONMENTAL EFFECTS: n/a

SECTION 4 – FIRST AID PROCEDURES

4.1 INHALATION: n/a.

4.2 EYE CONTACT: n/a

4.3 SKIN CONTACT: n/a.

4.4 SWALLOWING n/a.

4.2 NOTES TO PHYSICIAN: n/a

SECTION 5 - FIRE FIGHTING MEASURES
5.1 FLAMMABLE PROPERTIES

| | |
|-----------------------------------|----------------|
| Identification Number: | n/a |
| Flash Point – Closed Cup: | >350°F (177°C) |
| Flash Point – Open Cup: | n/a |
| Auto-Ignition Temperature: | n/a |
| Flammable Limits in Air: | n/a |

5.2 EXTINGUISHING MEDIA Foam, CO₂ Dry Chemical (Class B) or Halon®, Water Fog

5.3 EXTINGUISHING MEDIA TO AVOID n/a

5.4 SPECIAL FIRE FIGHTING PROCEDURES n/a

5.5 SPECIAL PROTECTIVE EQUIPMENT FOR FIREFIGHTERS As with any fire situation, full face, self contained breathing apparatus and appropriate protective clothing should be worn.

5.6 UNUSUAL FIRE AND EXPLOSION HAZARDS n/a

5.7 HAZARDOUS COMBUSTION PRODUCTS Under fire conditions, this product may release CO, CO₂ and other decomposition products of undetermined hazard.

SECTION 6 – ACCIDENTAL RELEASE MEASURES

STEPS TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED: Clean up paint or paint mixed with solvents using rags or paper towels. Place in airtight containers for disposal.

SECTION 7 – HANDLING AND STORAGE

7.1 GENERAL HANDLING: After use, wash hands before eating drinking or smoking.

7.2 STORAGE: n/a

SECTION 8 – EXPOSURE CONTROLS AND PERSONAL PROTECTION

8.1 EXPOSURE LIMITS: n/a

8.2 PERSONAL PROTECTION:

| | |
|------------------------------------|--|
| Respiratory Protection: | n/a |
| Ventilation: | n/a |
| Eye Protection: | n/a |
| Protective Gloves: | Rubber or vinyl gloves or a barrier cream are useful for general cleanliness |
| Other Protective Equipment: | n/a |

8.3 ENGINEERING CONTROLS: n/a

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

| | |
|---|---|
| Physical State: | Paste |
| Appearance: | Viscous Colored Paste |
| pH: | < 7 |
| Solubility in Water (by weight): | Negligible |
| Odor: | Characteristic Linseed Oil or Safflower Oil |
| Flash Point – Closed Cup: | > 350°F (177°C) |
| Flash Point – Open Cup: | n/a |
| Percent Volatiles: | Non-Volatile |
| Boiling Point (760mm Hg): | n/a |
| Freezing Point: | n/a |
| Specific Gravity (H₂O = 1): | > 1 |
| Vapor Pressure at 20°C: | n/a |
| Vapor Density (air = 1): | n/a |
| Evaporation Rate (Butyl Acetate = 1): | n/a |
| Melting Point: | n/a |

Section 10 – STABILITY AND REACTIVITY

| | |
|--------------------------------------|---|
| 10.1 STABILITY / INSTABILITY | Stable under ordinary conditions of use and storage |
| Conditions to Avoid | n/a |
| Incompatible Materials | n/a |
| 10.2 HAZARDOUS POLYMERIZATION | Will not occur |
| 10.3 INHIBITORS / STABILIZERS | n/a |

SECTION 11 – TOXICOLOGICAL INFORMATION

| | |
|--------------------------|-----|
| ACUTE TOXICITY: | n/a |
| CHRONIC TOXICITY: | n/a |

SECTION 12 – ECOLOGICAL INFORMATION

| | |
|---------------------------------|-----|
| 12.1 ENVIRONMENTAL FATE | n/a |
| 12.2 ECOTOXICITY | n/a |
| 12.3 FURTHER INFORMATION | n/a |

SECTION 13 – DISPOSAL CONSIDERATIONS

| | |
|-------------------------------------|--|
| 13.1 WASTE DISPOSAL METHOD | Dispose of in accordance with local, state and federal regulations |
| 13.2 DISPOSAL CONSIDERATIONS | n/a |

SECTION 14 – TRANSPORTATION INFORMATION

| | |
|-------------------|-----|
| U.S. D.O.T | n/a |
|-------------------|-----|

SECTION 15 – REGULATORY INFORMATION

| | |
|--------------------------------|-----|
| 15.1 FEDERAL / NATIONAL | n/a |
| 15.2 STATE / LOCAL | n/a |

SECTION 16 – OTHER INFORMATION

The information presented here is current as of the date of this Material Safety Data Sheet and is believed to be accurate but is not warranted to be, whether originating with the company or not. Since use of this information and the product are not under the control of Martin/F. Weber Company, it is the user's obligation to determine conditions of safe use, in advance of use, and to carefully read the product label and follow all instructions for safe use of the product.