00473-1283, 4063, 8153, 9113, -9133, 9173, 9503

Safty Data Sheet according to 1907/2006/EC

series 10 - MUSSINI article

10860000

version: 1

Date: Page

19.08.2010 1 of 3

1. Identification of the substance/preparation and of the company/undertaking

Commercial Product name

Use of the substance

Company

series 10 - MUSSINI gold shades

finest artists' resin-oil-colour for artistic painting techniques

H.Schmincke & Co. GmbH & Co. KG

Otto-Hahn-Strasse 2 D-40699 Erkrath www.schmincke.de +49 (0) 211 - 25 09 - 0

Phone #

Telefax #

Information

+49 (0) 211 - 25 09 - 461

Schmincke-laboratory: mo.-th. 8.00-16.30, fr. 8.00-13.30

tel.: +49 (0) 211 - 2509 - 474 eMail: labor@schmincke.de

Emergency Information

Emergencycall Berlin: +49 (0) 30 - 30 68 67 90 (0.00-24.00) german /

english

2. Hazard identification

Classification

Nature of Hazard

The product does not require a hazard warning label in accordance with EC

directives/ GefStoffV (German regulations on dangerous substances).

3. Composition/information on ingredients

Chemical characterization (substance)

dammar resin additives essential oils mineral spirit siccative natural oils

Customs tariff number

10 860 - white gold 10 861 - renaissance gold 10 862 - antique gold

copper-zink-alloy copper-zink-alloy

10 863 - yellow gold 10 864 - gold bronze copper-zink-alloy; mica

copper-zink-alloy; aluminium

10 865 - red gold

copper-zink-alloy; aluminium; copper

10 866 - copper

copper-zink-alloy

copper

Dangerous constituents

White spirit: 2 % - 6 % CAS-Number: 64742-82-1

R phrase(s): 65 - 66

White spirit: 1 % - 2,5 %

CAS-Number: 64742-47-8

R phrase(s): 65 - 66

Iso-Alkane: 2,5 % - 5 %

CAS-Number: 90622-57-4

R phrase(s): 10 - 65 - 66

Butylglycol: 0 % - 15 % CAS-Number: 111-76-2

R phrase(s): 20/21/22 - 36/38

4. First aid measures

Safty Data Sheet according to 1907/2006/EG

Schmincke Feinste Künstlerfarben

article series 10 - MUSSINI

10860000

version: 1

Date: Page 19.08.2010 2 of 3

General information

In case of problems seek medical advice and show the package or label

5. Fire fighting measures

Suitable extinguishing media

Extinguisher unsuitable on safety grounds

Dry chemical extinguisher Dry powder ABC powder Product itself is non-combustible; adapt fire extinguishing measures to surrounding areas.

Water Water spray jet

6. Accidental release measures

Additional information

When picked up, treat material as prescribed under heading "Disposal".

7. Handling and storage

Particular use(s)

Particular use(s)

No special measures necessary if stored and handled as prescribed.

8. Exposure controls / personal protection

Critical values of exposure Limitation and surveillance of the exposure at the workplace.

General protection and hygiene measures

No special measures necessary if used correctly.

9. Physical and chemical properties

Appearance

Form . :

Pasty

Colour pigmented Characteristic

Safety relevant data

Density Solvent content 1,2 - 1,5 g/ml 6,0 - 18 %

10. Stability and reactivity

11. Toxicological information

General remarks

General remarks

By appropiate use of the product no health damage is known. A sensitization is possible for persons who are sensitive.

Safty Data Sheet according to 1907/2006/EG



article series 10 - MUSSINI

10860000

version: 1

Date: 19.08.2010

Page

3 of

12. enviromental data

13. Disposal considerations

Product

Recommendation

080112 waste paint and varnish other than those mentioned in 080111

14. transport information

Additional information

Additional Information

The product does not constitute a hazardous substance in national / international road, rail, sea and air transport.

15. legal regulations

Classification

Nature of Hazard

The product does not require a hazard warning label in accordance with EC directives/ GefStoffV (German regulations on dangerous substances).

16. Other information

R phrase(s)

R10 Flammable.

R20/21/22 Harmful by inhalation, in contact with skin and if swallowed.

R36/38 Irritating to eyes and skin.

R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in

the aquatic environment.

R65 Harmful: may cause lung damage if swallowed.

R66 Repeated exposure may cause skin dryness or cracking.

R67 Vapours may cause drowsiness and dizziness.

Further remarks

This information is abased on our current state of knowledge and describes the security standards applicable to our product for the purpose provided. The information provided here does not constitute a legally binding warranty of specific characteristics or of suitability for a specific application use of the product is thus to be adapted to the user's special conditions and checked by preliminary tests. We are thus unable to guarantee product characteristics or accept an liability for damage arising in connection with the use of our products.