

00495-5810, 5812, 5820, 5822
6620, 6622, 6630, 6632

Old Holland Classic Colours



Safety Data Sheet

Driebergen June 2008

1 Identification of substance/preparation and of the company/undertaking

Trade name: Classic Oilcolours (Manganese)
Company: Old Holland Classic Colours since 1664
 Nijendal 36
 3972 KC Driebergen
 Netherland
 Tel +31 (0343) 518224 Fax +31 (0343) 516342

2 Composition/Information on Ingredients

chemical characterization: Manganese Blue C.I.Pigment Blue 33
Cass number: 8046-59-1

3 Hazards Identification:

Acute Health Hazards: Skin contact may cause allergic skin rashes.
Chronic health Hazards: None

In accordance with ASTM D-4236 Standard Practice for Labeling Art Materials for Chronic Adverse Health Effects Artist Oilcolour Cobalt Blue Deep is labelled as:

WARNING. MAY BE HARMFUL IS SWALLOWED. SKIN CONTACT MAY CAUSE ALLERGIC SKIN RASHES. Exposure may cause damage to the heart and lungs.

Contains: Manganese

PRECAUTIONS; Avoid prolonged contact with skin. Wash hands immediately after use.

Do Not spray apply, When using do not eat ,drink or smoke. **KEEP OUT OF REACH OF CHILDREN.**

FIRST AID: If swallowed, get prompt medical attention.

4 First Aid Measures:

Inhalation : Move the exposed person to fresh air at once. Get medical Attention if any discomfort continues.

Skin Contact : Remove affected person from source of contamination. Get medical attention if irritation persists after washing

Eye contact : Make sure to remove any contact lenses form the eyes before rinsing. Promptly wash eyes with plenty of water while lifting the eye lid.
Continue to rinse for at least 15 minutes.
Get medical attention if any discomfort continues

Product: oil paint

This information is accurate to the best knowledge of Old Holland, however it is furnished without warranty, expressed or implied.

Old Holland Classic Colours, Nijendal 36-38 3972 KC Driebergen Netherland, Tel +31 343518224 Fax +34 343516342



Old Holland Classic Colours



Ingestion : **never make an unconscious person vomit or drink fluids!**
Rinse mouth thoroughly. Drink plenty of water. Get medical attention if any discomfort.

5 Fire Fighting Measures:

Extinguishing Media; Carbon Dioxide, dry chemical foam.

6 Accidental Release Measures:

Spill clean up methods; Stop leak if possible without risk. Absorb in vermiculite, dry sand or earth and place in to containers. Do not contaminate water courses or sewer. Dispose of the colour in accordance with local regulations.

7 Handling and storage:

Usage Precautions: Avoid spilling, skin and eye contact.

Storage Precautions: Keep in original containers. Store at moderate temperatures in, dry ,ventilated storage and closed containers.

8 Exposure Controls/personal protection:

Engineering Measures: No particular ventilation requirements
Hand protection: Avoid contact with skin.
Eye protection: If risk of splashing, wear safety goggles or face shield.
Hygiene measures: Wash at the end of each work shift and before eating, smoking and using the toilet.
Promptly remove any clothing that becomes contaminated. Use cream to prevent drying of skin. When using do not eat, drink, of smoke.

9 Physical and chemical properties:

pigment in oil.	
Form:	paste
Odour:	chararestic
Colour:	Blue
Boiling point	>100 °c
Flash point:	not applicable
Auto ignition temperature:	none
Minimum ignition temperature:	none
Explosion Limits:	none
Vapour pressure:	none

Product: oil paint

This information is accurate to the best knowledge of Old Holland, however it is furnished without warranty, expressed or implied.

Old Holland Classic Colours, Nijendaal 36-38 3972 KC Driebergen Netherland, Tel +31 343518224 Fax +34 343518342



Old Holland Classic Colours



Relative density::	1.5 – 1.8	g/cm ³ (20°)
Solubility:	None	
Solubility in white spirit:	dissolve	

10 Stability and reactivity:

Stability:	Normally stable.
Conditions to avoid:	Keep away from combustible material.
Hazardous decomposition Products:	Monomer Fumes in Fire Black smoke may affect eyes and lungs

11 Toxicological information:

General Information:	The manganese content in the pigment is less Only large volumes may have adverse impact on human health
Inhalation:	Dust in high concentrations may irritate the respiratory system
Route of entry:	Inhalation
Target Organs:	Respiratory, lungs
Inhalation:	May cause irritation to the respiratory system
Ingestion:	May cause discomfort if swallowed
Skin:	Prolonged contact may cause dermatitis. Soluble manganese may cause allergic reaction in contact with skin.
Eyes:	Irritating to eyes.
Health warnings:	See Section 3
Route of entry	Inhalation. Skin and eye contact
Medical symptoms	Irritations of eyes and mucous membranes.

12 Ecological information:

Ecological information:	Not regarded as dangerous to the environment
-------------------------	--

13 Disposal considerations:

Disposal methods:	Dispose of waste and residues in accordance with local authority requirements.
-------------------	--

14 Transport information:

Rail Transport notes	not classified
Sea Transport notes	not classified
Air Transport notes	not classified

Product: oil paint

This information is accurate to the best knowledge of Old Holland, however it is furnished without warranty, expressed or implied.

Old Holland Classic Colours, Nijendal 36-38 3972 KC Driebergen Netherland, Tel +31 343518224 Fax +34 343518342



Old Holland Classic Colours

**15 Regulatory information:**

This product has been evaluated by a toxicologist and is labelled for acute and chronic health hazards in accordance with the labelling of Hazardous Art Materials

This product conforms to ASTM D 4236 standard Practice for labelling Art Materials for Chronic Adverse Health Hazards.

16 Other information:

None

Product: oil paint

This information is accurate to the best knowledge of Old Holland, however it is furnished without warranty, expressed or implied.

Old Holland Classic Colours, Nijendal 36-38 3972 KC Driebergen Netherland, Tel +31 343518224 Fax +34 343518342