Material Safety Data Sheet

Product Name:

LIQUITEX(R) HEAVY BODY ARTIST ACRYLIC CADMIUM COLORS

Product Family:

1. Chemical Product and Company Identification

Colart Americas, Inc. **EMERGENCY TELEPHONE NUMBER:** 1-800-628-3385

11Constitution Avenue PO Box 1396 Piscataway, NJ 08855 1-800-445-4278

SUBSTANCE:

LIQUITEX(R) HIGH VISCOSITY ARTIST ACRYLIC CADMIUM COLORS

TRADE NAMES/SYNONYMS:

LIQUITEX HEAVY BODY ARTIST ACRYLIC CADMIUM COLORS

150 CADMIUM ORANGE;152 CADMIUM RED LIGHT;154 CADMIUM

RED MEDIUM;160 CADMIUM YELLOW LIGHT;161 CADMIUM YELLOW MEDIUM;162 CADMIUM

YELLOW DEEP

PRODUCT USE: Arts and Crafts

CREATION DATE:

Aug 19 1998

REVISION DATE: 3rd November 2011

2. Composition, Information on Ingredients

COMPONENT:

CADMUM PIGMENT, PROPRIETARY

CAS NUMBER:

Not assigned.

EC NUMBER:

Not assigned.

3. Hazards Identification

EC CLASSIFICATION (CALCULATED):

Not classified

EMERGENCY OVERVIEW:

COLOR:

various colors

PHYSICAL FORM:

liquid

ODOR:

fruity odor

MAJOR HEALTH HAZARDS:

CONTAINS:

CADMIUM PIGMENT. Do not spray apply.

POTENTIAL HEALTH EFFECTS:

INHALATION:

none

SKIN CONTACT:

CADMIUM COLOURS

none

LIQUITEX® HIGH VISCOSITY ARTIST ACRYLIC

Page 1

EYE CONTACT:

none

INGESTION:

none

CARCINOGEN STATUS:

OSHA:

No

NTP:

No

IARC: No

4. First Aid Measures

INHALATION:

It is unlikely that emergency treatment will be required. Remove from exposure. Get medical attention, if needed.

SKIN CONTACT:

It is unlikely that emergency treatment will be required. If adverse effects occur, wash with soap or mild detergent and large amounts of water. Get medical attention, if needed.

FYF CONTACT

It is unlikely that emergency treatment will be required. Wash with large amounts of water or normal saline until no evidence of chemical remains (at least 15-20 minutes). Get medical attention immediately.

INGESTION:

Contact local poison control center or physician immediately.

5. Fire Fighting Measures

FIRE AND EXPLOSION HAZARDS:

Slight fire hazard.

EXTINGUISHING MEDIA:

regular dry chemical, carbon dioxide, water, regular foam

FIRE FIGHTING:

Move container from fire area if it can be done without risk. Avoid inhalation of material or combustion by-products.

FLASH POINT:

No data available.

6. Accidental Release Measures

OCCUPATIONAL RELEASE:

Absorb with sand or other non-combustible material. Collect spilled material in appropriate container for disposal.

7. Handling and Storage

Store and handle in accordance with all current regulations and standards. See original container for storage recommendations. Keep separated from incompatible substances.

8. Exposure Controls, Personal Protection

EXPOSURE LIMITS:

LIQUITEX(R) HIGH VISCOSITY ARTIST ACRYLIC CADMIUM COLORS:

No occupational exposure limits established.

LIQUITEX® HIGH VISCOSITY ARTIST ACRYLIC CADMIUM COLOURS

Page 2

VENTILATION:

Based on available information, additional ventilation is not required.

EYE PROTECTION:

Eye protection not required under normal conditions.

CLOTHING:

Protective clothing is not required under normal conditions.

Protective gloves are not required under normal conditions.

No respirator is required under normal conditions of use. Under conditions of frequent use or heavy exposure, respiratory protection may be needed.

9. Physical and Chemical Properties

PHYSICAL STATE:

liquid

COLOR:

various colors

TEXTURE:

viscous

ODOR:

fruity odor

BOILING POINT:

Not available

FREEZING POINT:

Not available

VAPOR PRESSURE:

Not available

VAPOR DENSITY:

Not available

SPECIFIC GRAVITY:

Not available

WATER SOLUBILITY:

Not available

PH:

Not available

VOC content: <49.3 g/ litre

ODOR THRESHOLD:

Not available

EVAPORATION RATE:

Not available

COEFFICIENT OF WATER/OIL DISTRIBUTION:

Not available

10. Stability and Reactivity

LIQUITEX® HIGH VISCOSITY ARTIST ACRYLIC CADMIUM COLOURS

Page 3

REACTIVITY:

Stable at normal temperatures and pressure.

CONDITIONS TO AVOID:

None reported.

INCOMPATIBILITIES:

oxidizing materials

HAZARDOUS DECOMPOSITION:

Thermal decomposition products: oxides of carbon

POLYMERIZATION:

Will not polymerize.

11. Toxicological Information

LIQUITEX(R) HIGH VISCOSITY ARTIST ACRYLIC CADMIUM COLORS:

ADDITIONAL DATA: CONTAINS: CADMIUM PIGMENT. Do not spray apply.

12. Ecological Information

Not available

13. Disposal Considerations

Dispose in accordance with all applicable regulations.

14. Transport Information

No classification assigned.

LAND TRANSPORT ADR/RID: No classification assigned.

AIR TRANSPORT IATA/ICAO:

No classification assigned.

MARITIME TRANSPORT IMDG:

No classification assigned.

15. Regulatory Information

U.S. REGULATIONS:

TSCA INVENTORY STATUS:

Yes

TSCA 12(b) EXPORT NOTIFICATION:

Not listed.

CERCLA SECTION 103 (40CFR302.4):

SARA SECTION 302 (40CFR355.30):

SARA SECTION 304 (40CFR355.40):

SARA SECTION 313 (40CFR372.65):

No

SARA HAZARD CATEGORIES, SARA SECTIONS 311/312 (40CFR370.21):

LIQUITEX® HIGH VISCOSITY ARTIST ACRYLIC CADMIUM COLOURS

Page 4

ACUTE: No

CHRONIC:

No

FIRE: No

REACTIVE:

No

SUDDEN RELEASE:

OSHA PROCESS SAFETY (29CFR1910.119):

STATE REGULATIONS: California Proposition 65:

WARNING: DO NOT SPRAY APPLY- This product contains cadmium, a chemical known to the State of California to cause cancer by means of inhalation.

EUROPEAN REGULATIONS:

EC NUMBER: Not applicable

16. Other Information

The information contained herein is provided for identification of hazards in normal use and does not constitute a product specification.

LIQUITEX® HIGH VISCOSITY ARTIST ACRYLIC CADMIUM COLOURS

Page 6