EMERGENCY TELEPHONE NUMBER:

1-800-628-3385

Product Name: LIQUITEX® ACRYLIC CLEAR GESSO

Product Family:

1. Chemical Product and Company Identification

ColArt Americas, Inc. 1100 Constitution Avenue PO Box 1396 Piscataway, NJ 08855 1-800-445-4278 SUBSTANCE: LIQUITEX® ACRYLIC CLEAR GESSO

TRADE NAMES/SYNONYMS: LIQUITEX ACRYLIC CLEAR GESSO

PRODUCT CODES : 7604 ; 7608 ; 7616 ; 7632 ; 7636

PRODUCT USE: Arts and Crafts

CREATION DATE: 25 September 2002

REVISION DATE: 22nd December 2008

2. Composition, Information on Ingredients

COMPONENT:

Product has been certified as non-toxic by The Art and Creative Materials Institute, Inc. and conforms to ASTM D-4236 Standard Practice for Labeling Art Materials for Acute and Chronic Adverse Health Hazards.

CAS NUMBER: Not assigned.

EC NUMBER: Not assigned.

PERCENTAGE: 100

3. Hazards Identification

None

EC CLASSIFICATION (CALCULATED): Not classified

EMERGENCY OVERVIEW:

COLOR: white

PHYSICAL FORM: liquid

ODOR: fruity odor

LIQUITEX® ACRYLIC CLEAR GESSO

Page 1

06/02/2009

Item Numbers: 00618-0069

Page 1 of 30

MAJOR HEALTH HAZARDS: No significant target effects reported.

POTENTIAL HEALTH EFFECTS:

INHALATION: none

SKIN CONTACT: none

EYE CONTACT:

INGESTION: none

CARCINOGEN STATUS:

OSHA: No

NTP:. No

IARC: No

4. First Aid Measures

INHALATION:

It is unlikely that emergency treatment will be required. Remove from exposure. Get medical attention, if needed.

SKIN CONTACT:

It is unlikely that emergency treatment will be required. If adverse effects occur, wash with soap or mild detergent and large amounts of water. Get medical attention, if needed.

EYE CONTACT:

It is unlikely that emergency treatment will be required. Wash with large amounts of water or normal saline until no evidence of chemical remains (at least 15-20 minutes). Get medical attention immediately.

INGESTION: Contact local poison control center or physician immediately.

5. Fire Fighting Measures

FIRE AND EXPLOSION HAZARDS: Slight fire hazard.

EXTINGUISHING MEDIA: regular dry chemical, carbon dioxide, water, regular foam

FIRE FIGHTING: Move container from fire area if it can be done without risk. Avoid inhalation of material or combustion by-products.

FLASH POINT: No data available.

6. Accidental Release Measures

OCCUPATIONAL RELEASE:

Absorb with sand or other non-combustible material. Collect spilled material

LIQUITEX® ACRYLIC CLEAR GESSO

Page 2

06/02/2009

in appropriate container for disposal.

7. Handling and Storage

Store and handle in accordance with all current regulations and standards. See original container for storage recommendations. Keep separated from incompatible substances.

8. Exposure Controls, Personal Protection

EXPOSURE LIMITS:

LIQUITEX(R) ACRYLIC GESSO No occupational exposure limits established.

VENTILATION: Based on available information, additional ventilation is not required.

EYE PROTECTION: Eye protection not required under normal conditions.

CLOTHING: Protective clothing is not required under normal conditions.

GLOVES: Protective gloves are not required under normal conditions.

RESPIRATOR:

No respirator is required under normal conditions of use. Under conditions of frequent use or heavy exposure, respiratory protection may be needed.

9. Physical and Chemical Properties

PHYSICAL STATE: liquid

COLOR: white

TEXTURE: viscous

ODOR: fruity odor

BOILING POINT: > 100

FREEZING POINT: Not available

VAPOR PRESSURE: Not available

VAPOR DENSITY: (Air =1) >1

SPECIFIC GRAVITY: 1.2

WATER SOLUBILITY: Dilutable

LIQUITEX® ACRYLIC CLEAR GESSO

Page 3

06/02/2009

PH: 8-9

VOLATILITY: VOC <49.3 g/litre

ODOR THRESHOLD: Not available

EVAPORATION RATE: (BuAc = 1) <1

10. Stability and Reactivity

REACTIVITY: Stable at normal temperatures and pressure.

CONDITIONS TO AVOID: None reported.

INCOMPATIBILITIES: oxidizing materials

HAZARDOUS DECOMPOSITION: Thermal decomposition products: oxides of carbon, various organic fragments

POLYMERIZATION: Will not polymerize.

11. Toxicological Information Not available

12. Ecological Information Not available

13. Disposal Considerations Dispose in accordance with all applicable regulations.

14. Transport Information No classification assigned.

LAND TRANSPORT ADR/RID: No classification assigned.

AIR TRANSPORT IATA/ICAO: No classification assigned.

MARITIME TRANSPORT IMDG: No classification assigned.

15. Regulatory Information

U.S. REGULATIONS:

TSCA INVENTORY STATUS: Yes

TSCA 12(b) EXPORT NOTIFICATION: Not listed.

CERCLA SECTION 103 (40CFR302.4): No

SARA SECTION 302 (40CFR355.30): No

LIQUITEX® ACRYLIC CLEAR GESSO

Page 4

06/02/2009

SARA SECTION 304 (40CFR355.40): No SARA SECTION 313 (40CFR372.65): No SARA HAZARD CATEGORIES, SARA SECTIONS 311/312 (40CFR370.21): ACUTE: No CHRONIC: No FIRE: No REACTIVE: No SUDDEN RELEASE: No OSHA PROCESS SAFETY (29CFR1910.119): No STATE REGULATIONS: California Proposition 65: No EUROPEAN REGULATIONS: EC NUMBER: Not applicable

16. Other Information

The information contained herein is provided for identification of hazards in normal use and does not constitute a product specification.

LIQUITEX® ACRYLIC CLEAR GESSO

Page 5

Product Name: LIQUITEX® FLEXIBLE MODELING PASTE

Product Family:

1. Chemical Product and Company Identification

Colart Americas, Inc. 11 Constitution Avenue PO Box 1396 Piscataway, NJ 08855 1-800-445-4278 EMERGENCY TELEPHONE NUMBER: 1-800-628-3385

SUBSTANCE: LIQUITEX® FLEXIBLE MODELING PASTE

CREATION DATE: 13 July 2006

REVISION DATE: 13 July 2006

Information on Ingredients

COMPONENT: Product complies with LHAMA and conforms to ASTM D-4236 Standard Practice for Labeling Art Materials for Acute and Chronic Adverse Health Hazards.

Page

CAS NUMBER: Not assigned.

EC NUMBER: Not assigned.

PERCENTAGE: 100

3. Hazards Identification

None EC CLASSIFICATION (CALCULATED): Not classified

EMERGENCY OVERVIEW:

COLOR: white

PHYSICAL FORM: paste

ODOR: fruity odor

MAJOR HEALTH HAZARDS: No significant target effects reported.

IQUITEX® FLEXIBLE MODELLING MEDIUM

POTENTIAL HEALTH EFFECTS:

INHALATION: none

SKIN CONTACT:

none

EYE CONTACT: none

INGESTION: none

CARCINOGEN STATUS:

OSHA: No

NTP: No

IARC: No

4. First Aid Measures

INHALATION: It is unlikely that emergency treatment will be required. Remove from exposure. Get medical attention, if needed.

SKIN CONTACT:

It is unlikely that emergency treatment will be required. If adverse effects occur, wash with soap or mild detergent and large amounts of water. Get medical attention, if needed.

EYE CONTACT:

It is unlikely that emergency treatment will be required. Wash with large amounts of water or normal saline until no evidence of chemical remains (at least 15-20 minutes). Get medical attention immediately.

INGESTION:

Contact local poison control center or physician immediately.

5. Fire Fighting Measures

FIRE AND EXPLOSION HAZARDS: Slight fire hazard.

EXTINGUISHING MEDIA: regular dry chemical, carbon dioxide, water, regular foam

FIRE FIGHTING:

Move container from fire area if it can be done without risk. Avoid inhalation of material or combustion by-products.

FLASH POINT: No data available.

6. Accidental Release Measures

OCCUPATIONAL RELEASE: Absorb with sand or other non-combustible material. Collect spilled material in appropriate container for disposal.

7. Handling and Storage

Store and handle in accordance with all current regulations and standards. See original container for storage recommendations. Keep separated from incompatible substances.

Page 2

8. Exposure Controls, Personal Protection EXPOSURE LIMITS:

IQUITEX® FLEXIBLE MODELLING MEDIUM

LIQUITEX(R) ACRYLIC MODELING PASTE: No occupational exposure limits established.

VENTILATION: Based on available information, additional ventilation is not required.

EYE PROTECTION: Eye protection not required under normal conditions.

CLOTHING: Protective clothing is not required under normal conditions.

GLOVES: Protective gloves are not required under normal conditions.

RESPIRATOR: No respirator is required under normal conditions of use. Under conditions of frequent use or heavy exposure, respiratory protection may be needed.

Page 3

9. Physical and Chemical Properties

PHYSICAL STATE: liquid

COLOR: white

TEXTURE: viscous

ODOR: fruity odor

BOILING POINT: > 100C FREEZING POINT: Not available

VAPOR PRESSURE: Not available

VAPOR DENSITY: Air = 1 > 1

SPECIFIC GRAVITY: 2.0

WATER SOLUBILITY: Dilutable

PH: 8-9

VOLATILITY: Not available

ODOR THRESHOLD: Not available

EVAPORATION RATE: Not available

10. Stability and Reactivity

IQUITEX® FLEXIBLE MODELLING MEDIUM

REACTIVITY:

Stable at normal temperatures and pressure.

CONDITIONS TO AVOID: None reported.

INCOMPATIBILITIES: oxidizing materials

HAZARDOUS DECOMPOSITION: Thermal decomposition products: oxides of carbon, various organic fragments

POLYMERIZATION: Will not polymerize.

11. Toxicological Information Not available

12. Ecological Information Not available

13. Disposal Considerations

Dispose in accordance with all applicable regulations.

14. Transport Information No classification assigned.

LAND TRANSPORT ADR/RID: No classification assigned.

AIR TRANSPORT IATA/ICAO: No classification assigned.

MARITIME TRANSPORT IMDG: No classification assigned.

15. Regulatory Information U.S. REGULATIONS:

TSCA INVENTORY STATUS: Yes

TSCA 12(b) EXPORT NOTIFICATION: Not listed.

CERCLA SECTION 103 (40CFR302.4): No

SARA SECTION 302 (40CFR355.30): No

SARA SECTION 304 (40CFR355.40): No

SARA SECTION 313 (40CFR372.65): No

IQUITEX® FLEXIBLE MODELLING MEDIUM

SARA HAZARD CATEGORIES, SARA SECTIONS 311/312 (40CFR370.21):

Pag

ACUTE: No

CHRONIC: No

FIRE: No

REACTIVE: N SUDDEN RELEASE: N OSHA PROCESS SAFETY (29CFR1910.119): N STATE REGULATIONS:

California Proposition 65: N

EUROPEAN REGULATIONS:

LIQUITEX® FLEXIBLE MODELLING MEDIUM

EC NUMBER: Not applicable

16. Other Information

The information contained herein is provided for identification of hazards in normal use and does not constitute a product specification.

Page

Product Name: LIQUITEX(R) ACRYLIC GLOSS SUPER HEAVY GEL MEDIUM Product Family: 1. Chemical Product and Company Identification

Colart Americas, Inc. 11 Constitution Avenue PO Box 1396 Piscataway, Nj 08855 1-800-445-4278 EMERGENCY TELEPHONE NUMBER: 1-800-628-3385

PRODUCT USE: Arts and Crafts

CREATION DATE: 25 September 2002

REVISION DATE :

23rd December 2008

2. Composition, Information on Ingredients

COMPONENT: Product has been certified as non-toxic by The Art and Creative Materials Institute, Inc. and conforms to ASTM D-4236 Standard Practice for Labeling Art Materials for Acute and Chronic Adverse Health Hazards. CAS NUMBER: Not assigned. EC NUMBER: Not assigned. PERCENTAGE: 100

3. Hazards Identification

EC CLASSIFICATION (CALCULATED): Not classified

EMERGENCY OVERVIEW:

PHYSICAL FORM: Liquid gel

ODOR: fruity odor

MAJOR HEALTH HAZARDS: No significant target effects reported.

POTENTIAL HEALTH EFFECTS:

INHALATION: none

SKIN CONTACT: none

EYE CONTACT: none

INGESTION: none

CARCINOGEN STATUS:

LIQUITEX® CLOSS SUPER HEAVY CEL MEDIUM Page 1

OSHA:

No NTP: No

IARC: No

4. First Aid Measures

INHALATION: It is unlikely that emergency treatment will be required. Remove from exposure. Get medical attention, if needed.

SKIN CONTACT: It is unlikely that emergency treatment will be required. If adverse effects occur, wash with soap or mild detergent and large amounts of

water. Get medical attention, if needed.

EYE CONTACT: It is unlikely that emergency treatment will be required. Wash with large amounts of water or normal saline until no evidence of chemical remains (at least 15-20 minutes). Get medical attention immediately. INGESTION: Contact local poison control center or physician immediately.

5. Fire Fighting Measures

FIRE AND EXPLOSION HAZARDS: Slight fire hazard.

EXTINGUISHING MEDIA: regular dry chemical, carbon dioxide, water, regular foam

FIRE FIGHTING: Move container from fire area if it can be done without risk. Avoid inhalation of material or combustion by-products.

FLASH POINT: Not flanmmable

6. Accidental Release Measures

OCCUPATIONAL RELEASE: Absorb with sand or other non-combustible material. Collect spilled material in appropriate container for disposal.

7. Handling and Storage

Store and handle in accordance with all current regulations and standards. See original container for storage recommendations. Keep separated from incompatible substances.

Page 2

8. Exposure Controls, Personal Protection

EXPOSURE LIMITS:

LIQUITEX(R) ACRYLIC HEAVY GEL MEDIUM: No occupational exposure limits established.

VENTILATION: Based on available information, additional ventilation is not required.

EYE PROTECTION: Eye protection not required under normal conditions.

IQUITEX® CLOSS SUPER HEAVY CEL MEDIUM

Item Numbers: 00618-0069

24/00/2010

CLOTHING: Protective clothing is not required under normal conditions.

GLOVES: Protective gloves are not required under normal conditions.

RESPIRATOR: No respirator is required under normal conditions of use. Under conditions of frequent use or heavy exposure, respiratory protection may be needed.

9. Physical and Chemical Properties

PHYSICAL STATE: liquid

TEXTURE: viscous

ODOR: fruity odor

BOILING POINT: > 100 C

FREEZING POINT: Not available

VAPOR PRESSURE: Not available

VAPOR DENSITY: Air = 1 > 1

SPECIFIC GRAVITY: 1.2

WATER SOLUBILITY: Miscible

PH: 8-9

VOLATILITY: VOC <49.3 g/litre

ODOR THRESHOLD: Not available

EVAPORATION RATE: BuAc = 1 < 1

10. Stability and Reactivity

REACTIVITY: Stable at normal temperatures and pressure.

LIQUITEX® CLOSS SUPER HEAVY CEL MEDIUM Page (

CONDITIONS TO AVOID: None reported.

INCOMPATIBILITIES: oxidizing materials

HAZARDOUS DECOMPOSITION: Thermal decomposition products: oxides of carbon, various organic fragments

POLYMERIZATION: Will not polymerize.

11. Toxicological Information

Not available

12. Ecological Information Not available

Not available

13. Disposal Considerations Dispose in accordance with all applicable regulations.

14. Transport Information

No classification assigned.

LAND TRANSPORT ADR/RID: No classification assigned.

AIR TRANSPORT IATA/ICAO: No classification assigned.

MARITIME TRANSPORT IMDG: No classification assigned.

15. Regulatory Information

U.S. REGULATIONS:

TSCA INVENTORY STATUS: Yes

TSCA 12(b) EXPORT NOTIFICATION: Not listed.

CERCLA SECTION 103 (40CFR302.4): No

SARA SECTION 302 (40CFR355.30): No

SARA SECTION 304 (40CFR355.40): No

SARA SECTION 313 (40CFR372.65): No

....

SARA HAZARD CATEGORIES, SARA SECTIONS 311/312 (40CFR370.21): ACUTE:

No

CHRONIC: No

FIRE: No

REACTIVE: No

SUDDEN RELEASE:

No

OSHA PROCESS SAFETY (29CFR1910.119): No STATE REGULATIONS:

IQUITEX® CLOSS SUPER HEAVY CEL MEDIUM Page

California Proposition 65: No

EUROPEAN REGULATIONS:

HQUITEX® CLOSS SUPER HEAVY CEL MEDIUM Page 5

EC NUMBER: Not applicable **16. Other Information**

The information contained herein is provided for identification of hazards in normal use and does not constitute a product specification.

Product Name: LIQUITEX(R) HIGH GLOSS VARNISH

Product Family: 1. Chemical Product and Company Identification Colart Americas, Inc. EMERGENCY TELEPHONE NUMBER: 11Constitution Avenue 1-800-628-3385 PO Box 1396 Piscataway, NJ 08855 1-800-445-4278

SUBSTANCE: LIQUITEX(R) HIGH GLOSS VARNISH

TRADE NAMES/SYNONYMS: LIQUITEX HIGH GLOSS VARNISH PRODUCT CODES: 126604 ; 126616 PRODUCT USE: Arts and Crafts

CREATION DATE: Nov 07 1997

REVISION DATE: 23rd December 2008

2. Composition, Information on Ingredients COMPONENT:

Product has been certified as non-toxic by The Art and Creative Materials Institute, Inc. and conforms to ASTM D-4236 Standard Practice for Labeling Art Materials for Acute and Chronic Adverse Health Hazards.

Page

CAS NUMBER: Not assigned.

EC NUMBER: Not assigned.

PERCENTAGE: 100.0

3. Hazards Identification

EC CLASSIFICATION (CALCULATED): Not determined.

EMERGENCY OVERVIEW: PHYSICAL FORM: liquid

IQUITEX® HICH CLOSS VARNISH

ODOR: fruity odor

MAJOR HEALTH HAZARDS: No significant target effects reported.

POTENTIAL HEALTH EFFECTS: INHALATION: none

SKIN CONTACT:

EYE CONTACT: none

INGESTION: none

CARCINOGEN STATUS:

OSHA: No

NTP: No

IARC: No

4. First Aid Measures

INHALATION: It is unlikely that emergency treatment will be required. Remove from exposure. Get medical attention, if needed.

SKIN CONTACT:

It is unlikely that emergency treatment will be required. If adverse effects occur, wash with soap or mild detergent and large amounts of water. Get medical attention, if needed.

EYE CONTACT:

It is unlikely that emergency treatment will be required. Wash with large amounts of water or normal saline until no evidence of chemical remains (at least 15-20 minutes). Get medical attention immediately.

Page

INGESTION:

Contact local poison control center or physician immediately.

5. Fire Fighting Measures FIRE AND EXPLOSION HAZARDS: Slight fire hazard.

IQUITEX® HICH CLOSS VARNISH

EXTINGUISHING MEDIA: carbon dioxide, regular dry chemical, regular foam, water

FIRE FIGHTING: Move container from fire area if it can be done without risk. Avoid inhalation of material or combustion by-products.

FLASH POINT: No data available.

6. Accidental Release Measures

OCCUPATIONAL RELEASE: Absorb with sand or other non-combustible material. Collect spilled material in appropriate container for disposal.

7. Handling and Storage

Store and handle in accordance with all current regulations and standards. See original container for storage recommendations. Keep separated from incompatible substances.

8. Exposure Controls, Personal Protection EXPOSURE LIMITS:

EXPOSURE LIMITS: LIQUITEX(R) HIGH GLOSS VARNISH: No occupational exposure limits established.

VENTILATION: Based on available information, additional ventilation is not required.

EYE PROTECTION: Eye protection not required under normal conditions.

CLOTHING: Protective clothing is not required under normal conditions.

GLOVES: Wear appropriate chemical resistant gloves.

PROTECTIVE MATERIAL TYPES: neoprene, rubber

RESPIRATOR: No respirator is required under normal conditions of use. Under conditions of frequent use or heavy exposure, respiratory protection may be needed.

Page

9. Physical and Chemical Properties

PHYSICAL STATE: liquid

ODOR: fruity odor

BOILING POINT: > 100 C

FREEZING POINT: Not available

VAPOR PRESSURE: Not available

VAPOR DENSITY: Air = 1 >1

IQUITEX® HICH CLOSS VARNISH

SPECIFIC GRAVITY: 1.04

Pag

WATER SOLUBILITY: Miscible

PH: 8-9

VOLATILITY: VOC <49.3 g/litre

ODOR THRESHOLD: Not available

EVAPORATION RATE: BuAc = 1 Not available

10. Stability and Reactivity

REACTIVITY: Stable at normal temperatures and pressure.

CONDITIONS TO AVOID: None reported.

INCOMPATIBILITIES: oxidizing materials

HAZARDOUS DECOMPOSITION: Thermal decomposition products: oxides of carbon

POLYMERIZATION: Will not polymerize.

11. Toxicological Information Not available

12. Ecological Information Not available

13. Disposal Considerations Dispose in accordance with all applicable regulations.

14. Transport Information

No classification assigned.

LAND TRANSPORT ADR/RID: No classification assigned.

AIR TRANSPORT IATA/ICAO: No classification assigned.

MARITIME TRANSPORT IMDG: No classification assigned.

LIQUITEX® HICH CLOSS VARNISH

15. Regulatory Information U.S. REGULATIONS: TSCA INVENTORY STATUS: Yes TSCA 12(b) EXPORT NOTIFICATION: Not listed. CERCLA SECTION 103 (40CFR302.4): No SARA SECTION 302 (40CFR355.30): No SARA SECTION 304 (40CFR355.40): No SARA SECTION 313 (40CFR372.65): No SARA HAZARD CATEGORIES, SARA SECTIONS 311/312 (40CFR370.21): ACUTE: No CHRONIC: No FIRE: No REACTIVE: No SUDDEN RELEASE: No OSHA PROCESS SAFETY (29CFR1910.119): No STATE REGULATIONS: California Proposition 65: No EUROPEAN REGULATIONS: EC NUMBER: Not applicable

16. Other Information

IQUITEX® HICH CLOSS VARNISH

The information contained herein is provided for identification of hazards in normal use and does not constitute a product specification.

Page

Material Safety Data Sheet

Product Name: LIQUITEX® POURING MEDIUM Product Family: 1. Chemical Product and Company Identification

Colart Americas, Inc. 11 Constitution Avenue PO Box 1396 Piscataway, Nj 08855 1-800-445-4278 EMERGENCY TELEPHONE NUMBER: 1-800-628-3385

SUBSTANCE: LIQUITEX® POURING MEDIUM

PRODUCT USE: Arts and Crafts

CREATION DATE: 13 July 2006

2. Composition, Information on Ingredients

COMPONENT: Product complies with LHAMA and conforms to ASTM D-4236 Standard Practice for Labeling Art Materials for Acute and Chronic Adverse Health Hazards. CAS NUMBER: Not assigned. EC NUMBER: Not assigned. PERCENTAGE: 100

Page

3. Hazards Identification

EC CLASSIFICATION (CALCULATED): Not classified

EMERGENCY OVERVIEW:

PHYSICAL FORM: Translucent liquid

ODOR: fruity odor

MAJOR HEALTH HAZARDS: No significant target effects reported.

IQUITEX® POURING MEDIUM

POTENTIAL HEALTH EFFECTS:

INHALATION: none

SKIN CONTACT:

EYE CONTACT:

INGESTION: none

CARCINOGEN STATUS:

OSHA: No NTP: No

IARC: No

4. First Aid Measures

INHALATION:

It is unlikely that emergency treatment will be required. Remove from exposure. Get medical attention, if needed.

SKIN CONTACT:

It is unlikely that emergency treatment will be required. If adverse effects occur, wash with soap or mild detergent and large amounts of

water. Get medical attention, if needed.

EYE CONTACT:

It is unlikely that emergency treatment will be required. Wash with large amounts of water or normal saline until no evidence of chemical remains (at least 15-20 minutes). Get medical attention immediately. INGESTION: Contact local poison control center or physician immediately.

Page

5. Fire Fighting Measures

IQUITEX® POURING MEDIUM

FIRE AND EXPLOSION HAZARDS: Slight fire hazard.

EXTINGUISHING MEDIA: regular dry chemical, carbon dioxide, water, regular foam

FIRE FIGHTING: Move container from fire area if it can be done without risk. Avoid inhalation of material or combustion by-products.

FLASH POINT: No data available.

6. Accidental Release Measures

OCCUPATIONAL RELEASE: Absorb with sand or other non-combustible material. Collect spilled material in appropriate container for disposal.

7. Handling and Storage

Store and handle in accordance with all current regulations and standards. See original container for storage recommendations. Keep separated from incompatible substances.

8. Exposure Controls, Personal Protection

EXPOSURE LIMITS:

LIQUITEX(R) ACRYLIC HEAVY GEL MEDIUM: No occupational exposure limits established.

VENTILATION: Based on available information, additional ventilation is not required.

EYE PROTECTION: Eye protection not required under normal conditions.

CLOTHING: Protective clothing is not required under normal conditions.

GLOVES: Protective gloves are not required under normal conditions.

RESPIRATOR: No respirator is required under normal conditions of use. Under conditions of frequent use or heavy exposure, respiratory protection may be needed.

Page

9. Physical and Chemical Properties

PHYSICAL STATE: liquid

TEXTURE: viscous

ODOR: fruity odor

BOILING POINT: > 100 C

FREEZING POINT: Not available

VAPOR PRESSURE: Not available

IQUITEX® POURING MEDIUM

VAPOR DENSITY: Air = 1 > 1

SPECIFIC GRAVITY: > 1

WATER SOLUBILITY: Miscible

PH: 8-9

VOLATILITY: Not available

ODOR THRESHOLD: Not available

EVAPORATION RATE: BuAc = 1 < 1

10. Stability and Reactivity

REACTIVITY: Stable at normal temperatures and pressure.

CONDITIONS TO AVOID: None reported.

INCOMPATIBILITIES: oxidizing materials

HAZARDOUS DECOMPOSITION: Thermal decomposition products: oxides of carbon, various organic fragments

Pag

POLYMERIZATION: Will not polymerize.

11. Toxicological Information

Not available

12. Ecological Information Not available

13. Disposal Considerations Dispose in accordance with all applicable regulations.

14. Transport Information No classification assigned.

LAND TRANSPORT ADR/RID: No classification assigned.

IQUITEX® POURING MEDIUM

AIR TRANSPORT IATA/ICAO: No classification assigned.

MARITIME TRANSPORT IMDG: No classification assigned.

15. Regulatory Information

U.S. REGULATIONS:

TSCA INVENTORY STATUS: Yes TSCA 12(b) EXPORT NOTIFICATION: Not listed. CERCLA SECTION 103 (40CFR302.4): No SARA SECTION 302 (40CFR355.30): No SARA SECTION 304 (40CFR355.40): No SARA SECTION 313 (40CFR372.65): No SARA HAZARD CATEGORIES, SARA SECTIONS 311/312 (40CFR370.21): ACUTE: No CHRONIC: No FIRE: No REACTIVE: No SUDDEN RELEASE: No OSHA PROCESS SAFETY (29CFR1910.119): No STATE REGULATIONS: California Proposition 65: No EUROPEAN REGULATIONS: EC NUMBER:

Not applicable **16. Other Information**

IQUITEX® POURING MEDIUM

The information contained herein is provided for identification of hazards in normal use and does not constitute a product specification.

Page

Page 26 of 30

Material Safety Data Sheet

Product Name: LIQUITEX® ACRYLIC SLOW-DRI® EXTENDER MEDIUM

Product Family:

1. Chemical Product and Company Identification

ColArt Americas, Inc. 11Constitution Avenue PO Box 1396 Piscataway, NJ 08855 1-800-445-4278 EMERGENCY TELEPHONE NUMBER: 1-800-628-3385

SUBSTANCE: LIQUITEX® ACRYLIC SLOW-DRI® EXTENDER MEDIUM

TRADE NAMES/SYNONYMS: LIQUITEX® ACRYLIC SLOW-DRI EXTENDER MEDIUM PRODUCT COLORS/CODES: 6704

PRODUCT USE: Arts and Crafts

CREATION DATE: Nov 14 1997

REVISION DATE: Sep 22 2005

2. Composition, Information on Ingredients

COMPONENT:

Product has been certified as non-toxic by The Art and Creative Materials Institute, Inc. and conforms to ASTM D-4236 Standard Practice for Labelling Art Materials for Acute and Chronic Adverse Health Hazards.

CAS NUMBER: Not assigned.

EC NUMBER: Not assigned.

PERCENTAGE: 100

3. Hazards Identification

None

EC CLASSIFICATION (CALCULATED): Not classified

EMERGENCY OVERVIEW:

PHYSICAL FORM: liquid

MAJOR HEALTH HAZARDS: No significant target effects reported.

POTENTIAL HEALTH EFFECTS:

INHALATION: none

LIQUITEX® ACRYLIC SLOW-DRI® EXTENDER MEDIUM Page 1

SKIN CONTACT: none

EYE CONTACT: none

INGESTION: none

CARCINOGEN STATUS:

OSHA: No

NTP: No

IARC: No

4. First Aid Measures

INHALATION: It is unlikely that emergency treatment will be required. Remove from exposure. Get medical attention, if needed.

SKIN CONTACT:

It is unlikely that emergency treatment will be required. If adverse effects occur, wash with soap or mild detergent and large amounts of water. Get medical attention, if needed.

EYE CONTACT: It is unlikely that emergency treatment will be required. Wash with large amounts of water or normal saline until no evidence of chemical remains (at least 15-20 minutes). Get medical attention immediately.

INGESTION: Contact local poison control center or physician immediately.

5. Fire Fighting Measures

FIRE AND EXPLOSION HAZARDS: Slight fire hazard.

EXTINGUISHING MEDIA: regular dry chemical, carbon dioxide, water, regular foam

FIRE FIGHTING: Move container from fire area if it can be done without risk. Avoid inhalation of material or combustion by-products.

FLASH POINT: No data available.

6. Accidental Release Measures

OCCUPATIONAL RELEASE: Absorb with sand or other non-combustible material. Collect spilled material in appropriate container for disposal.

7. Handling and Storage

Store and handle in accordance with all current regulations and standards. See original container for storage recommendations. Keep separated from incompatible substances.

LIQUITEX® ACRYLIC SLOW-DRI® EXTENDER MEDIUM Page 2

8. Exposure Controls, Personal Protection

EXPOSURE LIMITS:

LIQUITEX(R) ACRYLIC SLOW-DRI(R) EXTENDER MEDIUM: No occupational exposure limits established.

VENTILATION: Based on available information, additional ventilation is not required.

EYE PROTECTION: Eye protection not required under normal conditions.

CLOTHING: Protective clothing is not required under normal conditions.

GLOVES: Protective gloves are not required under normal conditions.

RESPIRATOR: No respirator is required under normal conditions of use. Under conditions of frequent use or heavy exposure, respiratory protection may be needed.

9. Physical and Chemical Properties

PHYSICAL STATE: liquid

ODOR: Not available

BOILING POINT: > 100 C

FREEZING POINT: Not available

VAPOR PRESSURE: Not available

VAPOR DENSITY: Air = 1

> 1

SPECIFIC GRAVITY: 1.4

WATER SOLUBILITY: Miscible PH: Not available

VOLATILITY: Not available

ODOR THRESHOLD: Not available

EVAPORATION RATE: BuAc = 1 < 1

10. Stability and Reactivity

REACTIVITY: Stable at normal temperatures and pressure.

LIQUITEX® ACRYLIC SLOW-DRI® EXTENDER MEDIUM Page 3

CONDITIONS TO AVOID: None reported.

INCOMPATIBILITIES: oxidizing materials

HAZARDOUS DECOMPOSITION: Thermal decomposition products: oxides of carbon, various organic fragments

POLYMERIZATION: Will not polymerize.

11. Toxicological Information

Not available

12. Ecological Information Not available

13. Disposal Considerations

Dispose in accordance with all applicable regulations.

14. Transport Information

No classification assigned.

LAND TRANSPORT ADR/RID: No classification assigned.

AIR TRANSPORT IATA/ICAO: No classification assigned.

MARITIME TRANSPORT IMDG: No classification assigned.

15. Regulatory Information

U.S. REGULATIONS:

TSCA INVENTORY STATUS: Yes

TSCA 12(b) EXPORT NOTIFICATION: Not listed.

CERCLA SECTION 103 (40CFR302.4): No

SARA SECTION 302 (40CFR355.30): No

SARA SECTION 304 (40CFR355.40): No

SARA SECTION 313 (40CFR372.65): No

SARA HAZARD CATEGORIES, SARA SECTIONS 311/312 (40CFR370.21):

ACUTE: No

CHRONIC: No

FIRE: No

LIQUITEX® ACRYLIC SLOW-DRI® EXTENDER MEDIUM Page 4

REACTIVE: No

SUDDEN RELEASE: No

OSHA PROCESS SAFETY (29CFR1910.119): No

STATE REGULATIONS: California Proposition 65: No

EUROPEAN REGULATIONS: EC NUMBER: Not applicable

16. Other Information

The information contained herein is provided for identification of hazards in normal use and does not constitute a product specification.

LIQUITEX® ACRYLIC SLOW-DRI® EXTENDER MEDIUM