**Product Name:** 

LIQUITEX(R) SLOW DRI ® FLUID RETARDER

**Product Family:** 

# 1. Chemical Product and Company Identification

Colart Americas, Inc. 11 Constitution Avenue PO Box 1396 Piscataway, NJ 08855 1-800-445-4278 **Emergency Telephone Number** 1-800-628-3385

SUBSTANCE:

LIQUITEX(R) SLOW DRI ® RETARDER

TRADE NAMES/SYNONYMS:

LIQUITEX ACRYLIC RETARDER; PRODUCT COLORS/CODES: NO. 10-5400; PRODUCT

COLORS/CODES: NO. 10-5447; BNSSS026

PRODUCT USE:

Arts and Crafts

CREATION DATE:

Nov 07 1997

**REVISION DATE:** 

February 24th 2009

## 2. Composition, Information on Ingredients

Product has been certified as non-toxic by The Art and Creative Materials Institute, Inc. and conforms to ASTM D-4236 Standard Practice for Labeling Art Materials for Acute and Chronic Adverse Health Hazards.

CAS NUMBER:

Not assigned.

EC NUMBER:

Not assigned.

PERCENTAGE:

100

## 3. Hazards Identification

NFPA RATINGS (SCALE 0-4): HEALTH=1 FIRE=1 REACTIVITY=0

EC CLASSIFICATION (CALCULATED):

Not determined.

**EMERGENCY OVERVIEW:** 

PHYSICAL FORM:

liquid

LIQUITEX(R) SLOW DRI ® FLUID RETARDER

ODOR: fruity odor

MAJOR HEALTH HAZARDS: No significant target effects reported.

POTENTIAL HEALTH EFFECTS:

INHALATION:

none

SKIN CONTACT:

none

EYE CONTACT:

none

INGESTION:

none

**CARCINOGEN STATUS:** 

OSHA:

Ν

NTP:

Ν

IARC:

## 4. First Aid Measures

# INHALATION:

It is unlikely that emergency treatment will be required. Remove from exposure. Get medical attention, if needed.

## SKIN CONTACT:

It is unlikely that emergency treatment will be required. If adverse effects occur, wash with soap or mild detergent and large amounts of water. Get medical attention, if needed.

## EYE CONTACT:

It is unlikely that emergency treatment will be required. Wash with large amounts of water or normal saline until no evidence of chemical remains (at least 15-20 minutes). Get medical attention immediately. INGESTION: Contact local poison control center or physician immediately.

# 5. Fire Fighting Measures

FIRE AND EXPLOSION HAZARDS:

Slight fire hazard.

EXTINGUISHING MEDIA:

regular dry chemical, carbon dioxide, water, regular foam

 $\mathsf{LIQUITEX}(\mathsf{R}) \ \ \mathsf{SLOW} \ \mathsf{DRI} \ @ \ \mathsf{FLUID} \ \mathsf{RETARDER}$ 

Item Numbers: 00618-1034 Page 2 of 6

## FIRE FIGHTING:

Move container from fire area if it can be done without risk. Avoid inhalation of material or combustion by-products.

## FLASH POINT:

No data available.

## 6. Accidental Release Measures

## OCCUPATIONAL RELEASE:

Absorb with sand or other non-combustible material. Collect spilled material in appropriate container for disposal.

## 7. Handling and Storage

Store and handle in accordance with all current regulations and standards. See original container for storage recommendations. Keep separated from incompatible substances.

# 8. Exposure Controls, Personal Protection

## **EXPOSURE LIMITS:**

## LIQUITEX(R) ACRYLIC RETARDER:

No occupational exposure limits established.

#### **VENTILATION:**

Based on available information, additional ventilation is not required.

# EYE PROTECTION:

Eye protection not required under normal conditions.

#### CLOTHING:

Protective clothing is not required under normal conditions.

## GLOVES:

Protective gloves are not required under normal conditions.

## RESPIRATOR

No respirator is required under normal conditions of use. Under conditions of frequent use or heavy exposure, respiratory protection may be needed.

# 9. Physical and Chemical Properties

PHYSICAL STATE:

liquid

TEXTURE:

Fluid

ODOR:

fruity odor

# BOILING POINT:

Not available

LIQUITEX(R) SLOW DRI ® FLUID RETARDER

Item Numbers: 00618-1034 Page 3 of 6

FREEZING POINT:

Not available

VAPOR PRESSURE:

Not available

VAPOR DENSITY: Not available

SPECIFIC GRAVITY:

Not available

WATER SOLUBILITY:

Not available

Not available

VOLATILITY:

VOC < 49.3 g/litre

ODOR THRESHOLD: Not available

**EVAPORATION RATE:** 

Not available

COEFFICIENT OF WATER/OIL DISTRIBUTION:

Not available

# 10. Stability and Reactivity

REACTIVITY:

Stable at normal temperatures and pressure.

CONDITIONS TO AVOID:

None reported.

INCOMPATIBILITIES:

oxidizing materials

HAZARDOUS DECOMPOSITION:

Thermal decomposition products: oxides of carbon, various organic fragments

POLYMERIZATION:

Will not polymerize.

# 11. Toxicological Information

Not available

## 12. Ecological Information

Not available

# 13. Disposal Considerations

Dispose in accordance with all applicable regulations.

LIQUITEX(R) SLOW DRI ® FLUID RETARDER

Page 4 of 6 Item Numbers: 00618-1034

14. Transport Information No classification assigned. LAND TRANSPORT ADR/RID:

## **Material Safety Data Sheet**

# No classification assigned. AIR TRANSPORT IATA/ICAO: No classification assigned. MARITIME TRANSPORT IMDG: No classification assigned. 15. Regulatory Information U.S. REGULATIONS: TSCA INVENTORY STATUS: TSCA 12(b) EXPORT NOTIFICATION: Not listed. CERCLA SECTION 103 (40CFR302.4): SARA SECTION 302 (40CFR355.30): SARA SECTION 304 (40CFR355.40): SARA SECTION 313 (40CFR372.65): SARA HAZARD CATEGORIES, SARA SECTIONS 311/312 (40CFR370.21): ACUTE: CHRONIC: FIRE: REACTIVE: SUDDEN RELEASE: OSHA PROCESS SAFETY (29CFR1910.119): STATE REGULATIONS:

LIQUITEX(R) SLOW DRI ® FLUID RETARDER

Page 5 of 6 Item Numbers: 00618-1034

California Proposition 65:

Ν

EUROPEAN REGULATIONS:

EC NUMBER: Not assigned.

# 16. Other Information

COPYRIGHT 1984-1999 MDL INFORMATION SYSTEMS, INC. ALL RIGHTS RESERVED.

LIQUITEX(R) SLOW DRI ® FLUID RETARDER

<del>je 6</del>