

00644-0114

-0115

-0116

-0118

SAFETY DATA SHEET (EC REGULATION No 1907/2006 )  
Version: N°1 (17/08/2007)

Date: 17/08/2007 Page 1/5  
Revision: N°4 (17/08/2007)  
Company: PEBEO INDUSTRIES

Name: Acrylic Extra-Fine : medium brillant / gloss medium - 520800

## SAFETY DATA SHEET

### 1 - IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

**Identification of the substance or preparation:**

Name: Acrylic Extra-Fine : medium brillant / gloss medium.

Product code: 520800.

**Company/undertaking identification:**

Registered company name: PEBEO INDUSTRIES.

Address: 305 AVENUE DU PIC DE BERTAGNE - BP106 - 13881.GEMENOS CEDEX.FRANCE.

Telephone: 33 (0) 4.42.32.08.08. Fax:33 (0) 4.42.32.01.70. Telex:.

cedeyne@pebeo.com

www.pebeo.com

Emergency telephone: 33 (0) 1.45.42.59.59.

Association/Organisation: INRS / ORFILA <http://www.centres-antipoison.net>.

**Use of the substance/preparation:**

Paint & Varnish

### 2 - HAZARDS IDENTIFICATION

This product is not classed as flammable. Refer to the recommendations regarding the other products present on the site

This preparation is not classed as hazardous to health by directive 1999/45/EC.

### 3 - COMPOSITION/INFORMATION ON INGREDIENTS

Full text of risk phrases appearing in section 3: see section 16.

**Hazardous substances present on their own:**

(present in the preparation at a sufficient concentration to give it the toxicological characteristics it would have in a 100% pure state)

This preparation contains no hazardous substance in this category.

**Other substances representing a hazard:**

No known substance in this category present.

**Substances present at a concentration below the minimum danger threshold:**

INDEX	CAS	EC	Name	Symb.	R:	%
	25265-77-4		TEXANOL		52	0 <= x % < 2.5

**Other substances with occupational exposure limits:**

INDEX	CAS	EC	Name	Symb.	R:	%
	34590-94-8		DIPROPYLENGLYCOLMETHYLETHE R			0 <= x % < 2.5

### 4 - FIRST AID MEASURES

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing in an unconscious person.

### 5 - FIRE-FIGHTING MEASURES

Not relevant.

### 6 - ACCIDENTAL RELEASE MEASURES

**Personal precautions:**

Consult the safety measures listed under headings 7 and 8.

SAFETY DATA SHEET (EC REGULATION No 1907/2006 )  
Version: N°1 (17/08/2007)

Date: 17/08/2007 Page 2/5  
Revision: N°4 (17/08/2007)  
Company: PEBEO INDUSTRIES

Name: Acrylic Extra-Fine : medium brillant / gloss medium - 520800

#### Environmental precautions:

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.  
Prevent any material from entering drains or waterways.

#### Methods for cleaning up:

Clean preferably with a detergent, do not use solvents.

### 7 - HANDLING AND STORAGE

The regulations relating to storage premises apply to workshops where the product is handled.

#### Fire prevention:

Prevent access by unauthorised personnel.

### 8 - EXPOSURE CONTROLS/PERSONAL PROTECTION

Use personal protection equipment as per Directive 89/686/EEC.

#### Technical measures:

Personnel shall wear regularly laundered overalls.

#### Exposure limit values per INRS ED 984:

Country	VME-ppm:	VME-mg/m3:	VLE-ppm:	VLE-mg/m3:	Notes:	TMP N°:
France	50	308	-	-	*	84 -
Germany	Class:	MAK-ppm:	MAK-mg/m3:	Notes:	Notes:	
34590-94-8	I	50	310	-		
ACGIH(TLV)	TWA-ppm:	TWA-mg/m3:	STEL-ppm:	STEL-mg/m3:	Notes:	Notes:
34590-94-8	100	606	150	909	*	S

#### Exposure limit values per 2006/15/CE, 2000/39/EC and 98/24/EC:

EC	VME-ppm:	VME-mg/m3:	VLE-ppm:	VLE-mg/m3:	Notes:
34590-94-8	50	308	-	-	Peau

#### Exposure limit values (2003-2006):

Country	VME-ppm:	VME-mg/m3:	VLE-ppm:	VLE-mg/m3:	Temps:	RSB:
Switzerland	300 mg/m3	50 ppm	300 mg/m3	50 ppm	15min	-
Canada-Quebec	TWA:	STEL:	Ceiling:	Définition:	Critères:	
34590-94-8	100 ppm	150 ppm	-	-	-	
Mexico	TWA:	STEL:	Ceiling:	Définition:	Critères:	
34590-94-8	100 ppm	150 ppm	-	-	-	
Malaysia	TWA:	STEL:	Ceiling:	Définition:	Critères:	
34590-94-8	100 ppm	-	-	-	-	
Canada-British Columbia	TWA:	STEL:	Ceiling:	Définition:	Critères:	
34590-94-8	100 ppm	150 ppm	-	-	-	
Canada-Alberta	TWA:	STEL:	Ceiling:	Définition:	Critères:	
34590-94-8	100 ppm	150 ppm	-	-	-	
Australia	TWA:	STEL:	Ceiling:	Définition:	Critères:	
34590-94-8	100 ppm	150 ppm	-	-	-	
Germany/AGW	AGW:	AGW:	Faktor:	Bemerkungen:		
34590-94-8	50 ml/m3	310 mg/m3	1(l)	DFG, EU		
Denmark(3.4/3.4.1)	TWA:	STEL:	Anm:	TWA:	STEL:	Anm:
34590-94-8	50 ppm	300 mg/m3	H			
Slovakia	TWA:	STEL:	Ceiling:	Definition:	Criterion:	
34590-94-8	50 ppm	308 mg/m3				
UK/WELs	TWA:	STEL:	Ceiling:	Definition:	Criterion:	
34590-94-8	50 ppm	-	-	-	-	
Ireland	TWA:	STEL:	Ceiling:	Definition:	Criterion:	
34590-94-8	50 ppm	100 ppm	-	-	-	

SAFETY DATA SHEET (EC REGULATION No 1907/2006 )  
Version: N°1 (17/08/2007)

Date: 17/08/2007 Page 3/5  
Revision: N°4 (17/08/2007)  
Company: PEBEO INDUSTRIES

Name: Acrylic Extra-Fine : medium brillant / gloss medium - 520800

	TWA:	STEL:	Ceiling:	Definition:	Criterion:
Czech Rep.	270 mg/m3	550 mg/m3	-	-	-
34590-94-8					
ACGIH/TLV	TWA:	STEL:	Ceiling:	Definition:	Criterion:
34590-94-8	100 ppm	150 ppm	-	-	-
Germany/MAK	TWA:	STEL:	Ceiling:	Definition:	Criterion:
34590-94-8	50 ppm	50 ppm	-	-	-
Germany/TRK	TWA:	STEL:	Ceiling:	Definition:	Criterion:
34590-94-8	50 ppm	310 mg/m3	=1=	DFG. EU	-
UK/OES	TWA:	STEL:	Ceiling:	Definition:	Criterion:
34590-94-8	50 ppm	-	-	-	-
Nederland	TWA:	STEL:	Ceiling:	Definition:	Criterion:
34590-94-8	50 ppm	-	-	-	-
China	TWA:	STEL:	Ceiling:	Definition:	Criterion:
34590-94-8	600 mg/m3	900 mg/m3	-	-	-
Suomi/Finlande	TWA:	STEL:	Ceiling:	Definition:	Criterion:
34590-94-8	50 ppm	-	-	-	-
Belgique	TWA:	STEL:	Ceiling:	Definition:	Criterion:
34590-94-8	50 ppm	-	-	-	-
Norsk	TWA:	STEL:	Ceiling:	Definition:	Criterion:
34590-94-8	50 ppm	-	-	-	-
Polska	TWA:	STEL:	Ceiling:	Definition:	Criterion:
34590-94-8	240 mg/m3	480 mg/m3	-	-	-
España	TWA:	STEL:	Ceiling:	Definition:	Criterion:
34590-94-8	50 ppm	-	-	-	-
Sverige	TWA:	STEL:	Ceiling:	Definition:	Criterion:
34590-94-8	50 ppm	75 ppm	-	-	-
USA/NIOSH REL	TWA:	STEL:	Ceiling:	Definition:	Criterion:
34590-94-8	100 ppm	150 ppm	-	-	-
USA/NIOSH IDLH	TWA:	STEL:	Ceiling:	Definition:	Criterion:
34590-94-8	-	-	500 ppm	-	-
USA/OSHA PEL	TWA:	STEL:	Ceiling:	Definition:	Criterion:
34590-94-8	100 ppm	150 ppm	-	-	-

## 9 - PHYSICAL AND CHEMICAL PROPERTIES

### General information:

Physical state: viscous liquid

### Important health, safety and environmental information:

pH of the substance or preparation: slightly basic.

When a pH measure is possible, it has a value of: 8.50 .

Boiling point/boiling range: not relevant.

Flash point interval: not relevant.

vapour pressure: not relevant.

Density: > 1

water solubility: Dilutable.

### Other information:

melting point/melting range: not relevant.

Self-ignition temperature: not relevant.

Decomposition point/decomposition range : not relevant.

VOC (g/l): 26.91

## 10 - STABILITY AND REACTIVITY

The preparation is stable at the handling and storage conditions recommended per § 7 of the safety data sheet,

SAFETY DATA SHEET (EC REGULATION No 1907/2006 )  
Version: N°1 (17/08/2007)

Name: Acrylic Extra-Fine : medium brillant / gloss medium - 520800

Date: 17/08/2007 Page 4/5  
Revision: N°4 (17/08/2007)  
Company: PEBEO INDUSTRIES

#### 11 - TOXICOLOGICAL INFORMATION

No data is available regarding the preparation itself.

#### 12 - ECOLOGICAL INFORMATION

No ecological data on the product itself is available.

**Other adverse effects:**

Germany: WGK 1 (VwVwS vom 17/05/99, KBws)

#### 13 - DISPOSAL CONSIDERATIONS

Do not pour into drains or waterways.

**Waste:**

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

**Soiled packaging:**

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

**Codes of wastes (Decision 2001/573/EC, Directive 2006/12/EEC, Directive 94/31/EEC on hazardous waste) :**

08 01 11 \* waste paint and varnish containing organic solvents or other dangerous substances

#### 14 - TRANSPORT INFORMATION

Exempt from transport classification and labelling.

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2007 - IMDG 2006 - ICAO/IATA 2007).

#### 15 - REGULATORY INFORMATION

This preparation was classified in compliance with the directive known as <All preparations> 1999/45/EC and its adaptations. In addition directive 2004/73/EC with the 29<sup>o</sup> adaptation of directive 67/548/EEC (Hazardous substances) have been taken into account.


This preparation is not classed as hazardous to health by directive 1999/45/EC.

This product is not classed as flammable.

**Particular provisions:**

Germany: WGK 1 (VwVwS vom 17/05/99, KBws)

NFPA 704 Label: Health=0 Flammability=1 Instability=1 Special Hazards=none



#### 16 - OTHER INFORMATION

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The product must not be used for any purposes other than those specified under heading 1 without first obtaining written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information given on this safety data sheet must be regarded as a description of the safety requirements relating to our product and not a guarantee of its properties

SAFETY DATA SHEET (EC REGULATION No 1907/2006 )  
 Version: N°1 (17/08/2007)  
 Name: Acrylic Extra-Fine : medium brillant / gloss medium - 520800

Date: 17/08/2007 Page 5/5  
 Revision: N°4 (17/08/2007)  
 Company: PEBEO INDUSTRIES

Full text of risk phrases appearing in section 3:  
 R 52 Harmful to aquatic organisms.

### Difference Report

Revision: N°4 (17/08/2007) / Version: N°1 (17/08/2007)  
~~Revision: N°3 (08/09/2005) / Version: N°1 (08/09/2005)~~

#### 2 - HAZARDS IDENTIFICATION

Other data:  
~~Packaging < 125 ml.~~

#### 9 - PHYSICAL AND CHEMICAL PROPERTIES

Important health, safety and environmental information:

Density:	= 1
Density:	> 1
Other information:	
<del>Decomposition point/decomposition range:</del>	<del>not specified:</del>
Decomposition point/decomposition range :	not relevant.
VOC (g/l):	26.91

#### 14 - TRANSPORT INFORMATION

~~Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2005 - IMDG 2004 - ICAO/IATA 2005).~~

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2007 - IMDG 2006 - ICAO/IATA 2007).

#### 15 - REGULATORY INFORMATION

~~Packaging < 125 ml.~~

Particular provisions:

NFPA 704 Label: Health=0 Flammability=1 Instability=1 Special Hazards=none

