	<b>TY LTD</b> ACN 001 594 609	Date of pu	ublication: 19 <sup>th</sup> December 20
17 Mundowi Rd / PO Box Mount Kuring-Gai, NSW 2	-		6
www.chromaonline.com			
PH: (02) 9457 9922 FAX:	(02) 9457 8082		
	ove, or Poisons Information	n Centre	CHROMA
	Material Safety	Data She	ot
	-		
		OHSC – Nationa	Work Australia (formerly ASCO al Occupational Health & Safety
	<b>IDENTIFIC</b>	ATION	
Product name: Jo Sonja	's® Polyurethane Water Ba	ased Varnish G	Bloss / Matte / Satin
			<b>U.N. No</b> : N
Other names:			Hazchem: N
		Dangerous	Goods Class & Sub Risk: N
Manufacturer's Product (	Codes: Various		Poisons Schedule: N
Use: Artists finishing varnis	sh		
® *Registered Trademark of Jo S			
PH Appearance: Milky white li			ERTIES Flash Point (°C): N
PH	iquid nt (°C): N/A s or mm of Hg at 25°C): N	ON/PROPE	ERTIES
Appearance: Milky white li Boiling Point/Melting Poi Vapour Pressure (pascal Specific Gravity: Approx	iquid nt (°C): N/A s or mm of Hg at 25°C): N 1g/ml COMPONI	ON / PROPE	Flash Point (°C): N Flammability limits (%): N Dubility in Water (g/L): Solul operties: Slight ammonia sm
Ple Appearance: Milky white li Boiling Point/Melting Poi Vapour Pressure (pascal Specific Gravity: Approx	IYSICAL DESCRIPTION iquid nt (°C): N/A s or mm of Hg at 25°C): N 1g/ml COMPONI CAS No.	ON / PROPE	Flash Point (°C): N Flammability limits (%): N Dubility in Water (g/L): Solul operties: Slight ammonia sm
Ple Appearance: Milky white li Boiling Point/Melting Poi Vapour Pressure (pascal Specific Gravity: Approx 7 Chemical Entity Water	IYSICAL DESCRIPTION iquid nt (°C): N/A s or mm of Hg at 25°C): N 1g/ml CAS No. 7732-18-5	ON / PROPE	Flash Point (°C): N Flammability limits (%): N Dubility in Water (g/L): Solul operties: Slight ammonia sm Concentration Commercial In Confidence
PH Appearance: Milky white li Boiling Point/Melting Poi Vapour Pressure (pascal Specific Gravity: Approx Chemical Entity Water Acrylic Polymers	IYSICAL DESCRIPTION iquid nt (°C): N/A s or mm of Hg at 25°C): N 1g/ml CAS No. 7732-18-5 Commercial In Conf	ON / PROPE	Flash Point (°C): N Flammability limits (%): N Dubility in Water (g/L): Solul operties: Slight ammonia sm Concentration Commercial In Confidence Commercial In Confidence
Ple Appearance: Milky white li Boiling Point/Melting Poi Vapour Pressure (pascal Specific Gravity: Approx 7 Chemical Entity Water	iquid iquid nt (°C): N/A s or mm of Hg at 25°C): N 1g/ml CAS No. 7732-18-5 Commercial In Conf 1336-21-6	ON / PROPE	Flash Point (°C): N Flammability limits (%): N Dubility in Water (g/L): Solul operties: Slight ammonia sm Concentration Commercial In Confidence
PH Appearance: Milky white II Boiling Point/Melting Poi Vapour Pressure (pascal Specific Gravity: Approx Chemical Entity Water Acrylic Polymers Ammonia, Aqueous Preservative	IYSICAL DESCRIPTION   iquid   nt (°C): N/A   s or mm of Hg at 25°C): N   1g/ml   COMIPONI   COMIPONI   CAS No.   7732-18-5   Commercial In Confi   1336-21-6   149-30-4, 2634-33-5	ON / PROPE	Flash Point (°C): N Flammability limits (%): N Dubility in Water (g/L): Solul operties: Slight ammonia sm Concentration Commercial In Confidence Commercial In Confidence 0.1%
PI Appearance: Milky white li Boiling Point/Melting Poi Vapour Pressure (pascal Specific Gravity: Approx Chemical Entity Water Acrylic Polymers Ammonia, Aqueous Preservative NOTE: The physical data prese	iquid iquid nt (°C): N/A s or mm of Hg at 25°C): N 1g/ml COMPONI CAS No. 7732-18-5 Commercial In Conf 1336-21-6 149-30-4, 2634-33-5 ented above are typical values o	ON / PROPE	Flash Point (°C): N Flammability limits (%): N Dubility in Water (g/L): Solut operties: Slight ammonia sm Concentration Commercial In Confidence Commercial In Confidence 0.1% 0.01% ot be construed as a specification.
PI Appearance: Milky white li Boiling Point/Melting Poi Vapour Pressure (pascal Specific Gravity: Approx Chemical Entity Water Acrylic Polymers Ammonia, Aqueous Preservative NOTE: The physical data prese	IYSICAL DESCRIPTION   iquid   nt (°C): N/A   s or mm of Hg at 25°C): N   1g/ml   COMIPONI   COMIPONI   CAS No.   7732-18-5   Commercial In Confi   1336-21-6   149-30-4, 2634-33-5	ON / PROPE	Flash Point (°C): N Flammability limits (%): N Dubility in Water (g/L): Solut operties: Slight ammonia sm Concentration Commercial In Confidence Commercial In Confidence 0.1% 0.01% ot be construed as a specification.
PH Appearance: Milky white li Boiling Point/Melting Poi Vapour Pressure (pascal Specific Gravity: Approx Chemical Entity Water Acrylic Polymers Ammonia, Aqueous Preservative NOTE: The physical data prese HEALTH	iquid iquid nt (°C): N/A s or mm of Hg at 25°C): N 1g/ml CAS No. 7732-18-5 Commercial In Conf 1336-21-6 149-30-4, 2634-33-4 inted above are typical values o HAZARD / TOXICOL are expected if the product	ON / PROPE	Flash Point (°C): N Flammability limits (%): N Dubility in Water (g/L): Solut operties: Slight ammonia sm Concentration Commercial In Confidence Commercial In Confidence 0.1% 0.01% to be construed as a specification. FORMATION accordance with this Safety D
PH Appearance: Milky white II Boiling Point/Melting Poi Vapour Pressure (pascal Specific Gravity: Approx Chemical Entity Water Acrylic Polymers Ammonia, Aqueous Preservative NOTE: The physical data prese HEALTH No adverse health effects a Sheet and the product labor Inhalation: Inhalation of va Ingestion: No adverse effe	IYSICAL DESCRIPTION iquid iquid nt (°C): N/A s or mm of Hg at 25°C): N 1g/ml COMPONI CAS No. 7732-18-5 Commercial In Cont 1336-21-6 149-30-4, 2634-33-3 ented above are typical values of HAZARD / TOXICOL are expected if the product el. Symptoms of effects ma apour may cause slight irrit ects expected.	ON / PROPE	Flash Point (°C): N Flammability limits (%): N Flammability limits (%): N Flubility in Water (g/L): Solut operties: Slight ammonia sm Concentration Concentration Commercial In Confidence Commercial In Confidence 0.1% 0.01% Dot be construed as a specification. IFORMATION accordance with this Safety D product is mishandled.
PH Appearance: Milky white it Boiling Point/Melting Poi Vapour Pressure (pascal Specific Gravity: Approx Chemical Entity Water Acrylic Polymers Ammonia, Aqueous Preservative NOTE: The physical data prese HEALTH No adverse health effects a Sheet and the product labor Inhalation: Inhalation of va	iquid iquid nt (°C): N/A s or mm of Hg at 25°C): N 1g/ml COMPONI CAS No. 7732-18-5 Commercial In Cont 1336-21-6 149-30-4, 2634-33-5 ented above are typical values of HAZARD / TOXICOL are expected if the product el. Symptoms of effects ma apour may cause slight irrit ects expected. ontact may cause slight irrit	ON / PROPE	Flash Point (°C): N Flammability limits (%): N Flammability limits (%): N Flubility in Water (g/L): Solut operties: Slight ammonia sm Concentration Concentration Commercial In Confidence Commercial In Confidence 0.1% 0.01% Dot be construed as a specification. IFORMATION accordance with this Safety D product is mishandled.
Appearance: Milky white is Boiling Point/Melting Poi Vapour Pressure (pascal Specific Gravity: Approx 7 Chemical Entity Water Acrylic Polymers Ammonia, Aqueous Preservative NOTE: The physical data prese HEALTH No adverse health effects a Sheet and the product labe Inhalation: Inhalation of va Ingestion: No adverse effe Eye Contact: Direct eye co Skin Contact: Prolonged of	iquid iquid nt (°C): N/A s or mm of Hg at 25°C): N 1g/ml CAS No. 7732-18-5 Commercial In Cont 1336-21-6 149-30-4, 2634-33-4 anted above are typical values of HAZARD / TOXICOL are expected if the product el. Symptoms of effects ma apour may cause slight irrit ects expected. ontact may cause slight irrit or repeated contact may cause P. Non-Toxic Seal and is c	ON / PROPE	Flash Point (°C): N Flammability limits (%): N Flammability limits (%): N Flubility in Water (g/L): Solut operties: Slight ammonia sm Concentration Concentration Commercial In Confidence Commercial In Confidence 0.1% 0.01% Dot be construed as a specification. IFORMATION accordance with this Safety D product is mishandled.

Page 1 of 3

### Jo Sonja's® Polyurethane Water Based Varnish Gloss / Matte / Satin

### FIRST AID MEASURES

**Ingestion:** Have affected person drink two (2) glasses of water. Never give anything by mouth to an unconscious person.

**Inhalation:** Inhalation of vapour may cause irritation; Move to fresh air. If irritation persists, consult a physician.

**Skin contact:** Prolonged or repeated contact may cause skin irritation; Wash affected areas thoroughly with cool water. If irritation persists, consult a physician.

**Eye contact:** Direct eye contact may cause irritation; Flush eyes with large amounts of cool water. If irritation persists, consult a specialist.

Advice to doctor: Treat symptomatically.

### PRECAUTIONS FOR USE

Exposure limit(s): No Occupational Exposure Limits (OEL) value has been assigned.

Exposure controls

**Engineering measures:** Ensure adequate natural or mechanical ventilations. Keep containers closed when not in use.

**Protective measures:** Facilities storing or utilizing this material should be equipped with water facilities and appropriate ventilation equipment.

#### Individual protection measures

For general use Personal Protection Equipment (PPE) is not required; however a detailed risk assessment on the use of this product taking in to account the work environment and handling methods may indicate PPE is recommended.

**Eye/face protection:** General type safety goggles may be worn. **Skin protection:** Single use nitrile gloves may be worn. Wash material immediately off skin with cool soapy water. **Respiratory protection:** Not necessary if used in a ventilated environment

atory protection. Not necessary if used in a ventilated environment

# SAFE HANDLING & TRANSPORT INFORMATION

**Safe handling:** Avoid contact with eyes. Wash hands with cool soapy water immediately after use. Personal clothing protection is recommended.

**Storage:** Keep from freezing. Store in a cool, dry place away from direct sunlight. Shake/stir well before use. Ensure lid is tightly closed when not in use.

Ambient storage temperature: 1°C - 38°C

Australian Dangerous Goods (ADG) Code: Not regulated (not dangerous for transport)

Classification for sea transport (IMO-IMDG): Not regulated (not dangerous for transport)

Classification for air transport (IATA/ICAO): Not regulated (not dangerous for transport)

Hazchem Code: None allocated

### Jo Sonja's® Polyurethane Water Based Varnish Gloss / Matte / Satin

### FIRE / EXPLOSION HAZARD

#### Flammability: Non-flammable

**Suitable extinguishing equipment:** Use extinguishing media appropriate to surrounding fire conditions.

Specific hazards during fire fighting: Material can boil above 100°C/212°F.

**Special protective equipment for fire fighters:** Wear self-contained breathing apparatus and protective clothing.

## DISPOSAL ADVICE

### Small quantities

Do not pour left over product into drains. Unwanted product should be brushed onto newspaper and allowed to dry to be disposed of via domestic waste collection. Soak/Wipe up smaller spills with a rag and dispose of via domestic waste collection.

#### Large quantities

Clean up immediately. Prevent spill and cleaning runoff from entering sewers, drains and open bodies of water. Contain spill with sand or other inert material and transfer to containers for disposal. Avoid walking through spilled product as it may be slippery. Contact local waste disposal authority for disposal advice.

## OTHER INFORMATION

**Allergy information:** Due care has been taken to ensure this product does not contain any food derivatives or food-based products however we cannot guarantee the same applies to any of our suppliers of the individual components of this product.

**Revision:** 19<sup>th</sup> December 2013 – MSDS reformatted and extra information added.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates to only the specific material designated and may not be valid for such material when used in combination with any other materials or in any process unless specified in the text. Since Chroma Australia Pty Ltd cannot anticipate or control conditions of use, each user prior to using the product should assess and control the risks arising from usage of the product.

Revised19/12/13

Page 3 of 3