CHROMA AUSTRALIA I 17 Mundowi Rd / PO Bo	x 3B	
Mount Kuring-Gai, NSW		2
www.chromaonline.com		
PH: (02) 9457 9922 FAX		
EMERGENCY PH: As a	bove, or Poisons Information C	CHROMA
	Material Safety D	ata Sheet
		teria of Safe Work Australia (formerly ASCC - HSC – National Occupational Health & Safety])
	IDENTIFICAT	ΠΟΝ
Product name: Jo Sonj	a's® All Purpose Sealer	
		U.N. No : N/A
Other names:		Hazchem: N/A
		Dangerous Goods Class & Sub Risk: N/A Poisons Schedule: N/A
Manufacturer's Product	t Codes : JS70090, JS70120, 、	JS70150, JS70160 & JS70165
Use: Used to seal surface	es for painting	
® *Registered Trademark of Jo	Sonja's Inc used under licence by Ch	roma Australia Pty Ltd
P	HYSICAL DESCRIPTIO	N / PROPERTIES
Appearance: Opaque wh Boiling Point/Melting Po	HYSICAL DESCRIPTION nite liquid pint (°C): N/A als or mm of Hg at 25°C): N/A	N / PROPERTIES Flash Point (°C): N// Flammability limits (%): N//
P Appearance: Opaque wh Boiling Point/Melting Po Vapour Pressure (pasca Specific Gravity: Approx	HYSICAL DESCRIPTION hite liquid bint (°C): N/A als or mm of Hg at 25°C): N/A t 1g/ml COMPONEN	N / PROPERTIES Flash Point (°C): N// Flammability limits (%): N// Solubility in Water (g/L): Soluble Other properties: N//
P Appearance: Opaque wh Boiling Point/Melting Po Vapour Pressure (pasca Specific Gravity: Approx Chemical Entity	HYSICAL DESCRIPTION hite liquid bint (°C): N/A als or mm of Hg at 25°C): N/A (1g/ml COMPONEN CAS No.	N / PROPERTIES Flash Point (°C): N// Flammability limits (%): N// Solubility in Water (g/L): Solubil Other properties: N// NTS Concentration
P Appearance: Opaque wh Boiling Point/Melting Po Vapour Pressure (pasca Specific Gravity: Approx Chemical Entity Acrylic Polymers	HYSICAL DESCRIPTION hite liquid bint (°C): N/A als or mm of Hg at 25°C): N/A (1g/ml COMPONEN CAS No. Commercial In Confid	N / PROPERTIES Flash Point (°C): N// Flammability limits (%): N// Solubility in Water (g/L): Solubl Other properties: N// NTS Concentration ence Commercial In Confidence
P Appearance: Opaque wh Boiling Point/Melting Po Vapour Pressure (pasca Specific Gravity: Approx Chemical Entity	HYSICAL DESCRIPTION hite liquid bint (°C): N/A als or mm of Hg at 25°C): N/A (1g/ml COMPONEN CAS No.	N / PROPERTIES Flash Point (°C): N// Flammability limits (%): N// A Solubility in Water (g/L): Solubl Other properties: N// NTS Concentration
P Appearance: Opaque wh Boiling Point/Melting Po Vapour Pressure (pasca Specific Gravity: Approx Chemical Entity Acrylic Polymers Water Propylene Glycol Coalescing Agent	HYSICAL DESCRIPTION hite liquid pint (°C): N/A als or mm of Hg at 25°C): N/A als or mm of Hg at 25°C): N/A c 1g/ml COMPONEN CAS No. Commercial In Confid 7732-18-5 57-55-6 25265-77-4	N / PROPERTIES Flash Point (°C): N/, Flammability limits (%): N/, Solubility in Water (g/L): Solubil Other properties: N/, NTS Concentration ence Commercial In Confidence Commercial In Confidence 4.5% 4.5%
P Appearance: Opaque w Boiling Point/Melting Po Vapour Pressure (pasca Specific Gravity: Approx Chemical Entity Acrylic Polymers Water Propylene Glycol	HYSICAL DESCRIPTION hite liquid pint (°C): N/A als or mm of Hg at 25°C): N/A als or mm of Hg at 25°C): N/A als or mm of Hg at 25°C): N/A COMPONEN CAS No. Commercial In Confid 7732-18-5 57-55-6	N / PROPERTIES Flash Point (°C): N/, Flammability limits (%): N/, Solubility in Water (g/L): Solubil Other properties: N/, NTS Concentration ence Commercial In Confidence Commercial In Confidence 4.5%
P Appearance: Opaque wh Boiling Point/Melting Po Vapour Pressure (pasca Specific Gravity: Approx Chemical Entity Acrylic Polymers Water Propylene Glycol Coalescing Agent Defoamer	HYSICAL DESCRIPTION hite liquid bint (°C): N/A als or mm of Hg at 25°C): N/A (1g/ml CAS No. Commercial In Confid 7732-18-5 57-55-6 25265-77-4 265-155-0	N / PROPERTIES Flash Point (°C): N/, Flammability limits (%): N/, Solubility in Water (g/L): Solubil Other properties: N/, NTS Concentration ence Commercial In Confidence 4.5% 4.5% 0.025%
P Appearance: Opaque wh Boiling Point/Melting Po Vapour Pressure (pasca Specific Gravity: Approx Chemical Entity Acrylic Polymers Water Propylene Glycol Coalescing Agent Defoamer NOTE: The physical data pres	HYSICAL DESCRIPTION hite liquid bint (°C): N/A als or mm of Hg at 25°C): N/A (1g/ml CAS No. Commercial In Confid 7732-18-5 57-55-6 25265-77-4 265-155-0	N / PROPERTIES Flash Point (°C): N/, Flammability limits (%): N/, Solubility in Water (g/L): Solubl Other properties: N/, NTS Concentration ence Commercial In Confidence Commercial In Confidence 4.5% 0.025% y and should not be construed as a specification.
P Appearance: Opaque wh Boiling Point/Melting Po Vapour Pressure (pasca Specific Gravity: Approx Chemical Entity Acrylic Polymers Water Propylene Glycol Coalescing Agent Defoamer NOTE: The physical data pres HEALT	HYSICAL DESCRIPTION hite liquid pint (°C): N/A als or mm of Hg at 25°C): N/A (1g/ml COMPONEN CAS No. Commercial In Confid 7732-18-5 57-55-6 25265-77-4 265-155-0 sented above are typical values only HAZARD / TOXICOLO	Flash Point (°C): N/A Flammability limits (%): N/A Solubility in Water (g/L): Solubl Other properties: N/A NTS Concentration ence Commercial In Confidence Commercial In Confidence 4.5% 0.025% y and should not be construed as a specification. OGICAL INFORMATION
P Appearance: Opaque wh Boiling Point/Melting Po Vapour Pressure (pasca Specific Gravity: Approx Chemical Entity Acrylic Polymers Water Propylene Glycol Coalescing Agent Defoamer NOTE: The physical data pres HEALT	HYSICAL DESCRIPTION inite liquid point (°C): N/A als or mm of Hg at 25°C): N/A als or mm of Hg at 25°C): N/A c 1g/ml COMPONEN CAS No. Commercial In Confid 7732-18-5 57-55-6 25265-77-4 265-155-0 sented above are typical values only HAZARD / TOXICOLO is are expected if the product is	Flash Point (°C): N/, Flammability limits (%): N/, A Solubility in Water (g/L): Solubil Other properties: N/, NTS Concentration ence Commercial In Confidence Commercial In Confidence 4.5% 0.025% y and should not be construed as a specification. OGICAL INFORMATION
P Appearance: Opaque wh Boiling Point/Melting Po Vapour Pressure (pasca Specific Gravity: Approx Chemical Entity Acrylic Polymers Water Propylene Glycol Coalescing Agent Defoamer NOTE: The physical data pres HEALT No adverse health effects Sheet and the product lat	HYSICAL DESCRIPTION inite liquid pint (°C): N/A als or mm of Hg at 25°C): N/A als or mm of Hg at 25°C): N/A c 1g/ml CAS No. Commercial In Confid 7732-18-5 57-55-6 25265-77-4 265-155-0 sented above are typical values only HAZARD / TOXICOLO s are expected if the product is pel. Symptoms of effects may of	Flash Point (°C): N/, Flammability limits (%): N/, A Solubility in Water (g/L): Solubil Other properties: N/, NTS Concentration ence Commercial In Confidence Commercial In Confidence 4.5% 0.025% y and should not be construed as a specification. OGICAL INFORMATION chandled in accordance with this Safety Data concur if the product is mishandled.
P Appearance: Opaque wh Boiling Point/Melting Po Vapour Pressure (pasca Specific Gravity: Approx Chemical Entity Acrylic Polymers Water Propylene Glycol Coalescing Agent Defoamer NOTE: The physical data pres HEALT No adverse health effects Sheet and the product lat	HYSICAL DESCRIPTION inite liquid pint (°C): N/A als or mm of Hg at 25°C): N/A als or mm of Hg at 25°C): N/A c 1g/ml COMPONEN CAS No. Commercial In Confid 7732-18-5 57-55-6 25265-77-4 265-155-0 sented above are typical values only HAZARD / TOXICOLO is are expected if the product is pel. Symptoms of effects may of vapour may cause slight irritat	Flash Point (°C): N/A Flammability limits (%): N/A Solubility in Water (g/L): Solubil Other properties: N/A NTS Concentration ence Commercial In Confidence Commercial In Confidence 4.5% 4.5% 0.025% v and should not be construed as a specification. OGICAL INFORMATION a handled in accordance with this Safety Data occur if the product is mishandled.
P Appearance: Opaque wh Boiling Point/Melting Po Vapour Pressure (pasca Specific Gravity: Approx Chemical Entity Acrylic Polymers Water Propylene Glycol Coalescing Agent Defoamer NOTE: The physical data pres HEALT No adverse health effects Sheet and the product lat Inhalation: Inhalation of T Ingestion: No adverse ef Eye Contact: Direct eye	HYSICAL DESCRIPTION inite liquid point (°C): N/A als or mm of Hg at 25°C): N/A (* 1g/ml COMPONEN CAS No. Commercial In Confid 7732-18-5 57-55-6 25265-77-4 265-155-0 sented above are typical values only HHAZARD / TOXICOLO s are expected if the product is poel. Symptoms of effects may vapour may cause slight irritat ffects expected. contact may cause slight irritat	Flash Point (°C): N/, Flammability limits (%): N/, A Solubility in Water (g/L): Solubl Other properties: N/, NTS Concentration ence Commercial In Confidence Commercial In Confidence 4.5% 0.025% v and should not be construed as a specification. OGICAL INFORMATION a handled in accordance with this Safety Data occur if the product is mishandled. ion tion, redness and/or swelling.
P Appearance: Opaque wh Boiling Point/Melting Po Vapour Pressure (pasca Specific Gravity: Approx Chemical Entity Acrylic Polymers Water Propylene Glycol Coalescing Agent Defoamer NOTE: The physical data pres HEALT No adverse health effects Sheet and the product lat Inhalation: Inhalation of T Ingestion: No adverse ef Eye Contact: Direct eye	HYSICAL DESCRIPTION inite liquid point (°C): N/A als or mm of Hg at 25°C): N/A (1g/ml COMPONEN CAS No. Commercial In Confid 7732-18-5 57-55-6 25265-77-4 265-155-0 sented above are typical values only HHAZARD / TOXICOLO is are expected if the product is poel. Symptoms of effects may of vapour may cause slight irritat ffects expected.	Flash Point (°C): N/ Flammability limits (%): N/ A Solubility in Water (g/L): Soluble Other properties: N/ NTS Concentration ence Commercial In Confidence Commercial In Confidence 4.5% 0.025% v and should not be construed as a specification. OGICAL INFORMATION a handled in accordance with this Safety Data occur if the product is mishandled. ion tion, redness and/or swelling.
P Appearance: Opaque wh Boiling Point/Melting Po Vapour Pressure (pasca Specific Gravity: Approx Chemical Entity Acrylic Polymers Water Propylene Glycol Coalescing Agent Defoamer NOTE: The physical data pres HEALT No adverse health effects Sheet and the product lat Inhalation: Inhalation of Ingestion: No adverse effects Eye Contact: Direct eye Skin Contact: Prolonged	HYSICAL DESCRIPTION inite liquid point (°C): N/A als or mm of Hg at 25°C): N/A (* 1g/ml COMPONEN CAS No. Commercial In Confid 7732-18-5 57-55-6 25265-77-4 265-155-0 sented above are typical values only HHAZARD / TOXICOLO s are expected if the product is poel. Symptoms of effects may vapour may cause slight irritat ffects expected. contact may cause slight irritat	Flash Point (°C): N/, Flammability limits (%): N/, A Solubility in Water (g/L): Solubl Other properties: N/, NTS Concentration ence Commercial In Confidence Commercial In Confidence 4.5% 0.025% v and should not be construed as a specification. OGICAL INFORMATION a handled in accordance with this Safety Data occur if the product is mishandled. ion tion, redness and/or swelling.
P Appearance: Opaque with Boiling Point/Melting Point/Melting Point/Melting Point/Melting Point Vapour Pressure (pasca Specific Gravity: Approxing Chemical Entity Acrylic Polymers Water Propylene Glycol Coalescing Agent Defoamer NOTE: The physical data prese HEALT No adverse health effects Sheet and the product late Inhalation: Inhalation of for Ingestion: No adverse effects Eye Contact: Direct eye Skin Contact: Prolonged	HYSICAL DESCRIPTION inite liquid point (°C): N/A als or mm of Hg at 25°C): N/A als or mm of Hg at 25°C): N/A als or mm of Hg at 25°C): N/A c 1g/ml COMPONEN CAS No. Commercial In Confid 7732-18-5 57-55-6 25265-77-4 265-155-0 sented above are typical values only HAZARD / TOXICOLO is are expected if the product is bel. Symptoms of effects may of vapour may cause slight irritat ffects expected. contact may cause slight irritat d or repeated contact may cause	Flash Point (°C): N/ Flammability limits (%): N/ A Solubility in Water (g/L): Solubl Other properties: N/ NTS Concentration ence Commercial In Confidence Commercial In Confidence 4.5% 0.025% v and should not be construed as a specification. OGICAL INFORMATION a handled in accordance with this Safety Data occur if the product is mishandled. ion tion, redness and/or swelling.

Revised 18/12/13

Page 1 of 3

Jo Sonja's® All Purpose Sealer

FIRST AID MEASURES
Ingestion: Have affected person drink two (2) glasses of water. Never give anything by mouth to an
unconscious person. Inhalation: Inhalation of vapour may cause irritation; Move to fresh air. If irritation persists, consult
a physician. Skin contact: Prolonged or repeated contact may cause skin irritation; Wash affected areas thoroughly with cool water. If irritation persists, consult a physician. Eye contact: Direct eye contact may cause irritation; Flush eyes with large amounts of cool water. If irritation persists, consult a specialist.
Advice to doctor: Treat symptomatically.
PRECAUTIONS FOR USE
Exposure limit(s): No Occupational Exposure Limits (OEL) value has been assigned.
Exposure controls Engineering measures: Ensure adequate natural or mechanical ventilations. Keep containers closed when not in use.
Protective measures: Facilities storing or utilizing this material should be equipped with water facilities and appropriate ventilation equipment.
Individual protection measures For general use Personal Protection Equipment (PPE) is not required; however a detailed risk assessment on the use of this product taking in to account the work environment and handling methods may indicate PPE is recommended.
Eye/face protection: General type safety goggles may be worn. Skin protection: Single use nitrile gloves may be worn. Wash material immediately off skin with cool soapy water. Respiratory protection: Not necessary if used in a ventilated environment
SAFE HANDLING & TRANSPORT INFORMATION
Safe handling: Avoid contact with eyes. Wash hands with cool soapy water immediately after use. Personal clothing protection is recommended.
Storage: Keep from freezing. Store in a cool, dry place away from direct sunlight. Shake/stir well before use. Ensure lid is tightly closed when not in use.
Ambient storage temperature: 1°C - 38°C
Australian Dangerous Goods (ADG) Code: Not regulated (not dangerous for transport)
Classification for sea transport (IMO-IMDG): Not regulated (not dangerous for transport)
Classification for air transport (IATA/ICAO): Not regulated (not dangerous for transport)
Hazchem Code: None allocated

Revised18/12/13

Page 2 of 3

Jo Sonja's® All Purpose Sealer

FIRE / EXPLOSION HAZARD

Flammability: Non-flammable

Suitable extinguishing equipment: Use extinguishing media appropriate to surrounding fire conditions.

Specific hazards during fire fighting: Material can boil above 100°C/212°F.

Special protective equipment for fire fighters: Wear self-contained breathing apparatus and protective clothing.

DISPOSAL ADVICE

Small quantities

Do not pour left over product into drains. Unwanted product should be brushed onto newspaper and allowed to dry to be disposed of via domestic waste collection. Soak/Wipe up smaller spills with a rag and dispose of via domestic waste collection.

Large quantities

Clean up immediately. Prevent spill and cleaning runoff from entering sewers, drains and open bodies of water. Contain spill with sand or other inert material and transfer to containers for disposal. Avoid walking through spilled product as it may be slippery. Contact local waste disposal authority for disposal advice.

OTHER INFORMATION

Allergy information: Due care has been taken to ensure this product does not contain any food derivatives or food-based products however we cannot guarantee the same applies to any of our suppliers of the individual components of this product.

Revision: 18th December 2013 – MSDS reformatted and extra information added.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates to only the specific material designated and may not be valid for such material when used in combination with any other materials or in any process unless specified in the text. Since Chroma Australia Pty Ltd cannot anticipate or control conditions of use, each user prior to using the product should assess and control the risks arising from usage of the product.

Revised18/12/13

Page 3 of 3

Item Numbers: 00712-1043, 00712-1045