

MATERIAL SAFETY DATA SHEET

SECTION 1 – IDENTIFICATION AND COMPANY DETAILS

PRODUCT NAME: **BLICK MATTE ACRYLIC EXTENDER**
(All information the same for all sizes.)

COMPANY NAME: **DICK BLICK ART MATERIALS**
ADDRESS: 695 US Hwy 150 E; P.O. Box 1267
Galesburg, IL 61401 USA

PHONE: 800-828-4548
INTERNATIONAL PHONE: +1-309-343-6181
FAX: 800-621-8293
WEBSITE: www.dickblick.com

DATE PREPARED: June 16, 2015

EMERGENCY: **If swallowed, call your poison control center at 1-800-222-1222.**
Seek medical assistance for further treatment, observation and support, if necessary.

SECTION 2 – COMPOSITION / INFORMATION ON INGREDIENTS

| Chemical Name | CAS No. | Concentration |
|------------------|---------|---------------|
| PROPYLENE GLYCOL | 57-55-6 | PROPRIETARY |

SECTION 3 – HAZARDS IDENTIFICATION

Hazardous Ingredients: NONE

| | |
|--|---------------|
| Primary Routes of Entry: | NOT HAZARDOUS |
| Carcinogen Listing: | NOT LISTED |
| Health Hazards Acute: | NONE |
| Health Hazards Chronic: | NONE |
| Signs & Symptoms of Exposure: | NONE |
| Medical Conditions Generally Aggravated by Exposure: | NONE |

Health Effects:

| | |
|------------|--|
| Acute: Eye | DIRECT CONTACT MAY CAUSE SLIGHT IRRITATION |
| Skin | PROLONGED OR REPEATED CONTACT MAY CAUSE SLIGHT SKIN IRRITATION |
| Inhaled | NON ALLOCATED |
| Chronic | NONE ALLOCATED AIRBORNE PARTICLES CONTAIN A CHEMICAL KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER, BIRTH DEFECTS AND OTHER REPRODUCTIVE HARM. |

All Sizes – Blick Matte Acrylic Extender

Page 1 of 4 MSDS Date 06/15

While we believe that the data contained herein is factual and the opinions expressed are those of qualified experts regarding the results of the tests conducted, the data is not to be taken as a warranty or representation for which we assume legal responsibility. It is offered solely for your consideration and verification. Any use of this data and information must be determined by the user to be in accordance with applicable Federal, State, and Local laws and regulations.

SECTION 4 – FIRST AID MEASURES

| | |
|-----------|---|
| Skin | WASH SKIN WITH SOAP AND WATER OR USE A PRODUCT SPECIFICALLY FORMULATED FOR WATER BASED ACRYLIC REMOVAL. IF IRRITATION PERSISTS SEEK MEDICAL HELP. |
| Eye | CHECK FOR AND REMOVE ANY CONTACT LENSES. FLUSH EYES UP TO 15 MINUTES WITH WATER, HOLDING EYE LIDS OPEN. IF IRRITATION PERSISTS SEEK MEDICAL HELP. |
| Inhaled | IF PERSON IS SHOWING ADVERSE EFFECTS, REMOVE PERSON TO FRESH AIR. SEEK MEDICAL HELP IF SYMPTOMS OCCUR. |
| Ingestion | TREAT SYMPTOMATICALLY. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. SEEK MEDICAL HELP IF SYMPTOMS OCCUR. IF SWALLOWED, CALL YOUR POISON CONTROL CENTER AT 1-800-222-1222. |

SEEK MEDICAL ASSISTANCE FOR FURTHER TREATMENT, OBSERVATION AND SUPPORT, IF NECESSARY.

Advice to Doctor:

THIS PRODUCT CARRIES THE A.P. SEAL, CONFORMS TO ASTM D4236, AND IS CERTIFIED NON-TOXIC BY A TOXICOLOGIST IN ASSOCIATION WITH THE ART & CRAFT MATERIALS INSTITUTE, HANSON, MA 02341 USA.

SECTION 5 – FIRE FIGHTING MEASURES

| | |
|---|---------|
| Fire / Explosion Hazard: | NONE |
| Flash Point (Method): | N/A |
| Auto-Ignition Temperature: | N/A |
| Flammability Limits In Air (% by Volume): | N/A |
| LOWER EXPLOSIVE LIMIT (LEL): | UNKNOWN |
| UPPER EXPLOSIVE LIMIT (UEL): | UNKNOWN |
| Extinguisher Media: | N/A |
| Special Fire Fighting Procedures: | N/A |
| Unusual Fire & Explosion Hazards: | N/A |

Extinguishing Media:

THIS PRODUCT IS NOT FLAMMABLE. USE FIRE-EXTINGUISHING MEDIA APPROPRIATE FOR SURROUNDING MATERIALS.

SECTION 6 – ACCIDENTAL RELEASE MEASURES**Leak & Spill Procedures:**

TAKE CARE FLOOR SURFACE WILL BE SLIPPERY AT SITE OF SPILLAGE.

FOR MINOR SPILLS, MOP-UP WITH RAGS AND DISPOSE OF.

FOR LARGER QUANTITIES, CONTAIN ANY SPILLS WITH INERT MATERIALS (SAND, SAWDUST, ETC.) AND TRANSFER TO CONTAINERS FOR DISPOSAL.

DO NOT CONTAMINATE WATER SOURCES OR SEWER.

SECTION 7 – HANDLING AND STORAGE**Handling Procedures & Equipment:**

AVOID SKIN AND EYE CONTACT.

WASH HANDS AFTER USE.

Storage Requirements:

STORE AT ROOM TEMPERATURE.

KEEP FROM FREEZING.

RECOMMENDED STORAGE CONDITIONS ARE BETWEEN 34° F AND 122 °F (1° C AND 50 °C).

SECTION 8 – EXPOSURE CONTROL / PERSONAL PROTECTION**Protective Equipment:**

| | |
|---|--|
| Respiratory Protection (Specific Type): | NONE NEEDED UNDER NORMAL CONDITIONS OF USE |
| Protective Gloves: | NOT REQUIRED |
| Eye Protection: | NOT REQUIRED |
| Other Protective Equipment: | NOT REQUIRED |
| Hygienic Work Practices: | AS WITH ANY WATER BASED PRODUCT |

Ventilation To Be Used:

| | |
|-----------------------|-----|
| Local Exhaust: | N/A |
| Mechanical (General): | N/A |
| Special: | N/A |
| Other (Specify): | N/A |

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

Boiling Point: 215°-275°F
 Vapor Pressure: NOT KNOWN
 Specific Vapor Density (AIR=1): LIGHTER THAN AIR
 Solubility in Water: COMPLETELY SOLUBLE

Specific Gravity (H₂O=1): NOT KNOWN
 Melting Point: NOT KNOWN
 Evaporation Rate: SLOWER THAN ETHER
 Reactivity in Water: NOT KNOWN

Appearance & Odor: CLEAR IN COLOR. NO ODOR.

All Sizes – Blick Matte Acrylic Extender

Page 3 of 4 MSDS Date 06/15

While we believe that the data contained herein is factual and the opinions expressed are those of qualified experts regarding the results of the tests conducted, the data is not to be taken as a warranty or representation for which we assume legal responsibility. It is offered solely for your consideration and verification. Any use of this data and information must be determined by the user to be in accordance with applicable Federal, State, and Local laws and regulations.

SECTION 10 – STABILITY AND REACTIVITY

| | |
|---------------------------------------|--------|
| Stability: | STABLE |
| Conditions To Avoid: | N/A |
| Incompatibility (Materials to Avoid): | NONE |
| Hazardous Decomposition Products: | NONE |
| Hazardous Polymerization Products: | NONE |
| Conditions To Avoid: | N/A |

SECTION 11 – TOXICOLOGICAL INFORMATION

The toxicological information for the components is: NON-TOXIC

THIS PRODUCT CARRIES THE A.P. SEAL, CONFORMS TO ASTM D4236, AND IS CERTIFIED NON-TOXIC BY A TOXICOLOGIST IN ASSOCIATION WITH THE ART & CRAFT MATERIALS INSTITUTE, HANSON, MA 02341 USA.

SECTION 12 – ECOLOGICAL INFORMATION

NOT REGARDED AS DANGEROUS FOR THE ENVIRONMENT.

SECTION 13 – DISPOSAL CONSIDERATIONS

Waste Disposal Methods:
DISPOSE OF IN ACCORDANCE WITH LOCAL AND NATIONAL REGULATIONS FOR INERT NON-HAZARDOUS WASTE MATERIAL.

SECTION 14 – TRANSPORT INFORMATION

NON-HAZARDOUS FOR RAIL, ROAD, SEA AND AIR TRANSPORT.

SECTION 15 – REGULATORY INFORMATION

NONE

SECTION 16 – OTHER INFORMATION

USE: SLOWS DRYING TIME OF ARTIST PAINT.

THIS PRODUCT DOES NOT CONTAIN EGG, DAIRY, WHEAT, GLUTEN, SOY OR PEANUT PRODUCTS, BY-PRODUCTS OR DERIVATIVES.

THIS PRODUCT DOES NOT CONTAIN LATEX MATERIALS OR ANIMAL DERIVED INGREDIENTS.

All Sizes – Blick Matte Acrylic Extender

Page 4 of 4 MSDS Date 06/15

While we believe that the data contained herein is factual and the opinions expressed are those of qualified experts regarding the results of the tests conducted, the data is not to be taken as a warranty or representation for which we assume legal responsibility. It is offered solely for your consideration and verification. Any use of this data and information must be determined by the user to be in accordance with applicable Federal, State, and Local laws and regulations.