01029-XXXX

MATERIAL SAFETY DATA SHEET

SECTION I - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME : AQUA RON GLO FLUORESCENT

IDENTIFICATION NUMBER: WRGALL

PRODUCT USE/CLASS

DATE PRINTED: 05/03/11

SUPPLIER:

T. J. Ronan Paint Corporation

749 East 135th St. Bronx, NY 10454

MANUFACTURER:

T. J. Ronan Paint Corporation

749 East 135th St. Bronx, NY 10454

CHEMTREC: (800) 424-9300 24 HOUR EMERGENCY HOTLINE CHEMTREC: (800) 424-9300 24 HOUR EMERGENCY HOTLINE

7182920406

PREPARER: JD, PHONE: 718-292-1100, PREPARE DATE: 05/03/11

SECTION II - COMPOSITION/INFORMATION ON INGREDIENTS

WT. FERCENT ------ OCCUPATIONAL EXPOSURE LIMITS ---------- CHEMICAL NAME ------ CAS NUMBER IS LESS THAN TLV-TWA TLV-STEL PEL-TVA PEL-CEILING SKIN N-METHYL-2-PYRROLIDONE 872-50-4 5.0 % N.E. N.E. N.E. N.E. NO ETHYLENEGLYCOL MONOBUTYL ETHER 111-76-2 5.0 % 25ppm 50ppm 50ppm N.E. NO

(See Section 11 for abbreviation legend)

SECTION III - PHYSICAL DATA

212 - 395 F VAPOR DENSITY : Is heavier than air SPECIFIC GRAVITY: 1.1253 BOILING RANGE

LOW ODOR

LIQUID EVAPORATION RATE: Is slower than Ether APPEARANCE

SOLUBILITY IN H2O: WATER SOLUBLE VOLATILE BY WEIGHT: 46.4% VOLATILE BY VOL.: 53.6%

VOCS, grams/ltr: 135 VOCS, lbs/gal : 1.12

(See Section XI for abbreviation legend)

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

LOWER EXPLOSIVE LIMIT: UPPER EXPLOSIVE LIMIT: FLASH POINT: N.A.

CO2 DRY CHEMICAL EXTINGUISHING MEDIA: FOAM WATER FOG

UNUSUAL FIRE AND EXPLOSION HAZARDS: MATERIAL CAN SPLATTER ABOVE 100C/212F. POLYMER FILM CAN BURN.

SPECIAL FIREFIGHTING PROCEDURES: DO NOT BREATHE FUMES. WEAR SELF-CONTAINED

(Continued on Page 2)

11/08/2011 03:32

10.6

Product: WRGALL

Preparation Date: 05/03/11

Page 2

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

BREATHING APPARATUS (PRESSURE DEMAND, MSHA/NOISH-APPROVED OR EQUIVALENT) AND FULL PROTECTIVE GEAR. WATER MAY SPREAD FIRE. WATER SPRAY SHOULD BE USED TO COOL CONTAINERS EXPOSED TO FIRE.

SECTION V - HEALTH HAZARD DATA

EFFECTS OF OVEREXPOSURE: INHALATION: VAPOR OR SPRAY MIST CAN CAUSE HEADACHE, NAUSEA, AND IRRITATION OF THE NOSE, THROAT AND LUNGS. SKIN CONTACT: REPEATED OR PROLONGED CONTACT MAY CAUSE IRRITATION AND DERMITITIS. EYES: LIQUID CONTACT RESULTS IN IRRITATION. MAY CAUSE TEMPORARY CORNEAL CLOUDING. INGESTION: MAY BE HARMFUL IF SWALLOWED.

MEDICAL CONDITIONS PRONE TO AGGRAVATION:

EMERGENCY AND FIRST AID PROCEDURES: INHALATION: MOVE SUBJECT TO FRESH AIR. EYE CONTACT: FLUSH WITH LARGE QUANTITIES OF WATER FOR 15 MINUTES. IF IRRITATION PERSISTS GET MEDICAL ATTENTION. SKIN CONTACT: REMOVE SATURATED CLOTHING. WASH WITH SOAP AND WATER. SEEK MEDICAL ATTENTION IF IRRITATION DEVELOPS. LAUNDER SATURATED CLOTHING AND CLEAN SHOES BEFORE REUSE.
INGESTION: DO NOT INDUCE VOMITING. SLOWLY DILUTE WITH 3 - 4 GLASSES OF MILK
OR WATER AND SEEK MEDICAL ATTENTION. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.

PRIMARY ROUTE(S) OF ENTRY: SKIN CONTACT INHALATION INGESTION EYE CONTACT

SECTION VI - REACTIVITY DATA

HAZARDOUS DECOMPOSITION PRODUCTS: MAY PRODUCE TOXIC FUMES WHEN HEATED TO DECOMPOSITION. FUMES MAY CONTAIN CARBON MONOXIDE AND/OR CARBON DIOXIDE. DECOMPOSITION IS DEPENDENT ON TIME AND TEMPERATURE.

ONSET OF DECOMPOSITION IS 177C/350F. CONDITIONS TO AVOID:

INCOMPATABILITY: AVOID CONTACT WITH STRONG OXIDIZING AGENTS.

HAZARDOUS POLYMERIZATION: Will not occur under normal conditions.

STABILITY: This product is stable under normal storage conditions.

SECTION VII - SPILL OR LEAK PROCEDURES

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: LARGE SPILLS: KEEP SPECTATORS AWAY. FLOOR MAY BE SLIPPERY: USE CARE TO AVOID FALLING. DIKE AND CONTAIN SPILL WITH INERT MATERIAL (E.G SAND, EARTH). SMALL SPILLS: TAKE UP WITH AN ABSORBENT MATERIAL AND SEAL TIGHTLY FOR PROPER DISPOSAL. TRANSFER LIQUID TO CONTAINERS FOR RECOVERY OR DISPOSAL AND SOLID DIKING MATERIAL TO SEPARATE CONTAINERS FOR DISPOSAL. KEEP SPILLS AND

(Continued on Page 3)

Item Numbers: 01029-3065, 01029-3067, 01029-4005, 01029-4005, 01029-4005, 01029-4005, 01029-4007, 01029-4505, 01029-4505, 01029-4617, 01029-4617, 01029-5005, 01029-5007, 01029-6005, 01029-6007, 01029-7005, 0102 57237 II ⁷²³⁷

Product: WRGALL Preparation Date: 05/03/11
SECTION VII - SPILL OR LEAK PROCEDURES

Page 3

CLEANING RUNOFFS OUT OF MUNICIPAL SEWERS AND OPEN BODIES OF WATER.

WASTE DISPOSAL METHOD: DISPOSE OF PRODUCT IN ACCORDANCE WITH LOCAL, COUNTY, STATE AND FEDERAL REGULATIONS.

SECTION VIII - SAFE HANDLING AND USE INFORMATION

RESPIRATORY PROTECTION: WEAR APPROPIATE RESPIRATOR WHEN VENTILATION IS INADEQUATE. WEAR RESPIRATOR TO AVOID BREATHING SPRAY MIST, HEATED VAPORS OR FUMES OR IF EXPOSURE MAY OR DOES EXCEED OCCUPATIONAL EXPOSURE LIMITS (SECTION II). USE A NIOSH - APPROVED RESPIRATOR TO PREVENT OVEREXPOSURE.

VENTILATION: PROVIDE NATURAL OR LOCAL EXPLOSION PROOF VENTILATION ADEQUATE TO ENSURE CONCENTRATIONS ARE KEPT BELOW EXPOSURE LIMITS.

PROTECTIVE GLOVES: WEAR IMPERVIOUS CHEMICAL RESISTANT GLOVES.

EYE PROTECTION: WEAR CHEMICAL RESISTANT GOGGLES TO PREVENT EYE CONTACT.

OTHER PROTECTIVE EQUIPMENT: WEAR PROTECTIVE CLOTHING AS REQUIRED TO PREVENT SKIN CONTACT. EYE WASH STATION SHOULD BE AVAILABLE.

HYGIENIC PRACTICES: WASH WITH SOAP AND WATER AFTER HANDLING AND BEFORE EATING, DRINKING, SMOKING OR USING TOILET FACILITIES. LAUNDER CONTAMINATED CLOTHING BEFORE REUSE.

SECTION IX - SPECIAL PRECAUTIONS

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE: AVOID CONTACT WITH VAPORS AND FUMES. USE ONLY IN WELL VENTILATED AREA. AVOID CONTACT WITH EYES SKIN AND CLOTHING. STORAGE TEMPERATURE MAXIMUM 90 DEG.F; MINIMUM 40 DEG.F. KEEP FROM FREEZING. STORE AWAY FROM SPARKS AND FLAMES. DO NOT BREATHE SPRAY MIST.

OTHER PRECAUTIONS: WHEN USING, DO NOT EAT, DRINK OR SMOKE.

SECTION X - HMIS RATINGS

HMIS RATINGS - HEALTH: 1

FLAMMABILITY: 0

REACTIVITY: 0

SECTION XI - OTHER REGULATIONS

(Continued on Page 4)

Item Numbers: 01029-3065, 01029-3067, 01029-4005, 01029-4005, 01029-4005, 01029-4005, 01029-4505, 01029-4505, 01029-4615, 01029-4617, 01029-5005, 01029-5005, 01029-6005, 01029-6007, 01029-7005, 01029-7007, 0102

Product: WRGALL

Preparation Date: 05/03/11

Page 4

SECTION XI - OTHER REGULATIONS

SARA SECTION 313:

This product contains the following substances subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372:

----- CHEMICAL NAME -----N-METHYL-2-PYRROLIDONE ETHYLENEGLYCOL MONOBUTYL ETHER

CAS NUMBER 872-50-4 111-76-2

WT/WT % IS LESS THAN

5.0 % 5.0 %

PREVIOUS MSDS REVISION DATE: 11/23/10

N.A. - Not Applicable, N.E. - Not Established, N.D. - Not Determined

The information contained on this MSDS is to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by use of this material. It is the responsibility of the user to comply with all applicable federal, state and local laws and regulations.

<END OF MSDS>

Item Numbers: 01029-3065, 01029-3067, 01029-4005, 01029-4005, 01029-4005, 01029-4005, 01029-4007, 01029-4505, 01029-4505, 01029-4617, 01029-4617, 01029-5005, 01029-5007, 01029-6005, 01029-6007, 01029-7005, 0102

PAGE 13

RONAN PAINTS

9000262814

ZE:60 II0Z/80/II