

MSDS _____ **MATERIAL SAFETY DATA SHEET**
RUPERT, GIBBON & SPIDER PO BOX 425, HEALDSBURG CA, 95448 TEL: (707) 433-9577 FAX: (707) 433-4906

PMX Carmine Red

MSDS No: #032 **Date:** 09/16/10

1. Product Identification

Product Name: PMX Carmine Red
Product Code: 032

2. Hazardous Ingredients

Hazardous Components: None
Contains less than 50ppm of lead

3. Physical Data

Boiling Point: N/A
Vapor Pressure: N/A
Vapor Density: N/A
Solubility in Water: Soluble
Appearance & Odor: Red odorless powder
Specific Gravity: N/A
Melting Point: N/A
Evaporation Rate: N/A

4. Fire and Explosive Data

Flash Point: N/A
Extinguishing Media: Water, foam, CO2 or dry chemical
Special Fire Fighting Procedures: Self-contained breathing apparatus with full-face piece and protective clothing.
Unusual Fire or Explosive Hazards: This product may form explosive dust clouds in the air.

5. Reactivity Data

Stability: Stable under normal conditions
Incompatibility (materials to avoid): Oxidizing agents
Hazardous Decomposition Products: Carbon dioxide, carbon monoxide, nitrogen oxides and sulfur oxides.
Hazardous Polymerization: Will not occur

6. Health Effects Data

Routes of Entry: N/A
Acute: N/A
Chronic: N/A
Carcinogenic: N/A
Signs & Symptoms of Exposure: N/A
Medical Conditions Aggravated by Exposure: N/A

7. Emergency and First Aid Procedures

Eye Contact: Immediately flush with plenty of water for at least 15 minutes occasionally lifting the upper and lower lids until no evidence of the product remains. Get medical attention. Do not wear contact lenses while handling.

MSDS **MATERIAL SAFETY DATA SHEET**
RUPERT, GIBBON & SPIDER PO BOX 425, HEALDSBURG CA, 95448 TEL: (707) 433-9577 FAX: (707) 433-4906

Skin Contact: Wash material off the skin with plenty of soap and water. If a temporary skin reaction occurs, it should be treated as allergic dermatitis. Launder contaminated clothing before reuse.

Ingestion: If swallowed, do not induce vomiting. Qualified medical personnel should remove the product by gastric lavage and catharsis. Get medical attention. (Never give anything by mouth to an unconscious person.)

Inhalation: Remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth to mouth. If breathing is difficult, give oxygen. Call a physician.

8. Employee Protection Recommendations

Respiratory Protection: NIOSH approved dust respirator

Ventilation: Use local exhaust to keep exposures to a minimum.

Protective Gloves: Rubber gloves as necessary

Eye Protection: Chemical goggles.

Other Protection: Apron and arm covers to avoid skin contact. Eyewash station and safety shower in work area.

Storage & Handling: Store in a dry place, away from excessive heat, in original or similar waterproof container. Reseal container immediately after use. Avoid unnecessary contact.

9. Spill or Leak Procedures

In Case Material is Released/Spilled: Wear skin, eye and respiratory protection during cleanup. Sweep up and recover or mix material with moist absorbent and shovel into waste container. Wash down spill area with water and flush to a sewer serviced by a wastewater treatment facility. Use care to minimize the amount of dyestuff that reaches the sewer.

Waste Disposal Method: Discarded product is not a hazardous waste under RCRA, 40 CFR 261. Empty container retains product residue. Observe all hazard precautions. Do not distribute, make available, furnish or reuse empty container except for storage and shipment of original product. Remove all product residue and puncture or otherwise destroy empty container before disposal.

Notice to Reader

The information contained in this MSDS is based on data from sources considered to be reliable but Rupert, Gibbon & Spider Inc. does not guarantee the accuracy or completeness thereof. Rupert, Gibbon & Spider Inc. urges each customer or recipient of this MSDS to study it carefully to become aware of and understand the hazards associated with this product. The reader should consider consulting reference works or individuals who are experts in ventilation, toxicology or fire and understand the data in this MSDS.

MSDS _____ **MATERIAL SAFETY DATA SHEET**
RUPERT, GIBBON & SPIDER PO BOX 425, HEALDSBURG CA, 95448 TEL: (707) 433-9577 FAX: (707) 433-4906

PMX Raspberry

MSDS No: #042 **Date:** 09/16/10

1. Product Identification

Product Name: PMX Raspberry
Product Code: 042

2. Hazardous Ingredients

Hazardous Components: None
Contains less than 50ppm of lead

3. Physical Data

Boiling Point: N/A
Vapor Pressure: N/A
Vapor Density: N/A
Solubility in Water: Soluble
Appearance & Odor: Burgundy odorless powder
Specific Gravity: N/A
Melting Point: N/A
Evaporation Rate: N/A

4. Fire and Explosive Data

Flash Point: N/A
Extinguishing Media: Water, foam, CO2 or dry chemical
Special Fire Fighting Procedures: Self-contained breathing apparatus with full-face piece and protective clothing.
Unusual Fire or Explosive Hazards: This product may form explosive dust clouds in the air.

5. Reactivity Data

Stability: Stable under normal conditions
Incompatibility (materials to avoid): Oxidizing agents
Hazardous Decomposition Products: Carbon dioxide, carbon monoxide, nitrogen oxides and sulfur oxides.
Hazardous Polymerization: Will not occur

6. Health Effects Data

Routes of Entry: N/A
Acute: N/A
Chronic: N/A
Carcinogenic: N/A
Signs & Symptoms of Exposure: N/A
Medical Conditions Aggravated by Exposure: N/A

7. Emergency and First Aid Procedures

Eye Contact: Immediately flush with plenty of water for at least 15 minutes occasionally lifting the upper and lower lids until no evidence of the product remains. Get medical attention. Do not wear contact lenses while handling.

MSDS **MATERIAL SAFETY DATA SHEET**
RUPERT, GIBBON & SPIDER PO BOX 425, HEALDSBURG CA, 95448 TEL: (707) 433-9577 FAX: (707) 433-4906

Skin Contact: Wash material off the skin with plenty of soap and water. If a temporary skin reaction occurs, it should be treated as allergic dermatitis. Launder contaminated clothing before reuse.

Ingestion: If swallowed, do not induce vomiting. Qualified medical personnel should remove the product by gastric lavage and catharsis. Get medical attention. (Never give anything by mouth to an unconscious person.)

Inhalation: Remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth to mouth. If breathing is difficult, give oxygen. Call a physician.

8. Employee Protection Recommendations

Respiratory Protection: NIOSH approved dust respirator

Ventilation: Use local exhaust to keep exposures to a minimum.

Protective Gloves: Rubber gloves as necessary

Eye Protection: Chemical goggles.

Other Protection: Apron and arm covers to avoid skin contact. Eyewash station and safety shower in work area.

Storage & Handling: Store in a dry place, away from excessive heat, in original or similar waterproof container. Reseal container immediately after use. Avoid unnecessary contact.

9. Spill or Leak Procedures

In Case Material is Released/Spilled: Wear skin, eye and respiratory protection during cleanup. Sweep up and recover or mix material with moist absorbent and shovel into waste container. Wash down spill area with water and flush to a sewer serviced by a wastewater treatment facility. Use care to minimize the amount of dyestuff that reaches the sewer.

Waste Disposal Method: Discarded product is not a hazardous waste under RCRA, 40 CFR 261. Empty container retains product residue. Observe all hazard precautions. Do not distribute, make available, furnish or reuse empty container except for storage and shipment of original product. Remove all product residue and puncture or otherwise destroy empty container before disposal.

Notice to Reader

The information contained in this MSDS is based on data from sources considered to be reliable but Rupert, Gibbon & Spider Inc. does not guarantee the accuracy or completeness thereof. Rupert, Gibbon & Spider Inc. urges each customer or recipient of this MSDS to study it carefully to become aware of and understand the hazards associated with this product. The reader should consider consulting reference works or individuals who are experts in ventilation, toxicology or fire and understand the data in this MSDS.

MSDS _____ **MATERIAL SAFETY DATA SHEET**
RUPERT, GIBBON & SPIDER PO BOX 425, HEALDSBURG CA, 95448 TEL: (707) 433-9577 FAX: (707) 433-4906

Soda Ash

MSDS No: #007 **Date:** 09/16/10

1. Product Identification

Product Name: Soda Ash

Product Code: 007

2. Hazardous Ingredients

Hazardous Components: Sodium Carbonate

3. Physical Data

Boiling Point: N/A

Vapor Pressure: N/A

Vapor Density: N/A

Solubility in Water: 30%

Appearance & Odor: Odorless white powder or granular solid crystal

Specific Gravity: 2.333

Melting Point: 1564 F

Evaporation Rate: N/A

4. Fire and Explosive Data

Flash Point: N/A

Extinguishing Media: Use water spray, dry chemical, CO2 or alcohol

Special Fire Fighting Procedures: Fire fighters should wear self-contained breathing apparatus and full protective clothing. Use water spray to cool nearby containers and structures exposed to fire.

Unusual Fire or Explosive Hazards: Extinguish all nearby sources of ignition.

5. Reactivity Data

Stability: Stable

Incompatibility (materials to avoid): Acids

Hazardous Decomposition Products: May liberate carbon monoxide, carbon dioxide or oxides of sodium.

Hazardous Polymerization: Will not occur

6. Health Effects Data

Routes of Entry: Inhalation, skin or eye contact

Acute: N/A

Chronic: May cause sensitization

Carcinogenic: Non-carcinogenic

Signs & Symptoms of Exposure: Inhalation: breathing dust may irritate the nose, throat, cause coughing and chest discomfort. Excessive contact can cause damage to the nasal septum.

Medical Conditions Aggravated by Exposure: None reported

7. Emergency and First Aid Procedures

Eye Contact: Immediately flush with lots of running water for at least 15 minutes, lifting the upper and lower eyelids occasionally. Get medical attention.

MSDS **MATERIAL SAFETY DATA SHEET**
RUPERT, GIBBON & SPIDER PO BOX 425, HEALDSBURG CA, 95448 TEL: (707) 433-9577 FAX: (707) 433-4906

Skin Contact: Immediately wash skin with lots of soap and water. Remove contaminated clothing and shoes, wash before reuse. Get medical attention if irritation persists after washing.

Ingestion: Do not induce vomiting. If conscious, give lots of water or milk. Get immediate medical attention. Do not give anything by mouth to an unconscious person.

Inhalation: Remove to fresh air. Give artificial respiration if not breathing. Get immediate medical attention.

8. Employee Protection Recommendations

Respiratory Protection: If use conditions generate dusts, wear a Niosh-approved respirator appropriate for those emission levels. Appropriate respirators may be a full-face piece or a half mask air-purifying cartridge respirator with particulate filters, a self-contained breathing apparatus in the pressure demand mode, or a supplied air respirator.

Ventilation: Local mechanical exhaust ventilation capable of maintaining dust emissions at the point of use below the pel.

Protective Gloves: Rubber gloves

Eye Protection: Chemical goggles and full face shield. It is generally recognized that contact lenses should not be worn when working with chemicals because contact lenses may contribute to the severity of an eye injury.

Other Protection: Long sleeved shirt, trousers, safety shoes and rubber apron. An eyewash and safety shower should be nearby and ready for use.

Storage & Handling: Store in a cool, dry, well-ventilated place. Store away from all other chemicals and potential sources of contamination. Keep container tightly closed when not in use. Do not use pressure to empty container. Wash thoroughly after handling. Do not get in eyes, on skin or on clothing. Containers, even those that have emptied, will retain product residue and vapors. Always obey hazard warnings and handle empty containers as if they were full.

9. Spill or Leak Procedures

In Case Material is Released/Spilled: Wear protective equipment including rubber boots, rubber gloves, rubber apron and a self-contained breathing apparatus in the pressure demand mode or a supplied-air respirator. If the spill or leak is small, a full face-piece air-purifying cartridge respirator equipped with a particulate filter may be satisfactory. In any event, always wear eye protection. For small spills, sweep up and dispose of in dot-approved waste containers. For large spills, shovel into dot-approved waste containers. Keep out of sewers, storm drains, surface waters and soil.

Waste Disposal Method: Dispose of contaminated product and materials used in cleaning up spills or leaks in a manner approved for this material. Consult appropriate federal, state and local regulatory agencies to ascertain proper disposal procedures. Empty containers can have residues, gases and mists and are subject to proper waste disposal as above.

Notice to Reader

The information contained in this MSDS is based on data from sources considered to be reliable but Rupert, Gibbon & Spider Inc. does not guarantee the accuracy or completeness thereof. Rupert, Gibbon & Spider Inc. urges each customer or recipient of this MSDS to study it carefully to become aware of and understand the hazards associated with this product. The reader should consider consulting reference works or individuals who are experts in ventilation, toxicology or fire and understand the data in this MSDS.