

Page 1/9

**Safety Data Sheet**  
acc. to ISO/DIS 11014

01425-1401, 1402, 1409

Printing date 01/28/2013

Reviewed on 01/28/2013

1700  
1710

### 1 Identification of the substance/mixture and of the company/undertaking

- **Product identifier**
- **Trade name:** *MONTANA Varnish gloss, semi gloss, mat*
- **Article number:** T1000, T1005, T1010
- **Relevant identified uses of the substance or mixture and uses advised against --**
- **Application of the substance / the preparation** Clear coating material, Varnish
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
L&G Vertriebs GmbH  
Häusserstr. 36  
D-69115 Heidelberg  
Tel. +49-6221-36333-30  
Fax +49-6221-36333-33  
info@montana-cans.de  
www.montana-cans.com
- **Information department:** Department Product Safety
- **Emergency telephone number:**  
Tel.: +49 6266-75-310  
Fax +49 6266-75-362  
(Mo - Th 08:00 am - 04:00 pm, Fr 08:00 am - 00:30 pm)

### 2 Hazards identification

- **Information concerning particular hazards for human and environment:**  
*The product has to be labelled due to the calculation procedure of international guidelines.*  
*At long or repeated contact with skin it may cause dermatitis due to the degreasing effect of the solvent.*  
**Warning! Pressurized container.**  
*Has a narcotizing effect.*
- **Label elements**
- **Risk phrases:**  
*Extremely flammable.*  
*Irritating to eyes.*  
*Repeated exposure may cause skin dryness or cracking.*  
*Vapours may cause drowsiness and dizziness.*
- **Safety phrases:**  
*Keep out of the reach of children.*  
*Keep away from sources of ignition - No smoking.*  
*Do not breathe spray.*  
*Avoid contact with skin and eyes.*  
*Do not empty into drains, dispose of this material and its container at hazardous or special waste collection point.*  
*If swallowed, seek medical advice immediately and show this container or label.*  
*Use only in well-ventilated areas.*
- **Special labelling of certain preparations:**  
*Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C, i.e. electric lights. Do not pierce or burn, even after use.*  
*Do not spray on a naked flame or any incandescent material.*  
*Buildup of explosive mixtures possible without sufficient ventilation.*
- **Classification system:**
- **NFPA ratings (scale 0 - 4)**  
Health = 1  
Fire = 0  
Reactivity = 3
- **HMIS-ratings (scale 0 - 4)**  
Health = 1  
Fire = 0  
Reactivity = 3

(Contd. on page 2)

USA

Page 2/9

## Safety Data Sheet

acc. to ISO/DIS 11014

Printing date 01/28/2013

Reviewed on 01/28/2013

Trade name: MONTANA Varnish gloss, semi gloss, mat

(Contd. of page 1)

- Other hazards
- Results of PBT and vPvB assessment
- PBT: Not applicable.
- vPvB: Not applicable.

### 3 Composition/information on ingredients

- Chemical characterization: Mixtures
- Description: Mixture of the substances listed below with nonhazardous additions.

#### Dangerous components:

67-64-1	acetone	Xi R36; F R11 R66-67	25-<50%
115-10-6	dimethyl ether	F+ R12	20-<25%
123-86-4	n-butyl acetate	R10-66-67	12.5<20%
74-98-6	propane	F+ R12	10-<12.5%
106-97-8	butane	F+ R12	5-<10%
108-65-6	2-methoxy-1-methylethyl acetate	R10	2.5-<5.0%
75-28-5	isobutane	F+ R12	2.5-<5.0%

#### Additional information:

The content of Benzene (EINECS-Nr. 200-753-7) in the ingredients is less than 0,1% (Note P Annex 1 67/548 EU), so the classification as carcinogen need not to apply.

For the wording of the listed risk phrases refer to section 16.

### 4 First aid measures

- Description of first aid measures
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- After eye contact:  
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed  
No further relevant information available.

### 5 Firefighting measures

- Extinguishing media
- Suitable extinguishing agents: CO<sub>2</sub>, sand, extinguishing powder. Do not use water.
- For safety reasons unsuitable extinguishing agents:  
Water  
Water with full jet
- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters -
- Protective equipment: No special measures required.

### 6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures  
Wear protective equipment. Keep unprotected persons away.
- Environmental precautions:  
Inform respective authorities in case of seepage into water course or sewage system.

(Contd. on page 3)

USA

Page 3/9

**Safety Data Sheet**  
acc. to ISO/DIS 11014

Printing date 01/28/2013

Reviewed on 01/28/2013

Trade name: MONTANA Varnish gloss, semi gloss, mat

(Contd. of page 2)

- Do not allow to enter sewers/ surface or ground water.
- Do not allow product to reach sewage system or any water course.
- **Methods and material for containment and cleaning up:**  
Do not flush with water or aqueous cleansing agents  
Ensure adequate ventilation.
- **Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

**7 Handling and storage**

- **Handling:**
- **Precautions for safe handling**  
Ensure good ventilation/exhaustion at the workplace.  
Open and handle receptacle with care.
- **Information about protection against explosions and fires:**  
Keep ignition sources away - Do not smoke.  
Protect against electrostatic charges.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:**  
Store in a cool location.  
Observe official regulations on storing packagings with pressurized containers.
- **Information about storage in one common storage facility: Not required.**
- **Further information about storage conditions:**  
Store in cool, dry conditions in well sealed receptacles.  
Protect from heat and direct sunlight.
- **Storage class: 2B**
- **Specific end use(s) No further relevant information available.**

**8 Exposure controls/personal protection**

- **Additional information about design of technical systems: No further data; see item 7.**
- **Control parameters**

• **Components with limit values that require monitoring at the workplace:****67-64-1 acetone**

PEL ( )	2400 mg/m <sup>3</sup> , 1000 ppm
REL ( )	590 mg/m <sup>3</sup> , 250 ppm
TLV ( )	Short-term value: (1782) NIC-1187 mg/m <sup>3</sup> , (750) NIC-500 ppm Long-term value: (1188) NIC-475 mg/m <sup>3</sup> , (500) NIC-200 ppm BEI

**115-10-6 dimethyl ether**

WEEL ( )	1000 ppm
----------	----------

**123-86-4 n-butyl acetate**

PEL ( )	710 mg/m <sup>3</sup> , 150 ppm
REL ( )	Short-term value: 950 mg/m <sup>3</sup> , 200 ppm Long-term value: 710 mg/m <sup>3</sup> , 150 ppm
TLV ( )	Short-term value: 950 mg/m <sup>3</sup> , 200 ppm Long-term value: 713 mg/m <sup>3</sup> , 150 ppm

**74-98-6 propane**

PEL ( )	1800 mg/m <sup>3</sup> , 1000 ppm
---------	-----------------------------------

(Contd. on page 4)

—USA

Page 4/9

**Safety Data Sheet**  
acc. to ISO/DIS 11014

Printing date 01/28/2013

Reviewed on 01/28/2013

Trade name: MONTANA Varnish gloss, semi gloss, mat

(Contd. of page 3)

REL ( )	1800 mg/m <sup>3</sup> , 1000 ppm
TLV ( )	Varies mg/m <sup>3</sup> , 1000 ppm
<b>106-97-8 butane</b>	
REL ( )	1900 mg/m <sup>3</sup> , 800 ppm
TLV ( )	Varies mg/m <sup>3</sup> , 1000 ppm
<b>108-65-6 2-methoxy-1-methylethyl acetate</b>	
WEEL ( )	50 ppm
<b>75-28-5 isobutane</b>	
REL ( )	1900 mg/m <sup>3</sup> , 800 ppm
TLV ( )	Varies mg/m <sup>3</sup> , 1000 ppm
<b>Ingredients with biological limit values:</b>	
<b>67-64-1 acetone</b>	
BEI ( )	50 mg/L Medium: urine Time: end of shift Parameter: Acetone (nonspecific)

· **Additional information:** The lists that were valid during the creation were used as basis.

· **Exposure controls**

· **Personal protective equipment:**

· **General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.  
Immediately remove all soiled and contaminated clothing.  
Wash hands before breaks and at the end of work.  
Do not inhale gases / fumes / aerosols.  
Avoid contact with the eyes and skin.

· **Breathing equipment:**

Use suitable respiratory protective device in case of insufficient ventilation.  
Filter AX  
Not necessary if room is well-ventilated.

· **Protection of hands:**

Protective gloves  
Solvent resistant gloves  
In case of contact with spray dust protective gloves made of butyl should be used (min. 0.4 mm thick), e.g. KCL Camatril, article no. 898 or similar products  
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.  
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

Natural rubber, NR  
Butyl rubber, BR

· **Penetration time of glove material**

Butyl rubber gloves with a thickness of 0.4 mm are resistant to:  
Acetone: 480 min  
Butyl acetate: 60 min  
Ethyl acetate: 170 min  
Xylene: 42 min

· **Eye protection:** Safety glasses

USA

(Contd. on page 5)

Page 5/9

**Safety Data Sheet**  
acc. to ISO/DIS 11014

Printing date 01/28/2013

Reviewed on 01/28/2013

Trade name: MONTANA Varnish gloss, semi gloss, mat

(Contd. of page 4)

### 9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

Form:	Fluid
Color:	According to product specification
Odor:	Characteristic
Odour threshold:	Not determined.

· **pH-value:** Not determined.

· **Change in condition**

Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	Not applicable, as aerosol.

· **Flash point:** Not applicable, as aerosol.

· **Flammability (solid, gaseous):** Not applicable.

· **Decomposition temperature:** Not determined.

· **Auto igniting:** Product is not selfigniting.

· **Danger of explosion:** In use, may form flammable/explosive vapour-air mixture.

· **Explosion limits:**

Lower:	1.2 Vol %
Upper:	18.6 Vol %

· **Vapor pressure at 20 °C (68 °F):** 8300 hPa (6226 mm Hg)

· **Density at 20 °C (68 °F):** 0.75 g/cm<sup>3</sup> (6.259 lbs/gal)

· **Relative density:** Not determined.

· **Vapour density:** Not determined.

· **Evaporation rate:** Not applicable.

· **Solubility in / Miscibility with**

Water: Not miscible or difficult to mix.

· **Partition coefficient (n-octanol/water):** Not determined.

· **Viscosity:**

Dynamic:	Not determined.
Kinematic:	Not determined.

· **Solvent content:**

VOC-USA 70.8 %  
726.4 g/l / 6.06 lb/gl

VOC-EU  
744.1 g/l

· **Other information:** No further relevant information available.

### 10 Stability and reactivity

· **Reactivity**

· **Chemical stability**

· **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.

· **Possibility of hazardous reactions:** No dangerous reactions known.

· **Conditions to avoid:** No further relevant information available.

· **Incompatible materials:** No further relevant information available.

· **Hazardous decomposition products:** No dangerous decomposition products known.

USA

(Contd. on page 6)

Page 6/9

## Safety Data Sheet

acc. to ISO/DIS 11014

Printing date 01/28/2013

Reviewed on 01/28/2013

Trade name: MONTANA Varnish gloss, semi gloss, mat

(Contd. of page 5)

### 11 Toxicological information

- Information on toxicological effects
- Acute toxicity:

· LD/LC50 values that are relevant for classification:

67-64-1 acetone

Oral	LD50	5800 mg/kg (rat)
Dermal	LD50	20000 mg/kg (rabbit)

- Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: Irritating effect.
- Sensitization: No sensitizing effects known.

· Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

Vapors have narcotic effect.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

67-63-0 | propan-2-ol

3

· NTP (National Toxicology Program)

None of the ingredients is listed.

### 12 Ecological information

- Toxicity
- Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- Additional ecological information:

· General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

· Results of PBT and vPvB assessment

- PBT: Not applicable.
- vPvB: Not applicable.

· Other adverse effects No further relevant information available.

### 13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packagings:

· Recommendation: Disposal must be made according to official regulations.

USA

(Contd. on page 7)

Page 7/9

**Safety Data Sheet**  
acc. to ISO/DIS 11014

Printing date 01/28/2013

Reviewed on 01/28/2013

Trade name: MONTANA Varnish gloss, semi gloss, mat

(Contd. of page 6)

**14 Transport information**

· UN-Number	
· DOT, ADR, IMDG, IATA	UN1950
· UN proper shipping name	
· DOT, IATA	AEROSOLS, flammable
· ADR	1950 AEROSOLS
· IMDG	AEROSOLS
· Transport hazard class(es)	
· DOT, IMDG, IATA	
· Class	2.1
· Label	2.1
· ADR	
· Class	2 5F Gases
· Label	2.1
· Packing group	
· DOT, ADR, IMDG, IATA	Void
· Environmental hazards:	
· Marine pollutant:	No
· Special precautions for user	Warning: Gases
· Danger code (Kemler):	-
· EMS Number:	F-D,S-U
· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· UN "Model Regulation":	UN1950, AEROSOLS, 2.1

**15 Regulatory information**

· Safety, health and environmental regulations/legislation specific for the substance or mixture
· Sara
· Section 355 (extremely hazardous substances):
None of the ingredient is listed.
· Section 313 (Specific toxic chemical listings):
67-63-0   propan-2-ol
· TSCA (Toxic Substances Control Act):
All ingredients are listed.
· Proposition 65
· Chemicals known to cause cancer:
Warning: This product contains chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.
None of the ingredients is listed.
· Chemicals known to cause reproductive toxicity for females:
None of the ingredients is listed.
· Chemicals known to cause reproductive toxicity for males:
None of the ingredients is listed.
· Chemicals known to cause developmental toxicity:
None of the ingredients is listed.

(Contd. on page 8)

USA

Page 8/9

**Safety Data Sheet**  
acc. to ISO/DIS 11014

Printing date 01/28/2013

Reviewed on 01/28/2013

Trade name: MONTANA Varnish gloss, semi gloss, mat

(Contd. of page 7)

- **Carcinogenicity categories**

- **EPA (Environmental Protection Agency)**

67-64-1	acetone	1
---------	---------	---

- **TLV (Threshold Limit Value established by ACGIH)**

67-64-1	acetone	A4
---------	---------	----

67-63-0	propan-2-ol	A4
---------	-------------	----

- **MAK (German Maximum Workplace Concentration)**

None of the ingredients is listed.

- **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

- **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

- **Product related hazard informations:**

- **Hazard symbols:**

Xi Irritant

F+ Extremely flammable

- **Risk phrases:**

Extremely flammable.

Irritating to eyes.

Repeated exposure may cause skin dryness or cracking.

Vapours may cause drowsiness and dizziness.

- **Safety phrases:**

Keep out of the reach of children.

Keep away from sources of ignition - No smoking.

Do not breathe spray.

Avoid contact with skin and eyes.

Do not empty into drains, dispose of this material and its container at hazardous or special waste collection point.

If swallowed, seek medical advice immediately and show this container or label.

Use only in well-ventilated areas.

- **Special labeling of certain preparations:**

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C, i.e. electric lights. Do not pierce or burn, even after use.

Do not spray on a naked flame or any incandescent material.

Buildup of explosive mixtures possible without sufficient ventilation.

- **Chemical safety assessment: A Chemical Safety Assessment has not been carried out.**

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Contact: Anwendungstechnik**

- **Abbreviations and acronyms:**

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

NFPA: National Fire Protection Association (USA)

(Contd. on page 9)

USA



Page 9/9

**Safety Data Sheet**  
acc. to ISO/DIS 11014

Printing date 01/28/2013

Reviewed on 01/28/2013

Trade name: **MONTANA Varnish gloss, semi gloss, mat**

**HMIS: Hazardous Materials Identification System (USA)**  
**VOC: Volatile Organic Compounds (USA, EU)**  
**LC50: Lethal concentration, 50 percent**  
**LD50: Lethal dose, 50 percent**

(Contd. of page 8)

USA