Page 1/8

Safety Data Sheet acc. to ISO/DIS 11014

01425-1407

Printing date 01/28/2013

Reviewed on 01/28/2013

### 1 Identification of the substance/mixture and of the company/undertaking

- · Product identifier
- · Trade name: MONTANA Aceton Spray
- · Article number: T5100
- · Relevant identified uses of the substance or mixture and uses advised against --
- · Application of the substance / the preparation Solvents
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier: L&G Vertriebs GmbH Häusserstr. 36 D-69115 Heidelberg Tel. +49-6221-36333-30 Eax +49-6221-36333-33
- Fax +49-6221-36333-33 info@montana-cans.de www.montana-cans.com
- · Information department: Department Product Safety
- Emergency telephone number: Tel.:+49 6266-75-310 Fax +49 6266-75-362

(Mo - Th 08:00 am - 04:00 pm, Fr 08:00 am - 00:30 pm)

#### 2 Hazards identification

- · Information concerning particular hazards for human and environment:
- The product has to be labelled due to the calculation procedure of international guidelines.

At long or repeated contact with skin it may cause dermatitis due to the degreasing effect of the solvent.

Warning! Pressurized container.

Has a narcotizing effect.

- · Label elements
- · Risk phrases:

Extremely flammable.

Irritating to eyes.

Repeated exposure may cause skin dryness or cracking.

Vapours may cause drowsiness and dizziness.

- · Safety phrases:
- Keep out of the reach of children.

Keep away from sources of ignition - No smoking.

Do not breathe spray.

Avoid contact with skin and eyes.

Do not empty into drains, dispose of this material and its container at hazardous or special waste collection point.

If swallowed, seek medical advice immediately and show this container or label.

Use only in well-ventilated areas.

- · Special labelling of certain preparations:
- Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C, i.e. electric lights. Do not pierce or burn, even after use.

Do not spray on a naked flame or any incandescent material.

- Buildup of explosive mixtures possible without sufficient ventilation.
- · Classification system:
- NFPA ratings (scale 0 4)

Health = 1

Fire = 0Reactivity = 3

· HMIS-ratings (scale 0 - 4)

Health = I

Fire = 0

Reactivity = 3

(Contd. on page 2)

- USA

Page 2/8

## Safety Data Sheet acc. to ISO/DIS 11014

Printing date 01/28/2013

Reviewed on 01/28/2013

(Contd. of page 1)

Trade name: MONTANA Aceton Spray

- · Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

## 3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerou	is components:		
67-64-1	acetone	Xi R36; F R11 R66-67	75-≤100%
74-98-6	propane	F+ R12	5-<10%
106-97-8	butane	F+ R12	5-<10%
75-28-5	isobutane	F+ R12	2.5-<5.0%

· Additional information:

The content of Bencene (EINECS-Nr. 200-753-7) in the ingredients is less than 0,1% (Note P Annex 1 67/548 EU), so the classification as carcinogen need not to apply.

For the wording of the listed risk phrases refer to section 16.

#### 4 First aid measures

- · Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- · After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

### 5 Firefighting measures

- · Extinguishing media
- · Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

#### 6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures
- Wear protective equipment. Keep unprotected persons away.
- · Environmental precautions:
- Inform respective authorities in case of seepage into water course or sewage system.
- Do not allow to enter sewers/ surface or ground water.
- Do not allow product to reach sewage system or any water course.
- Methods and material for containment and cleaning up: Do not flush with water or aqueous cleansing agents
- Ensure adequate ventilation.

(Contd. on page 3)

— USA

Page 3/8

## Safety Data Sheet acc. to ISO/DIS 11014

Printing date 01/28/2013

Reviewed on 01/28/2013

(Contd. of page 2)

Trade name: MONTANA Aceton Spray

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## 7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles:

Store in a cool location.

- Observe official regulations on storing packagings with pressurized containers.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Do not gas tight seal receptacle.

Store in cool, dry conditions in well sealed receptacles.

- Protect from heat and direct sunlight.
- · Storage class: 2B
- · Specific end use(s) No further relevant information available.

#### 8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters

· Components with limit values that require monitoring at the workplace:

## 67-64-1 acetone

- PEL () 2400 mg/m<sup>3</sup>, 1000 ppm
- REL () 590 mg/m<sup>3</sup>, 250 ppm
- TLV () Short-term value: (1782) NIC-1187 mg/m³, (750) NIC-500 ppm Long-term value: (1188) NIC-475 mg/m³, (500) NIC-200 ppm BEI

#### 74-98-6 propane

- PEL () 1800 mg/m³, 1000 ppm
- REL () 1800 mg/m³, 1000 ppm
- TLV () Varies mg/m3, 1000 ppm

#### 106-97-8 butane

- REL () 1900 mg/m<sup>3</sup>, 800 ppm
- TLV () Varies mg/m3, 1000 ppm

#### 75-28-5 isobutane

- REL () 1900 mg/m3, 800 ppm
- TLV () Varies mg/m³, 1000 ppm

(Contd. on page 4)

----us

Page 4/8

#### Safety Data Sheet acc. to ISO/DIS 11014

Printing date 01/28/2013

Reviewed on 01/28/2013

Trade name: MONTANA Aceton Spray

(Contd. of page 3)

Ingredients with biological limit values:

67-64-1 acetone

BEI () 50 mg/L

Medium: urine

Time: end of shift

Parameter: Acetone (nonspecific)

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes and skin.

· Breathing equipment:

Filter AX

Not necessary if room is well-ventilated.

Protection of hands:

Protective gloves

Solvent resistant gloves

In case of contact with spray dust protective gloves made of butyl shoud be used (min. 0.4 mm thick), e.g.

KCL Camatril, article no. 898 or similar products

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the

degradation Material of gloves

Natural rubber, NR

Butyl rubber, BR

Penetration time of glove material

Butyl rubber gloves with a thickness of 0.4 mm are resistant to:

Acetone: 480 min Butyl acetate: 60 min Ethyl acetate: 170 min Xylene: 42 min

Eye protection: Safety glasses

9 14	hysical	and c	hemica	l pro	pert.	ies

· Information on basic physical and chemical properties

· General Information

· Appearance:

Form:

Color: According to product specification

· Odor: Characteristic · Odour threshold: Not determined.

· pH-value: Not determined.

· Change in condition

Melting point/Melting range: Undetermined.

Boiling point/Boiling range: Not applicable, as aerosol.

· Flash point: Not applicable, as aerosol.

Flammability (solid, gaseous): Not applicable.

(Contd. on page 5)

Page 5/8

#### Safety Data Sheet acc. to ISO/DIS 11014

Printing date 01/28/2013

Reviewed on 01/28/2013

Trade name: MONTANA Aceton Spray

	(Contd. of pa
Decomposition temperature:	Not determined.
· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	In use, may form flammable/explosive vapour-air mixture.
· Explosion limits:	
Lower:	2.6 Vol %
Upper:	13.0 Vol %
· Vapor pressure at 20 °C (68 °F):	233 hPa (175 mm Hg)
· Density at 20 °C (68 °F):	0.74 g/cm³ (6.175 lbs/gal)
· Relative density	Not determined.
· Vapour density	Not determined.
· Evaporation rate	Not applicable.
· Solubility in / Miscibility with	
Water:	Fully miscible.
· Partition coefficient (n-octanol/wate	er); Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
· Solvent content:	
VOC-USA	20.0 %
VOC-EU	
	738.2 g/l
· Other information	No further relevant information available.

## 10 Stability and reactivity

- · Reactivity
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
  · Hazardous decomposition products: No dangerous decomposition products known.

## 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

· LD/LCS		es that are relevant for classification:
67-64-1	aceton	ne e
Oral	LD50	5800 mg/kg (rat)
Dermal	LD50	20000 mg/kg (rabbit)

- · Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.

· Additional toxicological information:
The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

(Contd. on page 6)

-USA

Page 6/8

## Safety Data Sheet acc. to ISO/DIS 11014

Printing date 01/28/2013

Reviewed on 01/28/2013

(Contd. of page 5)

Trade name: MONTANA Aceton Spray

Vapors have narcotic effect.

- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

### 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

#### 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number		
DOT, ADR, IMDG, IATA	UN1950	
UN proper shipping name		
DOT, IATA	AEROSOLS, flammable	
ADR	1950 AEROSOLS	
· IMDG	AEROSOLS	
Transport hazard class(es)		
· DOT, IMDG, IATA		
· Class	2.1	
· Label	2.1	
· ADR		
· Class	2 5F Gases	
· Label	2.1	

Page 6 of 8

Page 7/8

# Safety Data Sheet acc. to ISO/DIS 11014

Printing date 01/28/2013

Reviewed on 01/28/2013

Trade name: MONTANA Aceton Spray		
		(Contd. of page 6)
· Packing group · DOT, ADR, IMDG, IATA	Void	
· Environmental hazards: · Marine pollutant:	No	
· Special precautions for user · Danger code (Kemler): · EMS Number:	Warning: Gases - F-D,S-U	
· Transport in bulk according to Annex MARPOL73/78 and the IBC Code	II of Not applicable.	
· UN "Model Regulation":	UN1950, AEROSOLS, 2.1	

Sa Sa	fety, health and environmental regulations/legislation specific for the substance or mixture ra
	ction 355 (extremely hazardous substances):
No	ne of the ingredient is listed.
Se	ction 313 (Specific toxic chemical listings):
No	ne of the ingredients is listed.
TS	CA (Toxic Substances Control Act):
All	ingredients are listed.
Pr	oposition 65
Ch	emicals known to cause cancer:
No	ne of the ingredients is listed.
Ch	emicals known to cause reproductive toxicity for females:
No	ne of the ingredients is listed.
Ch	emicals known to cause reproductive toxicity for males:
No	ne of the ingredients is listed.
Ch	emicals known to cause developmental toxicity:
No	ne of the ingredients is listed.
Ca	ncerogenity categories
EF	A (Environmental Protection Agency)
67	-64-1 acetone
TL	V (Threshold Limit Value established by ACGIH)
67	-64-1 acetone
MA	AK (German Maximum Workplace Concentration)
No	ne of the ingredients is listed.
NI	OSH-Ca (National Institute for Occupational Safety and Health)
No	ne of the ingredients is listed.
OS	SHA-Ca (Occupational Safety & Health Administration)
	ne of the ingredients is listed.

F+ Extremely flammable

(Contd. on page 8)

Page 8/8

#### Safety Data Sheet acc. to ISO/DIS 11014

Printing date 01/28/2013

Reviewed on 01/28/2013

Trade name: MONTANA Aceton Spray

(Contd. of page 7)

· Risk phrases:

Extremely flammable.

Irritating to eyes.

Repeated exposure may cause skin dryness or cracking.

Vapours may cause drowsiness and dizziness.

· Safetv phrases:

Keep out of the reach of children.

Keep away from sources of ignition - No smoking.

Do not breathe spray.

Avoid contact with skin and eyes.

Do not empty into drains, dispose of this material and its container at hazardous or special waste collection

If swallowed, seek medical advice immediately and show this container or label.

Use only in well-ventilated areas.

· Special labeling of certain preparations:

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C, i.e. electric lights. Do not pierce or burn, even after use.

Do not spray on a naked flame or any incandescent material.

Buildup of explosive mixtures possible without sufficient ventilation.

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Contact: Anwendungstechnik
- · Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)
ICAO: International Civil Aviation Organization

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent