Page 1/8

Safety Data Sheet acc. to ISO/DIS 11014

01425-1411, 1412 Reviewed on 01/28/2013

Printing date 01/28/2013

1 Identification of the substance/mixture and of the company/undertaking

- · Product identifier
- · Trade name: MONTANA Spray Adhesive Permanent
- · Article number: AP150, AP400
- · Relevant identified uses of the substance or mixture and uses advised against --
- · Application of the substance / the preparation Adhesives
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

L&G Vertriebs GmbH

Häusserstr. 36

D-69115 Heidelberg

Tel. +49-6221-36333-30

Fax +49-6221-36333-33 info@montana-cans.de

www.montana-cans.com

- Information department: Department Product Safety
- · Emergency telephone number:

Tel.:+49 6266-75-310

Fax +49 6266-75-362

(Mo - Th 08:00 am - 04:00 pm, Fr 08:00 am - 00:30 pm)

2 Hazards identification

Information concerning particular hazards for human and environment:

The product has to be labelled due to the calculation procedure of international guidelines.

Warning! Pressurized container.

Has a narcotizing effect.

- · Label elements
- Risk phrases:

Extremely flammable.

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Vapours may cause drowsiness and dizziness.

Safety phrases:

Keep out of the reach of children.

Keep away from sources of ignition - No smoking.

Do not breathe spray.

Avoid contact with skin and eyes.

Do not empty into drains, dispose of this material and its container at hazardous or special waste collection

If swallowed, seek medical advice immediately and show this container or label.

Use only in well-ventilated areas.

Special labelling of certain preparations:

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C, i.e. electric lights. Do not pierce or burn, even after use.

Do not spray on a naked flame or any incandescent material.

Buildup of explosive mixtures possible without sufficient ventilation.

- Classification system:
- NFPA ratings (scale 0 4)

Health = 0

Fire = 0

Reactivity = 3

· HMIS-ratings (scale 0 - 4)

Health = 0 Fire = 0Fire Reactivity = 3

(Contd. on page 2)

Page 2/8

Safety Data Sheet acc. to ISO/DIS 11014

Printing date 01/28/2013

Reviewed on 01/28/2013

(Contd. of page 1)

Trade name: MONTANA Spray Adhesive Permanent

- · Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.

Dangerous	components:		
106-97-8	butane	F+ R12	50-<75%
74-98-6	propane	F+ R12	25-<50%
67-64-1	acetone	Xi R36; F R11 R66-67	12.5<20%
64742-49-0	Naphtha (petroleum), hydrotreated light	Xn R65; Xi R38; F R11; N R51/53 R67	10-<12.5%

Additional information:

The content of Bencene (EINECS-Nr. 200-753-7) in the ingredients is less than 0,1% (Note P Annex 1 67/548 EU), so the classification as carcinogen need not to apply. For the wording of the listed risk phrases refer to section 16.

4 First aid measures

- · Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Firefighting measures

- · Extinguishing media
- · Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.
- For safety reasons unsuitable extinguishing agents:
- Water
- Water with full jet
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters ·

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures
- Wear protective equipment. Keep unprotected persons away.
- · Environmental precautions: Do not allow product to reach sewage system or any water course.
- · Methods and material for containment and cleaning up: Ensure adequate ventilation.
- · Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.

(Contd. on page 3)

- USA

Page 3/8

Safety Data Sheet acc. to ISO/DIS 11014

Printing date 01/28/2013

Reviewed on 01/28/2013

Trade name: MONTANA Spray Adhesive Permanent

See Section 13 for disposal information.

(Contd. of page 2)

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles:

Store in a cool location.

Observe official regulations on storing packagings with pressurized containers.

- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Do not gas tight seal receptacle.

Store in cool, dry conditions in well sealed receptacles.

Protect from heat and direct sunlight.

- · Storage class: 2B
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters

· Components with	limit values that require monitoring	o at the workplace.

106-97-8 butane

- REL () 1900 mg/m³, 800 ppm
- TLV () Varies mg/m³, 1000 ppm

74-98-6 propane

- PEL () 1800 mg/m³, 1000 ppm
- REL () 1800 mg/m³, 1000 ppm
- TLV () Varies mg/m³, 1000 ppm

67-64-1 acetone

- PEL () 2400 mg/m³, 1000 ppm
- REL () 590 mg/m³, 250 ppm
- TLV () Short-term value: (1782) NIC-1187 mg/m³, (750) NIC-500 ppm Long-term value: (1188) NIC-475 mg/m³, (500) NIC-200 ppm BEI

· Ingredients with biological limit values:

67-64-1 acetone

BEI () 50 mg/L

Medium: urine

Time: end of shift

Parameter: Acetone (nonspecific)

· Additional information: The lists that were valid during the creation were used as basis.

(Contd. on page 4)

- USA

Page 4/8

Safety Data Sheet acc. to ISO/DIS 11014

Printing date 01/28/2013

Reviewed on 01/28/2013

Trade name: MONTANA Spray Adhesive Permanent

(Contd. of page 3)

· Exposure controls

· Personal protective equipment:

· General protective and hygienic measures: Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

Breathing equipment: Filter AX

Not necessary if room is well-ventilated.

Protection of hands:

Protective gloves

Solvent resistant gloves

In case of contact with spray dust protective gloves made of butyl shoud be used (min. 0.4 mm thick), e.g. KCL Camatril, article no. 898 or similar products

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves Butyl rubber, BR

· Penetration time of glove material

Butyl rubber gloves with a thickness of 0.4 mm are resistant to:

Acetone: 480 min Butyl acetate: 60 min Ethyl acetate: 170 min Xylene: 42 min

Eye protection: Not required. Safety glasses

Information on basic physical and o	chemical properties
General Information	
Appearance:	
Form: Color:	Aerosol
Color: Odor:	According to product specification Characteristic
Odour threshold:	Not determined.
pH-value:	Not determined.
Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	Not applicable, as aerosol.
Flash point:	Not applicable, as aerosol.
Flammability (solid, gaseous):	Not applicable.
Decomposition temperature:	Not determined.
Auto igniting:	Product is not selfigniting.
Danger of explosion:	In use, may form flammable/explosive vapour-air mixture.
Explosion limits:	
Lower:	1.5 Vol %
Upper:	13.0 Vol %
Vapor pressure at 20 °C (68 °F):	8300 hPa (6226 mm Hg)
Density at 20 °C (68 °F):	0.62 g/cm³ (5.174 lbs/gal)
Density at 20 °C (68 °F): Relative density	0.62 g/cm³ (5.174 lbs/gal) Not determined.

Page 4 of 8 Item Numbers: 01425-1411, 01425-1412

Page 5/8

Safety Data Sheet acc. to ISO/DIS 11014

Printing date 01/28/2013

Reviewed on 01/28/2013

Trade name: MONTANA Spray Adhesive Permanent

		(Contd. of page 4
· Vapour density	Not determined.	
· Evaporation rate	Not applicable.	
· Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix.	
· Partition coefficient (n-octanol/w	ater): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Solvent content:		
VOC-USA	75.9 %	
	600.7 g/l / 5.01 lb/gl	
VOC-EU		
	623.1 g/l	
· Other information	No further relevant information available.	

10 Stability and reactivity

- · Reactivity
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values that are relevant for classification:

67-64-1 acetone

LD50 5800 mg/kg (rat)

Dermal LD50 20000 mg/kg (rabbit)

- · Primary irritant effect:
- · on the skin: No irritant effect.
- on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information: Vapors have narcotic effect.
- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.

(Contd. on page 6)

-- USA

Page 6/8

Safety Data Sheet acc. to ISO/DIS 11014

Printing date 01/28/2013

Reviewed on 01/28/2013

(Contd. of page 5)

Trade name: MONTANA Spray Adhesive Permanent

· Behavior in environmental systems:

· Bioaccumulative potential No further relevant information available.

· Mobility in soil No further relevant information available.

· Ecotoxical effects:

· Remark: Harmful to fish

· Additional ecological information:

· General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

Harmful to aquatic organisms
Results of PBT and vPvB assessment

· PBT: Not applicable.

· vPvB: Not applicable.

· Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

UN-Number DOT, ADR, IMDG, IATA	UN1950	
UN proper shipping name		
DOT, IATA	AEROSOLS, flammable	
ADR	1950 AEROSOLS	
<i>IMDG</i>	AEROSOLS	
Transport hazard class(es)		
DOT, IMDG, IATA		
Class	2.1	
Label	2.1	
ADR		
Class	2 5F Gases	
Label	2.1	
Packing group		
DOT, ADR, İMDG, IATA	Void	
Environmental hazards:		
Marine pollutant:	No	
Special precautions for user	Warning: Gases	
Danger code (Kemler):	-	
EMS Number:	F-D,S-U	
Transport in bulk according to Annex	II of	
MARPOL73/78 and the IBC Code	Not applicable.	

Page 6 of 8 Item Numbers: 01425-1411, 01425-1412

Trade name: MONTANA Spray Adhesive Permanent

Page 7/8

Safety Data Sheet acc. to ISO/DIS 11014

Printing date 01/28/2013 Reviewed on 01/28/2013

(Contd. of page 6)

Regulatory info	rmation		
Safety, health and Sara	environmental re	egulations/legislation specific for the substa	ince or mixture
Section 355 (extrei	nely hazardous si	ubstances):	
None of the ingredi	ent is listed.		
Section 313 (Speci	fic toxic chemica	l listings):	
None of the ingredi	ents is listed.		
TSCA (Toxic Subs	tances Control A	ct):	
All ingredients are	listed.		
Proposition 65			
Chemicals known			
None of the ingredi	ents is listed.		
		ctive toxicity for females:	
None of the ingredi	ents is listed.		
Chemicals known	to cause reproduc	ctive toxicity for males:	
None of the ingredi	ents is listed.		
Chemicals known	to cause developn	nental toxicity:	
None of the ingredi	ents is listed.		
Cancerogenity cate	gories		
EPA (Environmen	tal Protection Ag	ency)	
67-64-1 acetone			
TLV (Threshold Li	imit Value establi	ished by ACGIH)	
67-64-1 acetone			
MAK (German Ma	ximum Workplac	ce Concentration)	
None of the ingredi	ents is listed.		
NIOSH-Ca (Natio	nal Institute for C	Occupational Safety and Health)	
None of the ingredi	ents is listed.		
OSHA-Ca (Occupa	itional Safety & 1	Health Administration)	
None of the ingredi	ents is listed.		
Product related ha	zard information:	s:	
Hazard symbols:	•		

Extremely flammable.

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Vapours may cause drowsiness and dizziness.

· Safety phrases: Keep out of the reach of children.

Keep away from sources of ignition - No smoking.

Do not breathe spray.

Avoid contact with skin and eyes.

Do not empty into drains, dispose of this material and its container at hazardous or special waste collection

If swallowed, seek medical advice immediately and show this container or label.

(Contd. on page 8)

Page 8/8

Safety Data Sheet acc. to ISO/DIS 11014

Printing date 01/28/2013

Reviewed on 01/28/2013

Trade name: MONTANA Spray Adhesive Permanent

Use only in well-ventilated areas.

(Contd. of page 7)

Special labeling of certain preparations:

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C, i.e. electric lights. Do not pierce or burn, even after use.

Do not spray on a naked flame or any incandescent material.

Buildup of explosive mixtures possible without sufficient ventilation.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Contact: Anwendungstechnik

Abbreviations and acronyms:

RID: Reglement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the

International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organization

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation
IATA: International Air Transport Association
ACGIH: American Conference of Governmental Industrial Hygienists

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

Page 8 of 8 Item Numbers: 01425-1411, 01425-1412