

Page 1/8

Safety Data Sheet
acc. to ISO/DIS 11014

Printing date 01/28/2013

Reviewed on 01/28/2013

01425-1413,
1414

1 Identification of the substance/mixture and of the company/undertaking

- **Product identifier**
- **Trade name:** *MONTANA Spray Adhesive temporary*
- **Article number:** AT150, AT400
- **Relevant identified uses of the substance or mixture and uses advised against --**
- **Application of the substance / the preparation Adhesives**
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
L&G Vertriebs GmbH
Häusserstr. 36
D-69115 Heidelberg
Tel. +49-6221-36333-30
Fax +49-6221-36333-33
info@montana-cans.de
www.montana-cans.com
- **Information department:** Department Product Safety
- **Emergency telephone number:**
Tel.: +49 6266-75-310
Fax +49 6266-75-362
(Mo - Th 08:00 am - 04:00 pm, Fr 08:00 am - 00:30 pm)

2 Hazards identification

- **Information concerning particular hazards for human and environment:**
The product has to be labelled due to the calculation procedure of international guidelines.
Warning! Pressurized container.
- **Label elements**
- **Risk phrases:**
Extremely flammable.
- **Safety phrases:**
Keep out of the reach of children.
Keep away from sources of ignition - No smoking.
Do not breathe spray.
Avoid contact with skin and eyes.
Do not empty into drains, dispose of this material and its container at hazardous or special waste collection point.
If swallowed, seek medical advice immediately and show this container or label.
Use only in well-ventilated areas.
- **Special labelling of certain preparations:**
Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C, i.e. electric lights. Do not pierce or burn, even after use.
Do not spray on a naked flame or any incandescent material.
Buildup of explosive mixtures possible without sufficient ventilation.
- **Classification system:**
- **NFPA ratings (scale 0 - 4)**
Health = 0
Fire = 0
Reactivity = 3
- **HMS-ratings (scale 0 - 4)**
Health = 0
Fire = 0
Reactivity = 3
- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.

(Contd. on page 2)

USA

Page 2/8

Safety Data Sheet

acc. to ISO/DIS 11014

Printing date 01/28/2013

Reviewed on 01/28/2013

Trade name: MONTANA Spray Adhesive temporary

· **vPvB:** Not applicable.

(Contd. of page 1)

3 Composition/information on ingredients

- **Chemical characterization: Mixtures**
- **Description: Mixture of the substances listed below with nonhazardous additions.**

- **Dangerous components:**

106-97-8	butane	F+ R12	25-<50%
74-98-6	propane	F+ R12	25-<50%
67-63-0	propan-2-ol	Xi R36; F R11 R67	12.5<20%

- **Additional information:**

The content of Benzene (EINECS-Nr. 200-753-7) in the ingredients is less than 0,1% (Note P Annex I 67/548 EU), so the classification as carcinogen need not to apply.
For the wording of the listed risk phrases refer to section 16.

4 First aid measures

- **Description of first aid measures**
- **After inhalation: Supply fresh air; consult doctor in case of complaints.**
- **After skin contact: Generally the product does not irritate the skin.**
- **After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.**
- **After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.**
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed No further relevant information available.**
- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Firefighting measures

- **Extinguishing media**
- **Suitable extinguishing agents: CO₂, sand, extinguishing powder. Do not use water.**
- **For safety reasons unsuitable extinguishing agents:**
Water
Water with full jet
- **Special hazards arising from the substance or mixture No further relevant information available.**
- **Advice for firefighters -**

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**
Wear protective equipment. Keep unprotected persons away.
- **Environmental precautions: Do not allow product to reach sewage system or any water course.**
- **Methods and material for containment and cleaning up: Ensure adequate ventilation.**
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

USA
(Contd. on page 3)

Page 3/8

Safety Data Sheet

acc. to ISO/DIS 11014

Printing date 01/28/2013

Reviewed on 01/28/2013

Trade name: MONTANA Spray Adhesive temporary

(Contd. of page 2)

7 Handling and storage

- **Handling:**
- **Precautions for safe handling**
Ensure good ventilation/exhaustion at the workplace.
Open and handle receptacle with care.
- **Information about protection against explosions and fires:**
Keep ignition sources away - Do not smoke.
Protect against electrostatic charges.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:**
Store in a cool location.
Observe official regulations on storing packagings with pressurized containers.
- **Information about storage in one common storage facility: Not required.**
- **Further information about storage conditions:**
Store in cool, dry conditions in well sealed receptacles.
Protect from heat and direct sunlight.
- **Storage class: 2B**
- **Specific end use(s) No further relevant information available.**

8 Exposure controls/personal protection

- **Additional information about design of technical systems: No further data; see item 7.**
- **Control parameters**

- **Components with limit values that require monitoring at the workplace:**

106-97-8 butane

REL () 1900 mg/m³, 800 ppm
TLV () Varies mg/m³, 1000 ppm

74-98-6 propane

PEL () 1800 mg/m³, 1000 ppm
REL () 1800 mg/m³, 1000 ppm
TLV () Varies mg/m³, 1000 ppm

67-63-0 propan-2-ol

PEL () 980 mg/m³, 400 ppm
REL () Short-term value: 1225 mg/m³, 500 ppm
Long-term value: 980 mg/m³, 400 ppm
TLV () Short-term value: 984 mg/m³, 400 ppm
Long-term value: 492 mg/m³, 200 ppm
BEI

- **Ingredients with biological limit values:**

67-63-0 propan-2-ol

BEI () 40 mg/L
Medium: urine
Time: end of shift at end of workweek
Parameter: Acetone (background, nonspecific)

- **Additional information: The lists that were valid during the creation were used as basis.**
- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**
Wash hands before breaks and at the end of work.
Do not inhale gases / fumes / aerosols.

(Contd. on page 4)

USA

Page 4/8

Safety Data Sheet
acc. to ISO/DIS 11014

Printing date 01/28/2013

Reviewed on 01/28/2013

Trade name: MONTANA Spray Adhesive temporary

(Contd. of page 3)

- **Breathing equipment:** Not required.
- **Protection of hands:**
Protective gloves
Solvent resistant gloves
In case of contact with spray dust protective gloves made of butyl should be used (min. 0.4 mm thick), e.g. KCL Camatril, article no. 898 or similar products
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
- **Material of gloves** Butyl rubber, BR
- **Penetration time of glove material**
Butyl rubber gloves with a thickness of 0.4 mm are resistant to:
Acetone: 480 min
Butyl acetate: 60 min
Ethyl acetate: 170 min
Xylene: 42 min
- **Eye protection:** Safety glasses

9 Physical and chemical properties

- **Information on basic physical and chemical properties**
- **General Information**
- **Appearance:**
Form: Aerosol
Color: Colorless
Odor: Characteristic
Odour threshold: Not determined.
- **pH-value:** Not determined.
- **Change in condition**
Melting point/Melting range: Undetermined.
Boiling point/Boiling range: Not applicable, as aerosol.
- **Flash point:** Not applicable, as aerosol.
- **Flammability (solid, gaseous):** Not applicable.
- **Decomposition temperature:** Not determined.
- **Auto igniting:** Product is not selfigniting.
- **Danger of explosion:** In use, may form flammable/explosive vapour-air mixture.
- **Explosion limits:**
Lower: 1.5 Vol %
Upper: 12.0 Vol %
- **Vapor pressure at 20 °C (68 °F):** 8300 hPa (6226 mm Hg)
- **Density at 20 °C (68 °F):** 0.64 g/cm³ (5.341 lbs/gal)
- **Relative density** Not determined.
- **Vapour density** Not determined.
- **Evaporation rate** Not applicable.
- **Solubility in / Miscibility with**
Water: Not miscible or difficult to mix.
- **Partition coefficient (n-octanol/water):** Not determined.
- **Viscosity:**
Dynamic: Not determined.
Kinematic: Not determined.

(Contd. on page 5)

USA

Page 5/8

Safety Data Sheet
acc. to ISO/DIS 11014

Printing date 01/28/2013

Reviewed on 01/28/2013

Trade name: MONTANA Spray Adhesive temporary

(Contd. of page 4)

- | | |
|---------------------|--|
| · Solvent content: | 75.9 % |
| · VOC-USA | . |
| · VOC-EU | . |
| · Other information | No further relevant information available. |

10 Stability and reactivity

- **Reactivity**
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**
- **LD/LC50 values that are relevant for classification:**

67-63-0 propan-2-ol

Oral	LD50	5045 mg/kg (rat)
Dermal	LD50	12800 mg/kg (rabbit)
Inhalative	LC50/4 h	30 mg/l (rat)

- **Primary irritant effect:**
- **on the skin:** No irritant effect.
- **on the eye:** No irritating effect.
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:** Vapors have narcotic effect.

· **Carcinogenic categories**

- **IARC (International Agency for Research on Cancer)**

67-63-0 | propan-2-ol

3

- **NTP (National Toxicology Program)**

None of the ingredients is listed.

12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**
- **Water hazard class 1 (Self-assessment):** slightly hazardous for water
- **Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

(Contd. on page 6)

USA

Page 6/8

Safety Data Sheet
acc. to ISO/DIS 11014

Printing date 01/28/2013

Reviewed on 01/28/2013

Trade name: MONTANA Spray Adhesive temporary

(Contd. of page 5)

· Other adverse effects No further relevant information available.

13 Disposal considerations

- Waste treatment methods
- Recommendation:
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- Uncleaned packagings:
- Recommendation: Dispose of packaging according to regulations on the disposal of packagings.

14 Transport information

- | | |
|---|-----------------------|
| · UN-Number | UN1950 |
| · DOT, ADR, IMDG, IATA | |
| · UN proper shipping name | AEROSOLS, flammable |
| · DOT, IATA | 1950 AEROSOLS |
| · ADR | AEROSOLS |
| · IMDG | |
| · Transport hazard class(es) | |
| · DOT, IMDG, IATA | |
| · Class | 2.1 |
| · Label | 2.1 |
| · ADR | |
| · Class | 2 5F Gases |
| · Label | 2.1 |
| · Packing group | |
| · DOT, ADR, IMDG, IATA | Void |
| · Environmental hazards: | |
| · Marine pollutant: | No |
| · Special precautions for user | Warning: Gases |
| · Danger code (Kemler): | - |
| · EMS Number: | F-D,S-U |
| · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code | Not applicable. |
| · UN "Model Regulation": | UN1950, AEROSOLS, 2.1 |

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- Sara
- Section 355 (extremely hazardous substances):
None of the ingredient is listed.
- Section 313 (Specific toxic chemical listings):
67-63-0 | propan-2-ol
- TSCA (Toxic Substances Control Act):
All ingredients are listed.

(Contd. on page 7)

USA

Page 7/8

Safety Data Sheet
acc. to ISO/DIS 11014

Printing date 01/28/2013

Reviewed on 01/28/2013

Trade name: MONTANA Spray Adhesive temporary

(Contd. of page 6)

- **Proposition 65**

- **Chemicals known to cause cancer:**

None of the ingredients is listed.

- **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

- **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

- **Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

- **Carcinogenicity categories**

- **EPA (Environmental Protection Agency)**

None of the ingredients is listed.

- **TLV (Threshold Limit Value established by ACGIH)**

67-63-0 | propan-2-ol

A4

- **MAK (German Maximum Workplace Concentration)**

None of the ingredients is listed.

- **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

- **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

- **Product related hazard informations:**

- **Hazard symbols:**

F+ Extremely flammable

- **Risk phrases:**

Extremely flammable.

- **Safety phrases:**

Keep out of the reach of children.

Keep away from sources of ignition - No smoking.

Do not breathe spray.

Avoid contact with skin and eyes.

Do not empty into drains, dispose of this material and its container at hazardous or special waste collection point.

If swallowed, seek medical advice immediately and show this container or label.

Use only in well-ventilated areas.

- **Special labeling of certain preparations:**

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C, i.e. electric lights. Do not pierce or burn, even after use.

Do not spray on a naked flame or any incandescent material.

Buildup of explosive mixtures possible without sufficient ventilation.

- **Chemical safety assessment: A Chemical Safety Assessment has not been carried out.**

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

(Contd. on page 8)

USA

Page 8/8

Safety Data Sheet
acc. to ISO/DIS 11014

Printing date 01/28/2013

Reviewed on 01/28/2013

Trade name: MONTANA Spray Adhesive temporary

ACGIH: American Conference of Governmental Industrial Hygienists
NFPA: National Fire Protection Association (USA)
HMS: Hazardous Materials Identification System (USA)
VOC: Volatile Organic Compounds (USA, EU)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent

(Contd. of page 7)

USA