01528-2069 -2129

REVISION DATE: 12/01/11

SAFTETY DATA SHEET WINSOR & NEWTON ARTIST OIL BARS (NOT OTHERWISE SPECIFIED - NO HEALTH LABELING REQUIRED)

INDENIUTICATION O MUHICISTUBSITANCE APROPARATION MANDICOMPANATURE PLATATING

PRODUCT NAME

WINSOR & NEWTON ARTIST OIL BARS (NOS).

APPLICATION

Colors for art and creative use

SUPPLIER

ColArt America Inc.

11 Constitution Avenue

Piscataway New Jersey 08855-1396

Emergency telephone number Tel. number for information

1-800-628-3385 732-562-0770

2/COMPOSITION INFORMATION ON INGREDIENTS

COMPOSITION COMMENTS

Hazardous Components

CAS Number

OSHA PEL

TLV

There are no hazardous components present in the preparations.

3/HAZARDIDENTIFICATION

CLASSIFICATION

Acute health hazards

None

Chronic health hazards

None

4 FIRST AID MEASURES

INHALATION

Move the exposed person to fresh air at once. Get medical attention if any discomfort continues.

INGESTION

NEVER MAKE AN UNCONCIOUS PERSON VOMIT OR DRINK FLUIDS! Rinse mouth thoroughly. Drink plenty of water. Get medical attention if any discomfort

SKIN CONTACT

Remove affected person from source of contamination. Get medical attention if irritation persists after washing.

EYE CONTACT

Make sure to remove any contact lenses from the eyes before rinsing. Promptly wash eyes with plenty of water while lifting the eye lid. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.

SERIE FIGHTING MEASURES

EXTINGUISHING MEDIA

Carbon Dioxide, dry chemical foam.

68/ACCIDENTEAD RETUEAS FAVORAS URES

SPILL CLEAN UP METHODS

Stop leak if possible without risk. Absorb in vermiculite, dry sand or earth and place in to containers. Flush with plenty of water to clean spillage area. Do not contaminate water courses or sewer.

7-HANDLING AND STORAGE

USAGE PRECAUTIONS

Avoid spilling, skin and eye contact.

STORAGE PRECAUTIONS

Keep in original container. Store at moderate temperatures in dry, well ventilated area.

STEXTEOSURE CONTIROLS PERSONAUTROLEGITON

ENGINEERING MEASURES

No particular ventilation requirements.

HAND PROTECTION

No specific hand protection noted.

EYE PROTECTION

If risk of splashing, wear safety goggles or face shield.

OTHER PROTECTION

No specific protective equipment noted, but may be required anyway.

HYGEINE MEASURES

Wash at the end of each work shift and before eating, smoking and using the toilet. Promptly remove any clothing that becomes contaminated. Use appropriate skin cream to prevent drying of skin. When using do not eat, drink or smoke.

9=PHYSICAL'AND CHEMICAL PROPERTIES

APPEARANCE

Waxy solid

COLOR

Varies

ODOR

Vegetable oil

SOLUBILITY

Insoluble in water

BOILING POINT (°C)

>300 760 mm Hg

RELATIVE DENSITY

2.5

VAPOR DENSITY (air=1)

Not applicable

pH-VALUE CONC. SOL .

Not applicable

10 STABILITY AND REACHIMIDAY

STABILITY

Stable under normal temperature conditions.

CONDITIONS TO AVOID

Avoid combustible material such as loose cotton strands.

HAZARDOUS DECOMPOSITION PRODUCTS

Fire creates: Carbon monoxide (CO). Carbon dioxide (CO₂). Black smoke may affect eyes and lungs.

INTOXICOLOGICAL INKORMATION

GENERAL INFORMATION

This product has low toxicity. Only large volumes may have adverse impact on human health.

INHALATION

May cause irritation to the respiratory system.

INGESTION

May cause discomfort if swallowed

SKIN CONTACT

Slightly irritating. Prolonged contact may cause dermatitis.

EYE CONTACT

Irritating to eyes

HEALTH WARNINGS

No specific health warnings noted.

ROUTE OF ENTRY

Inhalation. Skin and eye contact.

MEDICAL SYMPTOMS

Irritation of eyes and mucous membranes.

DEECOLOGICALINKORMATILON

ECOTOXICITY

Not regarded as dangerous to the environment

13:DISPOSAL/CONSIDERATIONS

DISPOSAL METHODS

Dispose of waste and residues in accordance with local authority requirements.

14-TRANSPORT INFORMATION

RAIL TRANSPORT NOTES

Not classified

SEA TRANSPORT NOTES

Not classified

AIR TRANSPORT NOTES

Not classified

15-REGULATORYINFORMATON

This product has been evaluated by a toxicologist and is labeled for acute and chronic health hazards in accordance with the Labeling of Hazardous Art Materials Act and Federal regulation 16 CFR 1500.14 of the Federal Hazardous Substances Act.

This product conforms to ASTM D 4236 Standard Practice for Labeling Art Materials for Chronic Adverse Health Hazards

1680 JIHER INKORMANIJON

INFORMATON SOURCE

Material Safety ~Data Sheet, Misc. manufacturers.

REVISION DATE

12/01/11

REVISION DATE: 12/01/11

SAFTETY DATA SHEET WINSOR & NEWTON ARTIST OIL BARS (CADMIUM COLOURS)

THE DESIGNATION OF THE SUBSTANCE PROPATATION AND COMPANY UNDER TAKEN

PRODUCT NAME WINSOR & NEWTON ARTIST OIL BARS

(Cadmium Orange Genuine, Cadmium Red Light Genuine, Cadmium Red Medium Genuine, Cadmium Yellow Light Genuine & Cadmium

Yellow Medium Genuine)

APPLICATION Colors for art and creative use

SUPPLIER ColArt America Inc.

11 Constitution Avenue

Piscataway New Jersey 08855-1396

Emergency telephone number Tel. number for information

1-800-628-3385 732-562-0770

MCOMPOSITION INFORMATION ON INGREDIENTS

COMPOSITION COMMENTS: Colours are made using either Cadmium Zinc Sulphide and / or Cadmium Sulphoselenide pigment.

Hazardous Components CAS Numbe	OSHA PEL	TLV
--------------------------------	----------	-----

Cadmium Zinc Sulphide 12442-27-2 0.2 mg/m^3 $0.01 \text{ as Cd mg/m}^3$ Cadmium Sulphoselenide 12626-36-7 0.2 mg/m^3 $0.01 \text{ as Cd mg/m}^3$

3 HAZARDIDENHIDEAHION

CLASSIFICATION

Acute health hazards None
Chronic health hazards None

In accordance with California Proposition 65, these colours are labeled as "WARNING. DO NOT SPRAY APPLY. This product contains cadmium, a chemical known to the State of California to cause cancer by means of inhalation".

4 FIRST AUDIMEASURES

INHALATION

Move the exposed person to fresh air at once. Get medical attention if any discomfort continues.

1

Item Numbers: 01528-2069, 01528-2129 Page 5 of 9

INGESTION

NEVER MAKE AN UNCONCIOUS PERSON VOMIT OR DRINK FLUIDS! Rinse mouth thoroughly. Drink plenty of water. Get medical attention if any discomfort

SKIN CONTACT

Remove affected person from source of contamination. Get medical attention if irritation persists after washing.

EYE CONTACT

Make sure to remove any contact lenses from the eyes before rinsing. Promptly wash eyes with plenty of water while lifting the eye lid. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.

STREET GHUING MEASURES

EXTINGUIŞHING MEDIA

Carbon Dioxide, dry chemical foam.

6.ACCIDENTAL RELEASE MEASURES

SPILL CLEAN UP METHODS

Stop leak if possible without risk. Absorb in vermiculite, dry sand or earth and place in to containers. Do not contaminate water courses or sewer. Dispose of the colour as toxic waste.

7. HANDLING AND STORAGE

USAGE PRECAUTIONS

Avoid spilling, skin and eye contact.

STORAGE PRECAUTIONS

Keep in original container. Store at moderate temperatures in dry, well ventilated area.

SMEXICOSURE CONTIROES / DERSONAUTER CHECKION

ENGINEERING MEASURES

No particular ventilation requirements.

HAND PROTECTION

No specific hand protection noted.

EYE PROTECTION

If risk of splashing, wear safety goggles or face shield.

OTHER PROTECTION

2

Item Numbers: 01528-2069, 01528-2129 Page 6 of 9

No specific protective equipment noted, but may be required anyway.

HYGEINE MEASURES

Wash at the end of each work shift and before eating, smoking and using the toilet. Promptly remove any clothing that becomes contaminated. Use appropriate skin cream to prevent drying of skin. When using do not eat, drink or smoke.

DURHAYSI (GAVUYARID) (GHTAAYI (GAVURBRODI) ARIDIES

APPEARANCE Waxy solid
COLOR Varies

ODOR Vegetable oil

SOLUBILITY Insoluble in water

BOILING POINT (°C) >300 760 mm Hg

RELATIVE DENSITY 2.5

VAPOR DENSITY (air=1) Not applicable pH-VALUE CONC. SOL . Not applicable

TO SHABITH IN CAND RECAGNIANT OF

STABILITY

Stable under normal temperature conditions.

CONDITIONS TO AVOID

Avoid combustible material such as loose cotton strands.

HAZARDOUS DECOMPOSITION PRODUCTS

Fire creates: Carbon monoxide (CO). Carbon dioxide (CO₂). Black smoke may affect eyes and lungs.

HATOXICOLOGIONUINFORMATION

GENERAL INFORMATION

The soluble cadmium content in the pigment is less than 5 ppm. Only large volumes may have adverse impact on human health.

INHALATION

May cause irritation to the respiratory system.

INGESTION

May cause discomfort if swallowed

3

Item Numbers: 01528-2069, 01528-2129 Page 7 of 9

SKIN CONTACT

Slightly irritating. Prolonged contact may cause dermatitis.

EYE CONTACT

Irritating to eyes

HEALTH WARNINGS

No specific health warnings noted.

ROUTE OF ENTRY

Inhalation. Skin and eye contact.

MEDICAL SYMPTOMS

Irritation of eyes and mucous membranes.

12:1ECOLOGICALINKORMATION

ECOTOXICITY

Not regarded as dangerous to the environment

13 DISPOSAL CONSIDER AUTIONS

DISPOSAL METHODS

Dispose of waste and residues in accordance with local authority requirements.

14 TIRANSPORTUNE ORMATION

RAIL TRANSPORT NOTES Not classified

SEA TRANSPORT NOTES Not classified

AIR TRANSPORT NOTES Not classified

ISTREGUEATIOR VEHICOR MANION

This product has been evaluated by a toxicologist and is labeled for acute and chronic health hazards in accordance with the Labeling of Hazardous Art Materials Act and Federal regulation 16 CFR 1500.14 of the Federal Hazardous Substances Act.

This product conforms to ASTM D 4236 Standard Practice for Labeling Art Materials for Chronic Adverse Health Hazards

TO THE PRINCIPLE OF THE

INFORMATON SOURCE

Material Safety ~Data Sheet, Misc. manufacturers.

REVISION DATE 12/01/11

5

Page 9 of 9