V3671

01539-1005

SENNELIER

SAFETY DATA SHEET

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY UNDERTAKING

PRODUCT NAME CHEMICAL NAME OR GENERIC NAME SUPPLIER

Turner retouching varnish: all sizes

Additive for artistical use

MAX SAUER SAS

2, rue Lamarck, BP 204, F-22002 SAINT BRIEUC Cedex 02

Tel: +33 2 96 68 20 00, Fax: +33 2 96 61 77 19

E mail

<u>max şauer@yarragoo fr</u>

2. COMPOSITION/INFORMATION ON INGREDIENTS

Turpentine

EINCS	CAS No.	Content	Symbols	R-phrases
232- 350-7	8006- 64-2	30- 40 %	Xn, N	R10,20/21/22,65,36/38,43,51/53

Ethanol

EINCS	CAS No.	Content	Symbol	R-phrase
	64-17-5	< 10 %	F	RH

Isopropanol

EINCS	CAS No.	Content	Symbols	R-phrases
	67-63-0	< 5 %	F, Xi	R11,36.67

n-Hexane

EINCS	CAS No.	Content	Symbols	R-phrases
	110-54-3	¹ <10 %	F, N	R11,20.38,48,62,65,66,51/53

Heptane

EINCS	CAS No.	Content	Symbols	R-phrases
	142-82-5	< 10 %	Xn,F,N	R11.38,65.66,67,50/53

light hydrodesulfurised Naphta

EINCS	EINCS CAS No.		Symbol	R-phrase	
,	92045-53-9	< 10 %	Xn	R65	

3. HAZARDS IDENTIFICATION

29 april 2010

HARMFUL Xn - HARMFUL FOR ENVIRONMENT N -HIGHLY FLAMMABLE F

R11: Highly flammable.

Harmful in contact with skin and if swallowed. R21/22:

R36/38: Irritating to eyes and skin.

May cause sensitization by skin contact. R43:

R48/20: Harmful: danger of serious damage to health by

prolonged exposure through inhalation.

Toxic to aquatic organisms, may cause long-term R51/53:

adverse effects in the aquatic environment.

Possible risk of impaired fertility. R62:

Harmful: may cause lung damage if swallowed R65:

4. FIRST AID MEASURES

INGESTION DO NOT INDUCE VOMITING!

Do NOT make the victim drink milk or fatty fluids.

Remove contaminated clothing. SKIN

Get medical attention promptly if symptoms occur after washing.

EYES Continue to rinse for at least 15 minutes and get medical attention.

5. FIRE FIGHTING MEASURES

EXTINGUISHING MEDIA RECOMMENDED: Water spray, fog or mist. Powder, foam or CO2.

NOT SUITABLE: Water jet.

SPECIAL FIRE FIGHTING

Treat as hydrocarbon fire. **PROCEDURES** In case of fire and/or explosion do not breathe fumes.

Forms explosive mixtures with air. SPECIFIC HAZARDS

Toxic gases/vapours/fumes: Carbon monoxide (CO), Carbon dioxide

HAZARDOUS COMBUSTION (CO2), Nitrous gases (NOx).

PRODUCTS

PROTECTIVE MEASURES IN

FIRE

Wear individual breathing apparatus.

6. ACCIDENTAL RELEASE MEASURES

PERSONAL PROTECTION

ENVIRONMENTAL

PROTECTION

Avoid inhaling vapours. Discharge in sewers prohibited.

SPILL CLEANUP METHODS Absorb in vermiculite, dry sand or earth and place into containers.

Wear necessary protective equipment.

Extinguish all ignition sources. Avoid sparks, flames, heat and

smoking. Ventilate.

Avoid contact with skin or inhalation of spillage, dust or vapour. Provide ventilation and confine spill. Do not allow runoff to sewer.

Do not contaminate water sources or sewer.

7. HANDLING AND STORAGE

USAGE PRECAUTIONS Keep away from heat, sparks and open flame.

29 april 2010

Turner retouching Varnish

Ventilate well, avoid breathing vapours. In case of insufficient

ventilation, wear suitable respiratory equipment.

Avoid spilling, skin and eye contact.

STORAGE PRECAUTIONS

Use containers made of: Metals.

Do NOT use containers made of: Plastics.

STORAGE CRITERIA Flammable liquid storage.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

PROTECTIVE EQUIPMENT



PROCESS CONDITIONS Use engineering controls to reduce air contamination to permissible

exposure level.

Provide eyewash station.

VENTILATION Provide adequate general and local exhaust ventilation.

RESPIRATORS Do NOT breathe vapours.

If ventilation is insufficient, suitable respiratory protection must be

provided.

PROTECTIVE GLOVES Use protective gloves.

EYE PROTECTION Wear approved safety goggles.

OTHER PROTECTION Wear appropriate clothing to prevent any possibility of liquid contact

and repeated or prolonged vapour contact.

HYGIENIC WORK PRACTICES DO NOT SMOKE IN WORK AREA!

No eating or drinking while working with this material.

Wash at the end of each work shift and before eating, smoking and

using the toilet.

Promptly remove any clothing that becomes contaminated. Wash promptly with soap & water if skin becomes contaminated.

Use appropriate skin cream to prevent drying of skin.

9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE Liquid.

COLOUR Slighty yellow.
ODOUR Sovents.

PHYSICAL DATA COMMENTS Take precautionary measures against electrostatic discharges.

DENSITY/SPECIFIC GRAVITY 0.86-0.92

(g/ml)

Temperature (°C):20°C

FLASH POINT (°C) 21 °C

Method: Sh CC (Setaflash closed cup).

10. STABILITY AND REACTIVITY

STABILITY Stable under normal storage condition.

Avoid contact with acids and oxidising substances.

HAZARDOUS DECOMP.

Fire creates:

PRODUCTS Toxic gases/vapours/fumes of: Carbon monoxide (CO), Carbon dioxide

29 april 2010

(CO2), Nitrous gases (NOx). ...

11. TOXICOLOGICAL INFORMATION

INHALATION

Solvent vapours are hazardous and may cause nausea, sickness and

headaches.

Drowsiness, dizziness, disorientation, vertigo.

INGESTION

Liquid irritates mucous membranes and may cause abdominal pain if

swallowed.

SKIN

Prolonged or repeated contact leads to drying of skin.

EYES

May cause severe irritation to eyes.

12. ECOLOGICAL INFORMATION

ECOLOGICAL INFORMATION Do not discharge into drains or the environment; dispose to an

authorised waste collection point.

13. DISPOSAL CONSIDERATIONS

DISPOSAL METHODS

Contact specialist disposal companies.

Do not allow runoff to sewer, waterway or ground.

Store waste impregnated with solvents in closed sealed containers

14. TRANSPORT INFORMATION

LABEL FOR CONVEYANCE



ROAD TRANSPORT:

UN NO. ROAD

1263 PAINTS

ADR CLASS

Class 3: Flammable liquids.

HAZARD NO. (ADR)

HAZCHEM CODE

33

PROPER SHIPPING NAME

PAINTS

(NATIONAL)

SEA TRANSPORT:

UN NO. SEA

1263

П

IMDG PACKING GROUP

EMS NO.

MFAG TABLE NO.

MARINE POLLUTANT

Yes

AIR TRANSPORT:

UN NO., AIR

1993

29 april 2010 Turner retouching Varnish

IATA/ICAO PACKING GROUP PACKING INSTRUCTIONS 305

15. REGULATORY INFORMATION

SYMBOLS HIGHLY FLAMMABLE F.

HARMFUL Xn,

DANGEROUS FOR ENVIRONMENT N.

RISK PHRASES R11: Highly flammable.

> R21/22: Harmful in contact with skin and if swallowed.

R36/38: Irritating to eyes and skin.

R43: May cause sensitization by skin contact.

R48/20: Harmful: danger of serious damage to health by

prolonged exposure through inhalation.

R51/53: Toxic to aquatic organisms, may cause long-term

adverse effects in the aquatic environment.

R62: Possible risk of impaired fertility.

R65: Harmful: may cause lung damage if swallowed.

SAFETY PHRASES S-2: Keep out of the reach of children.

S-29: Do not empty into drains.

S-36/37: Wear suitable protective clothing and gloves. S-46: If swallowed, seek medical adviceimmediately and

show this container or label.

Commission Directive 2001/59/EC of 6 August 2001 adapting to technical progress for the 28th time Council Directive 67/548/EEC on the approximation of the laws, regulations and administrative provisions relating to the classification, packaging and labelling of dangerous substances (Official Journal L 225 - 21/08/2001). Dangerous preparations: Directive 99/45 amended by Directive

2001/60/EC - OJEC L226 - 22/08/2001.

Directive 91/155/EEC amended by Directive 93/112/EEC and Directive

2001/58/EC: Safety data sheets.

16. OTHER INFORMATION

USER NOTES:

This information ONLY applies to this product which conforms to the specification of Max Sauer SAS.

In case of formulations or mixtures, the user must ensure that new hazards are not apparent in line with the above.

The information contained herein is based on our knowledge of the product, at the date of publishing and it is given in good faith. Please note the possible risks involved if this product is used for applications other than those for which it is intented.

This sheet shall only be used and reproduced for Health & Safety purposes.

The references to legislative & regulatory information and codes of practice are not exhaustive. Other applicable regulations may be considered.

It is the responsibility of the user to refer to existing legislation concerning the use, the storage and the safe handling of the product. It is also the responsibility of the user to communicate ALL information related to the protection of Health, Safety & the Environment contained

29 april 2010

Turner retouching Varnish

within this Material Safety Data Sheet to those persons involved in the handling of this product.

29 april 2010