1042

Recid 10.18.05

SAFETY DATA SHEET (91/155/EEC - 2001/58/EC - ISO 11014-1)

Version: N° I (14/01/2005) Name: Acrylic studio : bino

- 524250

Date: 14/01/2005 Page 1/3

Revision: N°1 (14/01/2005)
Company: PEBEO ARTIST COLORS (KUNSHAN) Co. LTD

01610-

pēbēo

FABRICANT DE COULEURS

SAFETY DATA SHEET

1 - IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDER FAKING

Identification of the substance or preparation:

Name: Acrylic studio: bindex.

Product code: 524250.

Company/undertaking identification:

Registered company name: PEBEO ARTIST COLORS (KUNSHAN) Co. LTD. Address: 19 Jin Sha Jiang road, JIANG SU Province.215300.KUNSHAN.CHINA.

Telephone: 86 (0) 512 577 17 092. Fax: 86 (0) 512 577 17 096. Telex:.

Emergency telephone: 33 (0)1.45.42.59.59.

Association/Organisation: INRS, rue de l'Olivier 75000 Paris.

Use of the substance/preparation:

N/A

2 - COMPOSITION/INFORMATION ON INGREDIENTS

Full text of risk phrases appearing in section 2: see section 16.

Hazardous substances present on their own:

(present in the preparation at a sufficient concentration to give it the toxicological characteristics it would have in a 100% pure state)

This preparation contains no hazardous substance in this category.

Other substances representing a hazard:

No known substance in this category present.

Substances present at a concentration below the minimum danger threshold:						
INDEX	CAS	EC	Name	Symb. R:		%
000000125			TEXANOL.	52		$0 \le x \% < 2.5$

Other substances with occupational exposure limits:

No known substance in this category present.

3 - IDENTIFICATION OF HAZARDS

This product is not classed as flammable. Refer to the recommendations regarding the other products present on the site This preparation is not classed as hazardous to health by directive 1999/45/EC.

4 - FIRST AID MEASURES

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing in an unconscious person.

5 - FIRE-FIGHTING MEASURES

Not relevant.

6 - ACCIDENTAL RELEASE MEASURES

Personal precautions:

Consult the safety measures listed under headings 7 and 8.

Environmental precautions:

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatom earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

SAFETY DATA SHEET (91/155/EEC - 2001/58/EC - ISO 11014-1)

Version: N°1 (14/01/2005) Name: Acrylic studio: bindex - 524250

Date: 14/01/2005 Page 2/3 Revision: N°1 (14/01/2005) Company: PEBEO ARTIST COLORS (KUNSHAN) Co. LTD

Methods for cleaning up:

Clean preferably with a detergent, do not use solvents.

7 - HANDLING AND STORAGE

The regulations relating to storage premises apply to workshops where the product is handled.

Fire prevention:

Prevent access by unauthorised personnel.

8 - EXPOSURE CONTROLS/PERSONAL PROTECTION

Use personal protection equipment as per Directive 89/686/EEC.

Technical measures:

Personnel shall wear regularly laundered overalls.

9 - PHYSICAL AND CHEMICAL PROPERTIES

Density:

Acid/base character of preparation: slightly basic. Solubility of preparation in water: Dilutable. Vapour tension at 50°C of volatile constituents: not specified.

Physical state: viscous liquid Flash point interval: not relevant. When a pH measure is possible, it has a value of: not stated.

Self-ignition temperature: not relevant. not specified. Decomposition temperature: Melting temperature interval: not relevant. not relevant.

Average distillation temperature of solvents contained:

10 - STABILITY AND REACTIVITY

The preparation is stable at the handling and storage conditions recommended per § 7 of the safety data sheet.

11 - TOXICOLOGICAL INFORMATION

No data is available regarding the preparation itself.

12 - ECOLOGICAL INFORMATION

No ecological data on the product itself is available.

Other adverse effects:

Germany: WGK 2 (VwVwS vom 17/05/99, KBws)

13 - DISPOSAL CONSIDERATIONS

Do not pour into drains or waterways.

Waste:

Recycle or dispose of waste in compliance with current legislations, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

Empty recipient completely. Keep label(s) on recipient.

Give to a certified disposal contractor.

Codes of wastes (Decision 2001/573/EC, Directive 75/442/EEC, Directive 91/689/EEC on hazardous waste):

08 01 11 * waste paint and varnish containing organic solvents or other dangerous substances

SAFETY DATA SHEET (91/155/EEC - 2001/58/EC - ISO 11014-1) Version: N=1 (14/01/2005)

Date: 14/01/2005 Page 3/3

Name: Acrylic studio: bindex

Revision: N°1 (14/01/2005) Company: PEBEO ARTIST COLORS (KUNSHAN) Co. LTD

14 - TRANSPORT INFORMATION

Exempt from transport classification and labelling.

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport

15 - STATUTORY INFORMATION

This preparation was classified in compliance with the directive known as <All preparations> 1999/45/EC and its adaptations In addition directive 2004/73/EC with the 29° adaptation of directive 67/548/EEC (Hazardous substances) have been taken

This preparation is not classed as hazardous to health by directive 1999/45/EC.

This product is not classed as flammable.

Particular provisions:

Germany: WGK 2 (VwVwS vom 17/05/99, KBws)

16 - OTHER INFORMATION

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The product must not be used for any purposes other than those specified under heading 1 without first obtaining written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local

The information given on this safety data sheet must be regarded as a description of the safety requirements relating to our product and not a guarantee of its properties

Full text of risk phrases appearing in section 2:

R 52

Harmful to aquatic organisms.