



01626-5173 -5175 -5183 -5185 -5193 -5373 -5383 -5393

Old Holland Classic Colours

Safety Data Sheet

Driebergen June 2008

1 Identification of substance/preparation and of the company/undertaking

Product Use Description: Acrylic paint for artistic & creative use.

Trade name: New Masters Acryli

New Masters Acrylics - Cobalt Colours # 676, 677, 692, 693, 686, 689

Company:

Old Holland Classic Colours since 1664

Nijendal 36

3972 KC Driebergen

Netherland

Tel +31 (0343) 518224 Fax +31 (0343) 516342

2 Composition/Information on Ingredients

chemical characterization:

	Cass number	OSHA PEL
Cobalt Silicate PB 73	68187-40-6	no data

3 Hazards Identification:

Acute Health Hazards:

Skin contact may cause allergic skin rashes.

Chronic health Hazards:

None

In accordance with ASTM D-4236 Standard Practice for Labelling Art Materials for Chronic Adverse Health Hazards this colours is labelled as:

WARNING. MAY BE HARMFUL IS SWALLOWED. SKIN CONTACT MAY CAUSE ALLERGIC SKIN RASHES. Exposure may cause damage to the heart and lungs. CONTAINS SOLUBLE COLBALT.

PRECAUTIONS; Avoid prolonged contact with skin. Wash hands immediately after use.

Do not spray apply. When using do not eat, drink or smoke

KEEP OUT OF REACH OF CHILDREN.

FIRST AID: If swallowed, get prompt medical attention.

4 First Aid Measures:

Inhalation

Move the exposed person to fresh air at once. Get medical

attention if any discomfort continues.

Skin Contact:

Remove affected person from source of contamination.

Get medical attention if irritation persists after washing

Product: Acrylic paint

This information is accurate to the best knowledge of Old Holland, however it is furnished without warranty, expressed or implied.

Old Holland Classic Colours, Nijendal 36-38 3972 KC Driebergen Netherland, Tel +31 343518224 Fax +34





Old Holland Classic Colours

Eye contact :

Make sure to remove any contact lenses form the eyes before

rinsing. Promptly wash eyes with plenty of water while lifting the

Continue to rinse for at least 15 minutes.

Get medical attention if any discomfort continues

Ingestion:

never make an unconscious person vomit or drink fluids! Rinse mouth thoroughly. Drink plenty of water. Get medical

attention if any discomfort.

5 Fire Fighting Measures:

Extinguishing Media; Carbon Dioxide, dry chemical foam.

6 Accidental Release Measures:

Spill clean up methods: Stop leak if possible without risk. Absorb in vermiculite, dry sand or earth and place in to containers. Do not contaminate water courses or sewer. Dispose of the colour in accordance with local regulations.

7 Handling and storage:

Usage Precautions:

Avoid spilling, skin and eye contact.

Storage Precautions:

Keep in original containers. Store at moderate temperatures in

dry ventilated storage and closed containers.

8 Exposure Controls/personal protection:

Engineering Measures:

No particular ventilation requirements

Hand protection:

Avoid contact with skin.

Eye protection:

If risk of splashing, wear safety goggles or face shield.

Hygiene measures:

Wash at the end of each work shift and before eating, smoking

and using the toilet.

Promptly remove any clothing that becomes contaminated. Use cream to prevent drying of skin. When using do not eat, drink, of

smoke.

Physical and chemical properties:

Pigment in acrylic emulsion.

Form:

Liquid

Product: Acrylic paint

This information is accurate to the best knowledge of Old Holland, however it is furnished without warranty, expressed or implied.

Old Holland Classic Colours, Nijendal 36-38 3972 KC Driebergen Netherland, Tel +31 343518224 Fax +34





Old Holland Classic Colours

Odour: slight ammonia/Monomer odour Blue

Colour:

Boiling point >100 760mm Hg Relative density:: 1.5 Vapour Density: As Water

10 Stability and reactivity:

Stability: Normally stable.

Hazardous decomposition

Products: Monomer Fumes in fire

11 Toxicological information:

General Information: Residual monomer and ammonia may be irritating to the

> eyes and respiratory system. May cause headache, nausea and skin irritation. Soluble cobalt may cause

allergic reactions.

Inhalation: May cause irritation to the respiratory system

Ingestion: May cause discomfort if swallowed

Slightly irritating Prolonged contact may cause irritation. Skin:

Eyes: Irritating to eyes.

Health warnings: No specific health warnings noted. Inhalation. Skin and eye contact Route of entry

Medical symptoms Irritation of eyes and mucous membranes.

12 Ecological information:

Ecological information: Not classified as dangerous to the environment

13 Disposal considerations:

Disposal methods; Dispose of waste and residues in accordance with local

authority requirements.

14 Transport information:

Rail Transport notes

not classified not classified

Sea Transport notes Air Transport notes

not classified

Product: Acrylic paint

This information is accurate to the best knowledge of Old Holland, however it is furnished without warranty, expressed or implied.





Old Holland Classic Colours

15 Regulatory information:

This product has been evaluated by a toxicologist and is labelled for acute and chronic health hazards in accordance with the labelling of Hazardous Art Materials

This product conforms to ASTM D 4236 standard Practice for labelling Art Materials for Chronic Adverse Health Hazards.

16 Other information:

None.

Product: Acrylic paint
This information is accurate to the best knowledge of Old Holland, however it is furnished without warranty,
expressed or implied.
Old Holland Classic Colours, Nijendal 36-38 3972 KC Driebergen Netherland, Tel +31 343518224 Fax +34
343518342