

MATERIAL SAFETY DATA SHEET

12/4/2014

MANUFACTURER OR DISTRIBUTOR: **Chartpak Inc.**
1 River Road
Leeds, Massachusetts 01053

INFORMATION TELEPHONE NUMBER:
 EMERGENCY TELEPHONE NUMBER: **1-888-786-0972**

SECTION I - PRODUCT IDENTIFICATION

PRODUCT NAME: **URBAN FINE-ART SPECIAL** PRODUCT NUMBER: **NEON**
SERIES NEON (REZ456)
 PRODUCT SIZES: **400 ML** BRAND NAME: **URBAN FINE-ART SPECIAL**
SERIES NEON (REZ456)
 PRODUCT CLASS: **SPRAY PAINT**

SECTION II - POTENTIAL HEALTH EFFECTS

PERMISSIBLE EXPOSURE LEVEL: SEE SECTION III FOR COMPONENT PEL/TLVs
 PRIMARY ROUTES OF ENTRY: INHALATION, EYE, SKIN

EFFECTS AND SYMPTOMS OF ACUTE EXPOSURE: EYE IRRITANT. Exposure may result in nausea, headache, confusion or instability.
 VAPOR HARMFUL. CONTACT MAY RESULT IN REDNESS OR PAIN OF THE EYES.

EFFECTS AND SYMPTOMS OF CHRONIC EXPOSURE: NONE EXPECTED

CARCINOGEN LISTING: NTP: **NO** IARC: **NO** OSHA: **NO**

SEE SECTION III FOR COMPONENTS AFFECTED

MEDICAL CONDITIONS USUALLY AGGRAVATED BY OVER EXPOSURE TO THIS PRODUCT: NONE

SECTION III - HAZARDOUS INGREDIENTS

Ingredient	CAS #	PEL/TLV (MG/M#)	Max % Weight	NTP	IARC
ACETONE	67-64-1	1187.00	28.94000	N	N

SECTION IV - FIRST AID

FIRST AID MEASURES: If eye contact occurs, rinse with tap water for 5-10 minutes. If irritation persists, seek medical care. If inhalation symptoms occur, move to fresh air. If symptoms persist, see a physician.

SECTION V - FIRE FIGHTING MEASURES

FLASH POINT (METHOD): N/A AUTOIGNITION TEMPERATURE: N/A
 EXPLOSION LIMITS IN AIR (% BY VOLUME): NOT EXPLOSIVE
 EXTINGUISHING MEDIA: NO SPECIAL MEDIA REQUIRED
 FIRE FIGHTING PROCEDURES: Wear self-contained breathing apparatus.
 UNUSUAL FIRE & EXPLOSION HAZARDS: EXTREMELY FLAMMABLE.

COMPANY: **Chartpak Inc.**
PRODUCT: **NEON**
BRAND NAME: **URBAN FINE-ART SPECIAL SERIES NEON (REZ456)**

12/4/2014

SECTION VI - SPILL AND LEAK PROCEDURES

STEPS TO BE TAKEN IN CASE A MATERIAL IS SPILLED: Clean up in accordance with all applicable regulations. Absorb spillage with non-combustible, absorbent material. For waste disposal, see Section XIII

SECTION VII - HANDLING AND STORAGE

PRECAUTIONS TO BE TAKEN DURING STORAGE AND HANDLING: Good industrial hygiene practice requires that exposure be maintained below the TLV. This is preferably achieved through the provision of adequate ventilation. When exposure cannot be adequately controlled in this way, personal respiratory protection should be employed.

SECTION VIII - EXPOSURE CONTROLS

RESPIRATORY PROTECTION AND SPECIAL VENTILATION REQUIREMENTS: For situations where vapor levels can build up to explosion limits, use with an explosion-proof fan motor and switches. Use only with adequate ventilation.

OTHER PROTECTIVE EQUIPMENT (GLOVES, GOGGLES, ETC): NONE REQUIRED

WORK/HYGIENE PRACTICES: Do not smoke when using. Keep away from eyes.

ENGINEERING CONTROLS: Avoid contact with heat, sparks and open flame. Vapors can ignite explosively. If using indoors turn off all pilot lights. Prevent buildup of vapors---open all windows and doors---use only with cross-ventilation. CONTENTS UNDER PRESSURE. Do not puncture or incinerate or expose to temperatures above 120o F (50o C). KEEP OUT OF REACH OF CHILDREN. **KEEP OUT OF REACH OF CHILDREN.**

SECTION IX - PHYSICAL AND CHEMICAL PROPERTIES

BOILING POINT: N/A

VAPOR PRESSURE: N/A

SPECIFIC VAPOR DENSITY (AIR=1): N/A

SOLUBILITY IN WATER: N/A

MELTING POINT: N/A

SPECIFIC GRAVITY: N/A

REACTIVITY IN WATER: NON-REACTIVE

SECTION X - STABILITY AND REACTIVITY

HAZARDOUS POLYMERIZATION PRODUCTS: NONE

STABILITY: STABLE CONDITIONS TO AVOID: NONE

INCOMPATIBILITY (MATERIALS TO AVOID): NONE

HAZARDOUS DECOMPOSITION PRODUCTS: NONE

SECTION XI - TOXICOLOGICAL INFORMATION

ACUTE EFFECTS ASSOCIATED WITH USE OF THIS MATERIAL: EYE IRRITANT. Exposure may result in nausea, headache, confusion or instability. VAPOR HARMFUL. CONTACT MAY RESULT IN REDNESS OR PAIN OF THE EYES.

The summated LD50 is >50000 mg/kg.

This product is/is not considered to be a known or suspected human carcinogen by NTP, IARC or OSHA (see section III)

SECTION XII - ECOLOGICAL INFORMATION

NO HARMFUL EFFECTS KNOWN OTHER THAN THOSE ASSOCIATED WITH SUSPENDED INERT SOLIDS IN WATER.

SECTION XIII - DISPOSAL CONSIDERATIONS

RCRA HAZARD CLASS (40 CFR 261): THIS PRODUCT IS NOT CLASSIFIED AS A HAZARDOUS WASTE.

WASTE DISPOSAL METHOD: DISPOSE OF IN ACCORDANCE WITH FEDERAL, STATE AND LOCAL REGULATIONS.

COMPANY: **Chartpak Inc.**
PRODUCT: **NEON**
BRAND NAME: **URBAN FINE-ART SPECIAL SERIES NEON (REZ456)**

12/4/2014

SECTION XIV - TRANSPORTATION INFORMATION

For aerosol cans shipped by ground, a limited quantity marking, 4" square, must be applied as follows:




For air shipments, a 4" square limited quantity "Y" marking is required along with a 4" hazard warning marking, identified as class 9, with the following information adjacent to the marking:

ID8000

CONSUMER

COMMODITY



COMPANY: **Chartpak Inc.**
PRODUCT: **NEON**
BRAND NAME: **URBAN FINE-ART SPECIAL SERIES NEON (REZ456)**

12/4/2014

SECTION XVI - OTHER INFORMATION

THIS INFORMATION SHEET IS FOR CONSUMER USE ONLY.

Woodhall Stopford, MD, MSPH 12/4/2014

COMPANY: **Chartpak Inc.**
PRODUCT: **NEON**
BRAND NAME: **URBAN FINE-ART SPECIAL SERIES NEON (REZ456)**

12/4/2014

COLOR INFORMATION

THIS MSDS APPLIES TO THE FOLLOWING COLORS WHICH ARE ASSOCIATED WITH HAZARDOUS AND/OR NON-HAZARDOUS INGREDIENTS

Product Color	SKU	Hazardous Ingredient
NEON BLUE	337304	ACETONE
NEON GREEN	337305	ACETONE
NEON ORANGE	337302	ACETONE
NEON PINK	337303	ACETONE
NEON YELLOW	337301	ACETONE

COMPANY: **Chartpak Inc.**
PRODUCT: **NEON**
BRAND NAME: **URBAN FINE-ART SPECIAL SERIES NEON (REZ456)**

12/4/2014

BRAND NAMES

THIS MSDS APPLIES TO THE FOLLOWING BRAND NAMES

Brand Name	SKU
URBAN FINE-ART SPECIAL SERIES NEON (REZ456)	