



Certificate of Compliance & Material Safety Data Sheet

For Health Emergencies: CALL A POISON CONTROL CENTER
For Transportation Emergencies ONLY: Call Chem-Tel
USA, Canada, Puerto Rico, US Virgin Islands: Call 800-255-3924
Outside North America: Call Collect 813-248-0585

Date Prepared
Rev: 1 June 2010
Replaces: 30 September 2009

Certificate of Compliance PRODUCT AND COMPANY IDENTIFICATION

- 1.1 PRODUCT NAME: @wOil Water Mixable Oil colors, @wOil Water Mixable Oil Color Sets
- 1.2 ITEM NUMBER AND SIZES: Colors Listed in Section 2 below - 37ml tubes, 150ml tubes
Sets Listed in Section 2 below
- 1.3 CPSC SAFETY REGULATION CITATION
This adult product is certified to comply with the Consumer Product Safety Act (CPSA), the Federal Hazardous Substances Act, (FHSA) and its Labeling for Hazardous Art Materials Amendment, (LHAMA.)
- 1.4 MANUFACTURER IDENTIFICATION:
Martin/F. Weber Co.
2727 Southampton Road • Philadelphia, PA 19154 USA
Phone: 215-677-5600 • Fax: 215-677-3336
Email: compliance@weberart.com • Web: www.weberart.com
- 1.5 CONTACT INFORMATION:
Regulatory & Compliance Manager
Martin/F. Weber Co.
2727 Southampton Road • Philadelphia, PA 19154 USA
Phone: 215-677-5600 • Fax: 215-677-3336
Email: compliance@weberart.com
- 1.6 DATE & PLACE OF MANUFACTURE:
For purposes of the Consumer Product Safety Improvement Act, (CPSIA), this product is deemed to be manufactured as of the date of shipment, at the above address.
- 1.7 DATE & PLACE PRODUCT TESTED FOR COMPLIANCE WITH THE REGULATIONS ABOVE (1.4):
Date: 12 December 2008
Place: Duke University Medical Center
2200 West Main Street, Suite 400
Durham NC 27705
- 1.8 THIRD-PARTY LABORATORY(S) ON WHICH THIS CERTIFICATE DEPENDS
N/A

MSDS

Section 1 - PRODUCT AND COMPANY IDENTIFICATION

- 1.1 PRODUCT NAME: @wOil Water Mixable Oil colors, @wOil Water Mixable Oil Color Sets
- 1.2 ITEM NUMBER AND SIZES: Colors Listed in Section 2 below - 37ml tubes, 150ml tubes
Sets Listed in Section 2 below
- 1.3 COMPANY IDENTIFICATION:
Martin/F. Weber Co.
2727 Southampton Road • Philadelphia, PA 19154 USA
Phone: 215-677-5600 • Fax: 215-677-3336
Email: compliance@weberart.com • Web: www.weberart.com

SECTION 2 – COMPOSITION INFORMATION

COMPONENT	CAS #	MAX. AMOUNT (% Weight)
-----------	-------	---------------------------

Martin/F. Weber Company is a member of the Art & Creative Materials Institute, (ACMI) 1280 Main Street, 2nd Floor, PO Box 479, Hanson, MA 02341 USA. ACMI is a non-profit, international organization which tests and evaluates product formulations for toxicity, recommends and requires appropriate labeling. Our art and craft materials are certified by the institute to be labeled in accordance with the voluntary chronic hazard labeling standard, ASTM D-4236 of the American Society for Testing & Materials. This standard is incorporated into the US Federal Hazard Substances Act and it's LHAMA (Labeling for Hazardous Art Materials) amendment.

These products are appropriately labeled with the AP Non-Toxic Seal of ACMI. They have been certified in a program of toxicological evaluation by a medical expert, subject to review by the institute's Toxicological Advisory Board to contain no materials in sufficient quantities to be toxic or injurious to humans or to cause acute or chronic health problems.

37ml Item No.	150ml Item No.	@wOil WATER MIXABLE OIL COLOR 37ml
7401	7501	@wOil WATER MIXABLE OIL COLOR 37ml BURNT SIENNA
7402	7502	@wOil WATER MIXABLE OIL COLOR 37ml BURNT UMBER
7403	7503	@wOil WATER MIXABLE OIL COLOR 37ml CADMIUM ORANGE HUE
7404		@wOil WATER MIXABLE OIL COLOR 37ml CADMIUM RED LIGHT HUE
7405	7505	@wOil WATER MIXABLE OIL COLOR 37ml CADMIUM RED MEDIUM HUE
7406	7506	@wOil WATER MIXABLE OIL COLOR 37ml CADMIUM YELLOW LT HUE
7407	7507	@wOil WATER MIXABLE OIL COLOR 37ml CADMIUM YELLOW MED HUE
7408	7508	@wOil WATER MIXABLE OIL COLOR 37ml CERULEAN BLUE HUE
7409	7509	@wOil WATER MIXABLE OIL COLOR 37ml CHROME OXIDE GREEN
7410	7510	@wOil WATER MIXABLE OIL COLOR 37ml COBALT BLUE HUE
7411	7511	@wOil WATER MIXABLE OIL COLOR 37ml DIOXAZINE PURPLE
7412		@wOil WATER MIXABLE OIL COLOR 37ml ULTRAMARINE VIOLET
7413	7513	@wOil WATER MIXABLE OIL COLOR 37ml IVORY BLACK (WARM)
7414	7514	@wOil WATER MIXABLE OIL COLOR 37ml MAGENTA
7415		@wOil WATER MIXABLE OIL COLOR 37ml MARS BLACK (COOL)
7416		@wOil WATER MIXABLE OIL COLOR 37ml NAPLES YELLOW HUE

37ml Item No.	150ml Item No.	@wOil WATER MIXABLE OIL COLOR 37ml
7417		@wOil WATER MIXABLE OIL COLOR 37ml PAYNES GRAY
7418	7518	@wOil WATER MIXABLE OIL COLOR 37ml ALIZARIN CRIMSON PERMANENT
7419	7519	@wOil WATER MIXABLE OIL COLOR 37ml RED PERMANENT
7420		@wOil WATER MIXABLE OIL COLOR 37ml ROSE PERMANENT
7421	7521	@wOil WATER MIXABLE OIL COLOR 37ml WHITE PERMANENT
7422		@wOil WATER MIXABLE OIL COLOR 37ml PHTHALO BLUE
7423		@wOil WATER MIXABLE OIL COLOR 37ml PHTHALO GREEN
7424	7524	@wOil WATER MIXABLE OIL COLOR 37ml PHTHALO YELLOW GREEN
7425		@wOil WATER MIXABLE OIL COLOR 37ml PRUSSIAN BLUE
7426	7526	@wOil WATER MIXABLE OIL COLOR 37ml RAW SIENNA
7427		@wOil WATER MIXABLE OIL COLOR 37ml RAW UMBER
7428	7528	@wOil WATER MIXABLE OIL COLOR 37ml SAP GREEN
7429	7529	@wOil WATER MIXABLE OIL COLOR 37ml FRENCH ULTRAMARINE
7430		@wOil WATER MIXABLE OIL COLOR 37ml VAN DYKE BROWN
7431		@wOil WATER MIXABLE OIL COLOR 37ml VIRIDIAN
7432	7532	@wOil WATER MIXABLE OIL COLOR 37ml YELLOW OCHRE

Item No.	@wOil WATER MIXABLE OIL SETS
7471	@wOil 6 TUBE SET – 6 COLORS PLUS 60ml WATER MIXABLE LINSEED OIL
7472	@wOil 12 TUBE SET – 12 COLORS PLUS 60ml WATER MIXABLE LINSEED OIL

SECTION 3 – HAZARDS IDENTIFICATION

3.1 EMERGENCY OVERVIEW

Appearance: Colored Paste

Physical State: Paste

Odor: Characteristic Linseed Oil or Safflower Oil

Hazards of Product: n/a.

3.2 POTENTIAL HEALTH EFFECTS

EFFECTS OF SINGLE ACUTE OVEREXPOSURE: n/a

CHRONIC, PROLONGED OR REPEATED OVEREXPOSURE: n/a

MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE: n/a

3. 3 POTENTIAL ENVIRONMENTAL EFFECTS: n/a

SECTION 4 – FIRST AID PROCEDURES

4.1 INHALATION: n/a.

4.2 EYE CONTACT: n/a

4.3 SKIN CONTACT: n/a.

4.4 SWALLOWING n/a.

4.2 NOTES TO PHYSICIAN: n/a

SECTION 5 - FIRE FIGHTING MEASURES

5.1 FLAMMABLE PROPERTIES

Identification Number: n/a
Flash Point – Closed Cup: >350°F (177°C)
Flash Point – Open Cup: n/a
Auto-Ignition Temperature: n/a
Flammable Limits in Air: n/a

5.2 EXTINGUISHING MEDIA Foam, CO₂, Dry Chemical (Class B) or Halon®, Water Fog

5.3 EXTINGUISHING MEDIA TO AVOID n/a

5.4 SPECIAL FIRE FIGHTING PROCEDURES n/a

5.5 SPECIAL PROTECTIVE EQUIPMENT FOR FIREFIGHTERS As with any fire situation, full face, self contained breathing apparatus and appropriate protective clothing should be worn.

5.6 UNUSUAL FIRE AND EXPLOSION HAZARDS n/a

5.7 HAZARDOUS COMBUSTION PRODUCTS Under fire conditions, this product may release CO, CO₂, and other decomposition products of undetermined hazard.

SECTION 6 – ACCIDENTAL RELEASE MEASURES

STEPS TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED: Clean up paint using rags or paper towels and water. Place in airtight containers for disposal.

SECTION 7 – HANDLING AND STORAGE

7.1 GENERAL HANDLING: After use, wash hands before eating drinking or smoking.

7.2 STORAGE: n/a

SECTION 8 – EXPOSURE CONTROLS AND PERSONAL PROTECTION

8.1 EXPOSURE LIMITS: n/a

8.2 PERSONAL PROTECTION:

Respiratory Protection: n/a
Ventilation: n/a
Eye Protection: n/a
Protective Gloves: Rubber or vinyl gloves or a barrier cream are useful for general cleanliness

Other Protective Equipment: n/a

8.3 ENGINEERING CONTROLS: n/a

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Paste
Appearance: Viscous Colored Paste
pH: < 7
Solubility in Water (by weight): Negligible
Odor: Characteristic Linseed Oil or Safflower Oil
Flash Point – Closed Cup: > 350°F (177°C)
Flash Point – Open Cup: n/a
Percent Volatiles: Non-Volatile
Boiling Point (760mm Hg): n/a
Freezing Point: n/a
Specific Gravity (H₂O = 1): > 1
Vapor Pressure at 20°C: n/a
Vapor Density (air = 1): n/a
Evaporation Rate (Butyl Acetate = 1): n/a
Melting Point: n/a

Section 10 – STABILITY AND REACTIVITY

10.1 STABILITY / INSTABILITY Stable under ordinary conditions of use and storage
Conditions to Avoid n/a
Incompatible Materials n/a

10.2 HAZARDOUS POLYMERIZATION Will not occur

10.3 INHIBITORS / STABILIZERS n/a

SECTION 11 – TOXICOLOGICAL INFORMATION

ACUTE TOXICITY: n/a
 CHRONIC TOXICITY: n/a

SECTION 12 – ECOLOGICAL INFORMATION

12.1 ENVIRONMENTAL FATE n/a
 12.2 ECOTOXICITY n/a
 12.3 FURTHER INFORMATION n/a

SECTION 13 – DISPOSAL CONSIDERATIONS

13.1 WASTE DISPOSAL METHOD Dispose of in accordance with local, state and federal regulations
 13.2 DISPOSAL CONSIDERATIONS n/a

SECTION 14 – TRANSPORTATION INFORMATIONU.S. D.O.T n/a

SECTION 15 – REGULATORY INFORMATION15.1 FEDERAL / NATIONAL n/a15.2 STATE / LOCAL n/a

SECTION 16 – OTHER INFORMATION

The information presented here is current as of the date of this Material Safety Data Sheet and is believed to be accurate but is not warranted to be, whether originating with the company or not. Since use of this information and the product are not under the control of Martin/F. Weber Company, it is the user's obligation to determine conditions of safe use, in advance of use, and to carefully read the product label and follow all instructions for safe use of the product.