



Certificate of Compliance & **Material Safety Data Sheet**

For Health Emergencies: CALL A POISON CONTROL CENTER For Transportation Emergencies ONLY: Call Chem-Tel USA, Canada, Puerto Rico, US Virgin Islands: Call 800-255-3924

Outside North America: Call Collect 813-248-0585

Date Prepared Rev: 1 June 2010

Replaces: 30 September 2009

Certificate of Compliance PRODUCT AND COMPANY IDENTIFICATION

1.1 PRODUCT NAME: ®wOil Water Mixable Oil colors, ®wOil Water Mixable Oil Color Sets

1.2 ITEM NUMBER AND SIZES: Colors Listed in Section 2 below - 37ml tubes, 150ml tubes & Sets

Sets Listed in Section 2 below

1.3 CPSC SAFETY REGULATION CITATION

This adult product is certified to comply with the Consumer Product Safety Act (CPSA), the Federal Hazardous Substances Act, (FHSA) and its Labeling for Hazardous Art Materials Amendment, (LHAMA.)

1.4 MANUFACTURER IDENTIFICATION:

Martin/F. Weber Co.

2727 Southampton Road • Philadelphia, PA 19154 USA

Phone: 215-677-5600 • Fax: 215-677-3336

Email: compliance@weberart.com • Web: www.weberart.com

1.5 CONTACT INFORMATION:

Regulatory & Compliance Manager

Martin/F. Weber Co.

2727 Southampton Road • Philadelphia, PA 19154 USA

Phone: 215-677-5600 • Fax: 215-677-3336

Email: compliance@weberart.com

1.6 DATE & PLACE OF MANUFACTURE:

For purposes of the Consumer Product Safety Improvement Act, (CPSIA), this product is deemed to be manufactured as of the date of shipment, at the above address.

1.7 DATE & PLACE PRODUCT TESTED FOR COMPLIANCE WITH THE REGULATIONS ABOVE (1.4):

Date: 12 December 2008

Place: Duke University Medical Center 2200 West Main Street, Suite 400

Durham NC 27705

1.8 THIRD-PARTY LABORATORY(S) ON WHICH THIS CERTIFICATE DEPENDS

N/A

Page 1 of 11 Item Numbers: 02125-1009, 02125-1019

MSDS Section 1 - PRODUCT AND COMPANY IDENTIFICATION

®wOil Water Mixable Oil colors, ®wOil Water Mixable Oil Color Sets 1.1 PRODUCT NAME:

Colors Listed in Section 2 below - 37ml tubes, 150ml tubes 1.2 ITEM NUMBER AND SIZES:

Sets Listed in Section 2 below

1.3 COMPANY IDENTIFICATION:

Martin/F. Weber Co.

2727 Southampton Road • Philadelphia, PA 19154 USA

Phone: 215-677-5600 • Fax: 215-677-3336

Email: compliance@weberart.com • Web: www.weberart.com

SECTION 2 - COMPOSTION INFORMATION

COMPONENT MAX. AMOUNT CAS#

(% Weight)

Martin/F. Weber Company is a member of the Art & Creative Materials Institute, (ACMI) 1280 Main Street, 2nd Floor, PO Box 479, Hanson, MA 02341 USA. ACMI is a non-profit, international organization which tests and evaluates product formulations for toxicity, recommends and requires appropriate labeling. Our art and craft materials are certified by the institute to be labeled in accordance with the voluntary chronic hazard labeling standard, ASTM D-4236 of the American Society for Testing & Materials. This standard is incorporated into the US Federal Hazard Substances Act and it's LHAMA (Labeling for Hazardous Art Materials) amendment.

These products are appropriately labeled with the AP Non-Toxic Seal of ACMI. They have been certified in a program of toxicological evaluation by a medical expert, subject to review by the institute's Toxicological Advisory Board to contain no materials in sufficient quantities to be toxic or injurious to humans or to cause acute or chronic health problems.

37ml Item No.	150ml Item No.	®wOil WATER MIXABLE OIL COLOR 37ml
7401	7501	®wOil WATER MIXABLE OIL COLOR 37ml BURNT SIENNA
7402	7502	®wOil WATER MIXABLE OIL COLOR 37ml BURNT UMBER
7403	7503	®wOil WATER MIXABLE OIL COLOR 37ml CADMIUM ORANGE HUE
7404		®wOil WATER MIXABLE OIL COLOR 37ml CADMIUM RED LIGHT HUE
7405	7505	®wOil WATER MIXABLE OIL COLOR 37ml CADMIUM RED MEDIUM HUE
7406	7506	®wOil WATER MIXABLE OIL COLOR 37ml CADMIUM YELLOW LT HUE
7407	7507	®wOil WATER MIXABLE OIL COLOR 37ml CADMIUM YELLOW MED HUE
7408	7508	®wOil WATER MIXABLE OIL COLOR 37ml CERULEAN BLUE HUE
7409	7509	®wOil WATER MIXABLE OIL COLOR 37ml CHROME OXIDE GREEN
7410	7510	®wOil WATER MIXABLE OIL COLOR 37ml COBALT BLUE HUE
7411	7511	®wOil WATER MIXABLE OIL COLOR 37ml DIOXAZINE PURPLE
7412		®wOil WATER MIXABLE OIL COLOR 37ml ULTRAMARINE VIOLET
7413	<u>7</u> 513	®wOil WATER MIXABLE OIL COLOR 37ml IVORY BLACK (WARM)
7414	7514	®wOil WATER MIXABLE OIL COLOR 37ml MAGENTA
7415		@wOil WATER MIXABLE OIL COLOR 37ml MARS BLACK (CCOL)
7416		®wOil WATER MIXABLE OIL COLOR 37ml NAPLES YELLOW HUE

Page 2 of 11 Item Numbers: 02125-1009, 02125-1019

37ml Item No.	150ml Item No.	@woil WATER MIXABLE OIL COLOR 37ml
7417		®wOil WATER MIXABLE OIL COLOR 37ml PAYNES GRAY
7418	7518	®wOil WATER MIXABLE OIL COLOR 37ml ALIZARIN CRIMSON PERMANENT
7419	7519	®wOil WATER MIXABLE OIL COLOR 37ml RED PERMANENT
7420		®wOil WATER MIXABLE OIL COLOR 37ml ROSE PERMANENT
7421	7521	®wOil WATER MIXABLE OIL COLOR 37ml WHITE PERMANENT
7422		®wOil WATER MIXABLE OIL COLOR 37ml PHTHALO BLUE
7423		®wOil WATER MIXABLE OIL COLOR 37ml PHTHALO GREEN
7424	7524	®WOII WATER MIXABLE OIL COLOR 37ml PHTHALO YELLOW GREEN
7425		®wOil WATER MIXABLE OIL COLOR 37ml PRUSSIAN BLUE
7426	7526	®wOil WATER MIXABLE OIL COLOR 37ml RAW SIENNA
7427		®wOil WATER MIXABLE OIL COLOR 37ml RAW UMBER
7428	7528	®wOil WATER MIXABLE OIL COLOR 37ml SAP GREEN
7429	7529	®wOil WATER MIXABLE OIL COLOR 37ml FRENCH ULTRAMARINE
7430		®wOil WATER MIXABLE OIL COLOR 37ml VAN DYKE BROWN
7431		®wOil WATER MIXABLE OIL COLOR 37ml VIRIDIAN
7432	7532	®wOil WATER MIXABLE OIL COLOR 37ml YELLOW OCHRE

Item No.	®woil Water Mixable oil sets
7471	®wOil 6 TUBE COLOR SET+ 1 BOTTLE 60ml WATER MIXABLE LINSEED OIL
7472	®wOil 12 TUBE COLOR SET + 1 BOTTLE 60ml WATER MIXABLE LINSEED OIL
DD7460	®wOil 8 TUBE COLOR SET + 1 BOTTLE 118ml WATER MIXABLE FAST DRY MED.
DD7461	®wOil 8 TUBE COLOR SET + 1 BOTTLE 118ml WATER MIXABLE FAST DRY MED.
DD7462	®wOil 12 TUBE COLOR SET + 1 BOTTLE 118ml WATER MIXABLE FAST DRY MED.
DD7463	®wOil 13 TUBE COLOR SET + 1 BOTTLE 118ml WATER MIXABLE FAST DRY MED.

SECTION 3 - HAZARDS IDENTIFICATION

3.1 EMERGENCY OVERVIEW

Appearance: Colored Paste

Physical State: Paste

Odor: Characteristic Linseed Oil or Safflower Oil

Hazards of Product: n/a.

3.2 POTENTIAL HEALTH EFFECTS

EFFECTS OF SINGLE ACUTE OVEREXPOSURE: n/a

CHRONIC, PROLONGED OR REPEATED OVEREXPOSURE: n/a

MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE: n/a

3. 3 POTENTIAL ENVIRONMENTAL EFFECTS: n/a

Item Numbers: 02125-1009, 02125-1019 Page 3 of 11

SECTION 4 - FIRST AID PROCEDURES

4.1 INHALATION: n/a.

4.2 EYE CONTACT: n/a

4.3 SKIN CONTACT: n/a.

4.4 SWALLOWING n/a.

4.2 NOTES TO PHYSICIAN: n/a

SECTION 5 - FIRE FIGHTING MEASURES

5.1 FLAMMABLE PROPERTIES

Identification Number:

n/a

Flash Point – Closed Cup: Flash Point – Open Cup: >350°F (177°C)

Auto-Ignition Temperature:
Flammable Limits in Air:

n/a n/a n/a

5.2 EXTINGUISHING MEDIA

Foam, CO2, Dry Chemical (Class B) or Halon®, Water Fog

5.3 EXTINGUISHING MEDIA

TO AVOID

n/a

5.4 SPECIAL FIRE FIGHTING

PROCEDURES

n/a

5.5 SPECIAL PROTECTIVE

EQUIPMENT FOR FIREFIGHTERS

As with any fire situation, full face, self contained breathing apparatus

and appropriate protective clothing should be worn.

5.6 UNUSUAL FIRE AND

EXPLOSION HAZARDS

n/a

5.7 HAZARDOUS COMBUSTION

PRODUCTS

Under fire conditions, this product may release CO, CO2, and other

decomposition products of undetermined hazard.

SECTION 6 - ACCIDENTAL RELEASE MEASURES

STEPS TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED: Clean up paint using rags or paper towels and water. Place in airtight containers for disposal.

SECTION 7 – HANDLING AND STORAGE

7.1 GENERAL HANDLING: After use, wash hands before eating drinking or smoking.

7.2 STORAGE: n/a

SECTION 8 - EXPOSURE CONTROLS AND PERSONAL PROTECTION

8.1 EXPOSURE LIMITS:

n/a

Item Numbers: 02125-1009, 02125-1019 Page 4 of 11

8.2 PERSONAL PROTECTION:

Respiratory Protection:n/aVentilation:n/aEye Protection:n/a

Protective Gloves: Rubber or vinyl gloves or a barrier cream are useful for general

cleanliness

Other Protective Equipment: n/a

8.3 ENGINEERING CONTROLS: n/a

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Paste

Appearance: Viscous Colored Paste

pH: < 7

Solubility in Water (by weight): Negligible

Odor: Characteristic Linseed Oil or Safflower Oil

Flash Point - Closed Cup: > 350°F (177°C)

Flash Point – Open Cup: n/a

Percent Volatiles: Non-Volatile

Boiling Point (760mm Hg): n/a Freezing Point: n/a Specific Gravity ($H_2O = 1$): > 1 Vapor Pressure at 20°C: n/a Vapor Density (air = 1): n/a Evaporation Rate n/a (Butyl Acetate = 1): Melting Point: n/a

Section 10 - STABILITY AND REACTIVITY

10.1 STABILITY / INSTABILITY Stable under ordinary conditions of use and storage

Conditions to Avoid n/a Incompatible Materials n/a

10.2 HAZARDOUS

POLYMERIZATION Will not occur

10.3 INHIBITORS / STABILIZERS n/a

SECTION 11 - TOXICOLOGICAL INFORMATION

ACUTE TOXICITY: n/a CHRONIC TOXICITY: n/a

SECTION 12 – ECOLOGICAL INFORMATION

12.1 ENVIRONMENTAL FATEn/a12.2 ECOTOXICITYn/a12.3 FURTHER INFORMATIONn/a

SECTION 13 - DISPOSAL CONSIDERATIONS

13.1 WASTE DISPOSAL METHOD Dispose of in accordance with local, state and federal regulations

13.2 DISPOSAL CONSIDERATIONS n/s

Item Numbers: 02125-1009, 02125-1019 Page 5 of 11

SECTION 14 – TRANSPORTATION INFORMATION U.S. D.O.T SECTION 15 – REGULATORY INFORMATION 15.1 FEDERAL / NATIONAL n/a 15.2 STATE / LOCAL n/a

SECTION 16 - OTHER INFORMATION

The information presented here is current as of the date of this Material Safety Data Sheet and is believed to be accurate but is not warranted to be, whether originating with the company or not. Since use of this information and the product are not under the control of Martin/F. Weber Company, it is the user's obligation to determine conditions of safe use, in advance of use, and to carefully read the product label and follow all instructions for safe use of the product.

Item Numbers: 02125-1009, 02125-1019 Page 6 of 11



Certificate of Compliance & Material Safety Data Sheet

For Health Emergencies: CALL A POISON CONTROL CENTER
For Transportation Emergencies ONLY: Call Chem-Tel
USA, Canada, Puerto Rico, US Virgin Islands: Call 800-255-3924
Outside North America: Call Collect 813-248-0585

Date Prepared Rev: 10 May 2011 Replaces: 1 June 2010

Certificate of Compliance

1.1 PRODUCT NAME: w®Oil - Water Mixable Fast Dry Medium

1.2 ITEM NUMBER AND SIZES: 7477 - 118ml Sets Item # DD7460, DD7461, DD7462, DD7463

1.3 CPSC SAFETY REGULATION CITATION

This adult product is certified to comply with the Consumer Product Safety Act (CPSA), the Federal Hazardous Substances Act, (FHSA) and its Labeling for Hazardous Art Materials Amendment, (LHAMA.)

1.4 MANUFACTURER IDENTIFICATION:

Martin/F. Weber Co.

2727 Southampton Road • Philadelphia, PA 19154 USA

Phone: 215-677-5600 • Fax: 215-677-3336

Email: compliance@weberart.com • Web: www.weberart.com

1.5 CONTACT INFORMATION:

Regulatory & Compliance Manager

Martin/F. Weber Co.

2727 Southampton Road • Philadelphia, PA 19154 USA

Phone: 215-677-5600 • Fax: 215-677-3336

Email: compliance@weberart.com

1.6 DATE & PLACE OF MANUFACTURE:

For purposes of the Consumer Product Safety Improvement Act, (CPSIA), this product is deemed to be manufactured as of the date of shipment, at the above address

the above address.

1.7 DATE & PLACE PRODUCT TESTED FOR COMPLIANCE WITH THE REGULATIONS ABOVE (1.4):

Date: 24 May 2010

Place: Duke University Medical Center 2200 West Main Street, Suite 400

Durham NC 27705

1.8 THIRD-PARTY LABORATORY(S) ON WHICH THIS CERTIFICATE DEPENDS

N/A

Item Numbers: 02125-1009, 02125-1019 Page 7 of 11

Material Safety Data Sheet

Section 1 - PRODUCT AND COMPANY IDENTIFICATION

1.1 PRODUCT NAME:

w®Oil - Water Mixable Fast Dry Medium

1.2 ITEM NUMBER AND SIZES:

7477 - 118ml

1.3 COMPANY IDENTIFICATION:

Martin/F. Weber Co.

2727 Southampton Road • Philadelphia, PA 19154 USA

Phone: 215-677-5600 • Fax: 215-677-3336

Email: compliance@weberart.com • Web: www.weberart.com

SECTION 2 - COMPOSTION INFORMATION

COMPONENT

CAS#

MAX. AMOUNT (% Weight)

Martin/F. Weber Company is a member of the Art & Creative Materials Institute, (ACMI) 1280 Main Street, 2nd Floor, PO Box 479, Hanson, MA 02341 USA. ACMI is a non-profit, international organization which tests and evaluates product formulations for toxicity, recommends and requires appropriate labeling. Our art and craft materials are certified by the institute to be labeled in accordance with the voluntary chronic hazard labeling standard, ASTM D-4236 of the American Society for Testing & Materials. This standard is incorporated into the US Federal Hazard Substances Act and it's LHAMA (Labeling for Hazardous Art Materials) amendment.

These products are appropriately labeled with the AP Non-Toxic Seal of ACMI. They have been certified in a program of toxicological evaluation by a medical expert, subject to review by the institute's Toxicological Advisory Board to contain no materials in sufficient quantities to be toxic or injurious to humans or to cause acute or chronic health problems.

SECTION 3 – HAZARDS IDENTIFICATION

3.1 EMERGENCY OVERVIEW

Appearance:

Clear dark amber liquid

Physical State:

Liquid

Odor:

Characteristic Alkyd Varnish

Hazards of Product: n/a.

3.2 POTENTIAL HEALTH EFFECTS

EFFECTS OF SINGLE ACUTE OVEREXPOSURE: n/a

CHRONIC, PROLONGED OR REPEATED OVEREXPOSURE: n/a

MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE: n/a

3. 3 POTENTIAL ENVIRONMENTAL EFFECTS: n/a

Item Numbers: 02125-1009, 02125-1019 Page 8 of 11

SECTION 4 - FIRST AID PROCEDURES

4.1 INHALATION: n/a.

4.2 EYE CONTACT: n/a

4.3 SKIN CONTACT: n/a.

4.4 SWALLOWING n/a.

4.2 NOTES TO PHYSICIAN: n/a

SECTION 5 - FIRE FIGHTING MEASURES

5.1 FLAMMABLE PROPERTIES

Identification Number:

n/a

Flash Point - Closed Cup:

>200° F (93° C)

Flash Point - Open Cup:

n/a n/a

Auto-Ignition Temperature: Flammable Limits in Air:

5.2 EXTINGUISHING MEDIA

Foam, CO2 Dry Chemical (Class B) or Halon®

5.3 EXTINGUISHING MEDIA

TO AVOID

Water

5.4 SPECIAL FIRE FIGHTING

PROCEDURES

n/a

5.5 SPECIAL PROTECTIVE

EQUIPMENT FOR FIREFIGHTERS

As with any fire situation, full face, self contained breathing apparatus and appropriate protective clothing should be worn.

5.6 UNUSUAL FIRE AND

EXPLOSION HAZARDS

n/a

5.7 HAZARDOUS COMBUSTION

PRODUCTS

Under severe thermal degradation, CO, CO2, and low molecular weight organic compounds may be formed.

SECTION 6 – ACCIDENTAL RELEASE MEASURES

STEPS TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED: Clean up with rags or paper towels or absorb with vermiculite or other inert absorbent. Place soiled material and wastes in a scaled water-filled metal container.

SECTION 7 – HANDLING AND STORAGE

7.1 GENERAL HANDLING: n/a

7.2 STORAGE: n/a

SECTION 8 - EXPOSURE CONTROLS AND PERSONAL PROTECTION

Page 9 of 11 Item Numbers: 02125-1009, 02125-1019

8.1 EXPOSURE LIMITS: n/a

8.2 PERSONAL PROTECTION:

Respiratory Protection: n/a
Ventilation: n/a
Eye Protection: n/a

Protective Gloves: Rubber or vinyl gloves or a barrier cream are useful for general

cleanliness

Other Protective Equipment: n/a

8.3 ENGINEERING CONTROLS: n/a

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Liquid

Appearance: Dark amber colored liquid

OH: 6.0

Solubility in Water (by weight): Forms an emulsion with water Odor: Characteristic Alkyd Varnish

Flash Point - Closed Cup: > 200° F (93° C)

Flash Point - Open Cup: n/a

Percent Volatiles: Non-Volatile Boiling Point (760mm Hg): >300° F (149° C)

Freezing Point: n/a
Specific Gravity (H₂O = 1): 0.93
Vapor Pressure at 20°C: n/a
Vapor Density (air = 1): n/a

Evaporation Rate Non-volatile

(Butyl Acetate = 1):

Melting Point:

Section 10 - STABILITY AND REACTIVITY

10.1 STABILITY / INSTABILITY Spontaneous combustion can occur.

Conditions to Avoid Excessive heat, sparks or open flames. High surface area exposure to

oxygen can result in polymerization and release of heat.

Incompatible Materials Strong Oxidizers

10.2 HAZARDOUS

POLYMERIZATION Will not occur

10.3 INHIBITORS / STABILIZERS n/a

SECTION 11 – TOXICOLOGICAL INFORMATION

ACUTE TOXICITY: n/a
CHRONIC TOXICITY: n/a

SECTION 12 - ECOLOGICAL INFORMATION

12.1 ENVIRONMENTAL FATE n/a
12.2 ECOTOXICITY n/a
12.3 FURTHER INFORMATION n/a

SECTION 13 – DISPOSAL CONSIDERATIONS

Item Numbers: 02125-1009, 02125-1019 Page 10 of 11

13.1 WASTE DISPOSAL METHOD 13.2 DISPOSAL CONSIDERATIONS Dispose of in accordance with local, state and federal regulations

Place soiled material and wastes in a sealed water-filled metal container.

SECTION 14 - TRANSPORTATION INFORMATION

U.S. D.O.T

Not regulated

SECTION 15 - REGULATORY INFORMATION

15.1 FEDERAL/NATIONAL

n/a

15.2 STATE / LOCAL

n/a

SECTION 16 - OTHER INFORMATION

HMIS® Ratings:

Health=0 Flammability=1 Physical Hazard=0

The information presented here is current as of the date of this Material Safety Data Sheet and is believed to be accurate but is not warranted to be, whether originating with the company or not. Since use of this information and the product are not under the control of Martin/F. Weber Company, it is the user's obligation to determine conditions of safe use, in advance of use, and to carefully read the product label and follow all instructions for safe use of the product.

HMIS® is a registered trade mark of the American Coatings Association