SAFETY DATA SHEET (REGULATION (EC) n° 1907/2006 - REACH) PEBEO SA

Version 9.1 (14/01/2014) - Page 1/7

Cerne relief toutes couleurs / all colours - 390000

SAFETY DATA SHEET

(REACH regulation (EC) n° 1907/2006 - n° 453/2010)

SECTION 1 : IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name : Cerne relief toutes couleurs / all colours Product code : 390000.

1.2. Relevant identified uses of the substance or mixture and uses advised against Paints & Varnishes for artists

1.3. Details of the supplier of the safety data sheet

Registered company name : PEBEO S A.

Address : 305 AVENUE DU PIC DE BERTAGNE - BP106 -.13881.GEMENOS CEDEX.FRANCE. Telephone : 33 (0) 4.42.32.08.08. Fax : 33 (0) 4.42.32.01.70. cdedeyne@pebeo.com www.pebeo.com

1.4. Emergency telephone number : 33 (0) 1.45.42.59.59.

Association/Organisation : INRS / ORFILA http://www.centres-antipoison.net .

SECTION 2 : HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

In compliance with EC regulation No. 1272/2008 and its amendments.

May produce an allergic reaction (EUH208).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present a health hazard with the exception of possible occupational exposure thresholds (see paragraphs 3 and 8).

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present a health hazard with the exception of possible occupational exposure thresholds (see paragraphs 3 and 8).

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

2.2. Label elements

In compliance with EC regulation No. 1272/2008 and its amendments.

Additional labeling : EUH208 Contains 1,2-BENZISOTHIAZOL-3(2H)-ONE. May produce an allergic reaction. **EUH208** Contains MIXTURE OF: 5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE [EC NO. 247-500-7] AND 2-METHYL-2HISOTHIAZOL-3-ONE [EC NO. 220-239-6] (3:1). May produce an allergic reaction.

2.3. Other hazards

The mixture does not contain any substances classified as 'Substances of Very High Concern' (SVHC) by the European CHemical s Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table

The mixture satisfies neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

Version 9.1 (14/01/2014) - Page 2/7

Page 2 of 7

Cerne relief toutes couleurs / all colours - 390000

SECTION 3 : COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

Composition :				
Identification	(EC) 1272/2008	67/548/EEC	Note	%
INDEX: 613-088-00-6	GHS05, GHS07, GHS09	Xn,N	[1]	0 <= x % < 2.5
CAS: 2634-33-5	Dgr	Xn;R22		
EC: 220-120-9	Acute Tox. 4, H302	Xi;R38-R41-R43		
	Skin Irrit. 2, H315	N;R50		
1,2-BENZISOTHIAZOL-3(2H)-ONE	Eye Dam. 1, H318			
	Skin Sens. 1, H317			
	Aquatic Acute 1, H400			
	M Acute $= 1$			
INDEX: 613-167-00-5	GHS06, GHS05, GHS09	T,N	[1]	0 <= x % < 2.5
CAS: 55965-84-9	Dgr	T;R23/24/25		
	Acute Tox. 3, H331	C;R34		
MIXTURE OF:	Acute Tox. 3, H311	Xi;R43		
5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-	Acute Tox. 3, H301	N;R50/53		
ONE [EC NO. 247-500-7] AND	Skin Corr. 1B, H314			
2-METHYL-2HISOTHIAZOL-3-ONE [EC NO.	Skin Sens. 1, H317			
220-239-6] (3:1)	Aquatic Acute 1, H400			
	M Acute $= 1$			
	Aquatic Chronic 1, H410			
	M Chronic $= 1$			

Information on ingredients :

[1] Substance for which maximum workplace exposure limits are available.

SECTION 4 : FIRST AID MEASURES

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

4.1. Description of first aid measures

In the event of exposure by inhalation :

In the event of an allergic reaction, seek medical attention.

In the event of splashes or contact with eyes :

Wash thoroughly with soft, clean water for 15 minutes holding the eyelids open.

In the event of splashes or contact with skin :

In the event of an allergic reaction, seek medical attention.

In the event of swallowing :

In the event of swallowing, if the quantity is small (no more than one mouthful), rinse the mouth with water and consult a doctor.

Keep the person exposed at rest. Do not force vomiting.

Seek medical attention, showing the label.

If swallowed accidentally, call a doctor to ascertain whether observation and hospital care will be necessary. Show the label.

4.2. Most important symptoms and effects, both acute and delayed

No data available.

4.3. Indication of any immediate medical attention and special treatment needed No data available.

SECTION 5 : FIREFIGHTING MEASURES

Non-flammable.

5.1. Extinguishing media

Suitable methods of extinction

In the event of a fire, use :

- sprayed water or water mist

SAFETY DATA SHEET (REGULATION (EC) n° 1907/2006 - REACH) PEBEO S A

Cerne relief toutes couleurs / all colours - 390000

Version 9.1 (14/01/2014) - Page 3/7

	uitable methods of extinction the event of a fire, do not use :
	vater jet
	Special hazards arising from the substance or mixture
	fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.
	o not breathe in smoke.
	the event of a fire, the following may be formed :
	arbon monoxide (CO)
	arbon dioxide (CO2)
	Advice for firefighters
	o data available.
ЕСТ	ION 6 : ACCIDENTAL RELEASE MEASURES
6.1.	Personal precautions, protective equipment and emergency procedures
	onsult the safety measures listed under headings 7 and 8.
	fire-fighters
	re-fighters will be equipped with suitable personal protective equipment (See section 8).
	Environmental precautions
Co	ontain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, atomaceous earth in drums for waste disposal.
Pr	event any material from entering drains or waterways.
6.3.	Methods and material for containment and cleaning up
Cl	ean preferably with a detergent, do not use solvents.
6.4.	Reference to other sections
No	o data available.
ЕСТ	ION 7 : HANDLING AND STORAGE
Re	equirements relating to storage premises apply to all facilities where the mixture is handled.
7.1.	Precautions for safe handling
Al	ways wash hands after handling.
En	sure that there is adequate ventilation, especially in confined areas.
Fire	prevention :
Ha	indle in well-ventilated areas.
Pr	event access by unauthorised personnel.
	ommended equipment and procedures :
	r personal protection, see section 8.
	precautions stated on label and also industrial safety regulations.
	ckages which have been opened must be reclosed carefully and stored in an upright position.
	hibited equipment and procedures :
	smoking, eating or drinking in areas where the mixture is used.
	Conditions for safe storage, including any incompatibilities o data available.
Stor	0
	ep out of reach of children.
Th	eep the container tightly closed in a dry, well-ventilated place. In floor must be impermeable and form a collecting basin so that, in the event of an accidental spillage, the liquid cannot read beyond this area.
-	kaging
	ways keep in packaging made of an identical material to the original.

PEBEO SA	(REGULATION)	(EC) n° 1907/20	006 - REACH)		Version 9.1 (14/01/2014) - Page 4/7
EBEO SA	Ce	rne relief toute	es couleurs / all	colours - 390000	
7.3. Specific end use No data available.	(s)				
		2.555.2011.1			
SECTION 8 : EXPOS		.S/PERSONAI	L PROTECTIO	N	
8.1. Control parame					
Occupational expose - Netherlands / MA		$M_{\rm ext} 2010$ ·			
- Netherlands / MA CAS	TWA :	STEL :	Ceiling :	Definition :	Criteria :
55965-84-9	0.05 mg/m3	SILL.	Cennig .	Deminuon.	Cinteria .
	0	-	-	-	-
8.2. Exposure contro Personal protection		a nonconal nuct	active continue	.4	
Pictogram(s) indica					
Tietogram(s) melea		i or wearing per	sonar protective	equipment (11 L)	
Use personal protec					
Store personal prote		-	-		
			wash contaminat	ed clothing before	e re-using. Ensure that there is adequate
ventilation, especia	-	as.			
- Eye / face protection Avoid contact with					
Use eye protectors	2	t against liquid	splashas		
	e 1	e 1		166	
Before handling, we	ear safety goggles		with standard EN	100.	
- Hand protection	ative gloves in the	avant of prolo	ngod or rapastad	skin contact	
Wear suitable prote Type of gloves reco	-	event of protor	liged of repeated	skin contact.	
- Natural latex	innended .				
	tadiene-acrylonitri	le copolymer ru	ubber (NBR))		
 Nitrile rubber (butadiene-acrylonitrile copolymer rubber (NBR)) PVC (polyvinyl chloride) 					
- PVC (polyvinyl cl					
		copolymer)			
- Butyl Rubber (Iso		copolymer)			
- Butyl Rubber (Iso - Body protection	butylene-isoprene		regularly.		
- Butyl Rubber (Iso - Body protection Work clothing work	butylene-isoprene n by personnel sha	ll be laundered		iled must be wash	ed.
- Butyl Rubber (Iso - Body protection Work clothing worn After contact with t	butylene-isoprene n by personnel sha he product, all par	ll be laundered ts of the body th	hat have been so	iled must be wash	ed.
- Butyl Rubber (Iso - Body protection Work clothing worn After contact with t SECTION 9 : PHYSIC	butylene-isoprene n by personnel sha he product, all par CAL AND CHEM	Il be laundered ts of the body the IICAL PROPH	hat have been so	iled must be wash	ed.
- Butyl Rubber (Iso - Body protection Work clothing worn After contact with t SECTION 9 : PHYSIC 9.1. Information on	butylene-isoprene n by personnel sha he product, all par CAL AND CHEN basic physical an	Il be laundered ts of the body the IICAL PROPH	hat have been so	iled must be wash	ed.
- Butyl Rubber (Iso - Body protection Work clothing worn After contact with t SECTION 9 : PHYSIC 9.1. Information on General information	butylene-isoprene n by personnel sha he product, all par CAL AND CHEN basic physical an	Il be laundered ts of the body the IICAL PROPH	hat have been so		
 Butyl Rubber (Iso Body protection Work clothing worn After contact with t SECTION 9 : PHYSIC 9.1. Information on General information Physical state : 	butylene-isoprene n by personnel sha he product, all par CAL AND CHEM basic physical and 1 :	all be laundered ts of the body the MCAL PROPH d chemical pro-	hat have been so ERTIES perties	iled must be wash Viscous liquid	
 Butyl Rubber (Iso Body protection Work clothing worn After contact with t SECTION 9 : PHYSIC 9.1. Information on General information Physical state : Important health, sa 	butylene-isoprene h by personnel sha he product, all par CAL AND CHEM basic physical and h : ifety and environ	all be laundered ts of the body the MCAL PROPH d chemical pro-	hat have been so ERTIES perties	Viscous liquid.	
 Butyl Rubber (Iso Body protection Work clothing worn After contact with t SECTION 9 : PHYSIC 9.1. Information on General information Physical state : Important health, sa pH (aqueous solution) 	butylene-isoprene h by personnel sha he product, all par CAL AND CHEM basic physical and h : ifety and environ	all be laundered ts of the body the MCAL PROPH d chemical pro-	hat have been so ERTIES perties		
 Butyl Rubber (Iso Body protection Work clothing worn After contact with t SECTION 9 : PHYSIC 9.1. Information on General information Physical state : Important health, sa 	butylene-isoprene h by personnel sha he product, all par CAL AND CHEM basic physical and h : ifety and environ	all be laundered ts of the body the MCAL PROPH d chemical pro-	hat have been so ERTIES perties	Viscous liquid. 8.5 8.50	
 Butyl Rubber (Iso Body protection Work clothing worn After contact with t SECTION 9 : PHYSIC 9.1. Information on General information Physical state : Important health, sa pH (aqueous solution pH : 	butylene-isoprene h by personnel sha he product, all par CAL AND CHEM basic physical and 1: ifety and environ pn):	all be laundered ts of the body the MCAL PROPH d chemical pro-	hat have been so ERTIES perties	Viscous liquid. 8.5	
 Butyl Rubber (Iso Body protection Work clothing worn After contact with t SECTION 9 : PHYSIC 9.1. Information on General information Physical state : Important health, sa pH (aqueous solution) 	butylene-isoprene h by personnel sha he product, all par CAL AND CHEM basic physical and h : ifety and environ pon) : ng range :	all be laundered ts of the body the MCAL PROPH d chemical pro-	hat have been so ERTIES perties	Viscous liquid 8.5 8.50 Slightly basic.	
 Butyl Rubber (Iso Body protection Work clothing worn After contact with t SECTION 9 : PHYSIC 9.1. Information on General information Physical state : Important health, sa pH (aqueous solution pH : Boiling point/boiling 	butylene-isoprene h by personnel sha he product, all par CAL AND CHEN basic physical and h : ifety and environ on) : ng range : :	all be laundered ts of the body the MCAL PROPH d chemical pro-	hat have been so ERTIES perties	Viscous liquid 8.5 8.50 . Slightly basic. Not relevant.	
 Butyl Rubber (Iso Body protection Work clothing worn After contact with t SECTION 9 : PHYSIC 9.1. Information on General information Physical state : Important health, sa pH (aqueous solution pH : Boiling point/boiling Flash point interval 	butylene-isoprene h by personnel sha he product, all par CAL AND CHEN basic physical and h : ifety and environ on) : ng range : :	all be laundered ts of the body the MCAL PROPH d chemical pro-	hat have been so ERTIES perties	Viscous liquid. 8.5 8.50 . Slightly basic. Not relevant. Not relevant.	
 Butyl Rubber (Iso Body protection Work clothing worn After contact with t SECTION 9 : PHYSIC 9.1. Information on General information Physical state : Important health, sa pH (aqueous solution pH : Boiling point/boiling Flash point interval Vapour pressure (50) 	butylene-isoprene h by personnel sha he product, all par CAL AND CHEN basic physical and h : ifety and environ on) : ng range : :	all be laundered ts of the body the MCAL PROPH d chemical pro-	hat have been so ERTIES perties	Viscous liquid. 8.5 8.50 . Slightly basic. Not relevant. Not relevant. Not relevant.	
 Butyl Rubber (Iso Body protection Work clothing worn After contact with t SECTION 9 : PHYSIC 9.1. Information on General information Physical state : Important health, sa pH (aqueous solution pH : Boiling point/boiling Flash point interval Vapour pressure (50) Density : 	butylene-isoprene h by personnel sha he product, all par CAL AND CHEM basic physical and 1 : ifety and environ on) : ng range : : 0°C) :	all be laundered ts of the body the MCAL PROPH d chemical pro-	hat have been so ERTIES perties	Viscous liquid. 8.5 8.50 . Slightly basic. Not relevant. Not relevant. Not relevant. 1.14	
 Butyl Rubber (Iso Body protection Work clothing worn After contact with t SECTION 9 : PHYSIC 9.1. Information on General information Physical state : Important health, sa pH (aqueous solution pH : Boiling point/boiling Flash point interval Vapour pressure (50 Density : Water solubility : 	butylene-isoprene h by personnel sha he product, all par CAL AND CHEN basic physical and 1 : ifety and environ on) : ng range : : 0°C) : ng range :	all be laundered ts of the body the MCAL PROPH d chemical pro-	hat have been so ERTIES perties	Viscous liquid. 8.5 8.50 . Slightly basic. Not relevant. Not relevant. Not relevant. 1.14 Dilutable.	
 Butyl Rubber (Iso Body protection Work clothing worn After contact with t SECTION 9 : PHYSIC 9.1. Information on General information Physical state : Important health, sa pH (aqueous solution pH : Boiling point/boiling Flash point interval Vapour pressure (50 Density : Water solubility : Melting point/melti 	butylene-isoprene h by personnel sha he product, all par CAL AND CHEN basic physical and i : ifety and environ on) : ng range : : 0°C) : ng range : rature :	all be laundered ts of the body the MCAL PROPI d chemical pro-	hat have been so ERTIES perties	Viscous liquid. 8.5 8.50 . Slightly basic. Not relevant. Not relevant. 1.14 Dilutable. Not relevant.	

Item Numbers: 02972-1011, 02972-1013, 02972-1021, 02973-1023, 02974;2021_02972;2514_02972;9514_029

Page 4 of 7

SAFETY DATA SHEET (REGULATION (EC) n° 1907/2006 - REACH) PEBEO S A

Version 9.1 (14/01/2014) - Page 5/7

Cerne relief toutes couleurs / all colours - 390000

VOC (g/l) :	1.18
SECTION 10 : STABILITY AND RE	7 A C'PTN/ITN
10.1. Reactivity	
No data available.	
10.2. Chemical stability	
•	ommended handling and storage conditions in section 7.
10.3. Possibility of hazardous reacti	
-	s, the mixture can release hazardous decomposition products, such as carbon monoxide a
10.4. Conditions to avoid	
Avoid :	
- frost	
10.5. Incompatible materials	
10.6. Hazardous decomposition pro	ducts
The thermal decomposition may rel	ease/form :
- carbon monoxide (CO)	
- carbon dioxide (CO2)	
SECTION 11 : TOXICOLOGICAL 1	INFORMATION
11.1. Information on toxicological e	ffects
Splashes in the eyes may cause irrit	ation and reversible damage
11.1.1. Substances	
No toxicological data available for	the substances.
11.1.2. Mixture	
Respiratory or skin sensitisation :	
Contains at least one sensitising sub	ostance. May cause an allergic reaction.
SECTION 12 : ECOLOGICAL INFO	DRMATION
12.1. Toxicity	
12.1.2. Mixtures	
No aquatic toxicity data available for	or the mixture.
12.2. Persistence and degradability	
No data available.	
12.3. Bioaccumulative potential	
12.3. Bioaccumulative potential No data available.	
_	
No data available.	
No data available. 12.4. Mobility in soil No data available. 12.5. Results of PBT and vPvB asse	essment
No data available. 12.4. Mobility in soil No data available.	essment
No data available. 12.4. Mobility in soil No data available. 12.5. Results of PBT and vPvB asse No data available. 12.6. Other adverse effects	essment
No data available. 12.4. Mobility in soil No data available. 12.5. Results of PBT and vPvB asse No data available.	essment
No data available. 12.4. Mobility in soil No data available. 12.5. Results of PBT and vPvB asse No data available. 12.6. Other adverse effects No data available. SECTION 13 : DISPOSAL CONSID	ERATIONS
No data available. 12.4. Mobility in soil No data available. 12.5. Results of PBT and vPvB asse No data available. 12.6. Other adverse effects No data available. SECTION 13 : DISPOSAL CONSID	ERATIONS
No data available. 12.4. Mobility in soil No data available. 12.5. Results of PBT and vPvB asse No data available. 12.6. Other adverse effects No data available. SECTION 13 : DISPOSAL CONSID Proper waste management of the minimum statement methods	ERATIONS ixture and/or its container must be determined in accordance with Directive 2008/98/EC.
No data available. 12.4. Mobility in soil No data available. 12.5. Results of PBT and vPvB asse No data available. 12.6. Other adverse effects No data available. SECTION 13 : DISPOSAL CONSID Proper waste management of the material	ERATIONS ixture and/or its container must be determined in accordance with Directive 2008/98/EC.
No data available. 12.4. Mobility in soil No data available. 12.5. Results of PBT and vPvB asse No data available. 12.6. Other adverse effects No data available. SECTION 13 : DISPOSAL CONSID Proper waste management of the minimum statement methods	ERATIONS ixture and/or its container must be determined in accordance with Directive 2008/98/EC.

SAFETY DATA SHEET (REGULATION (EC) n° 1907/2006 - REACH)

PEBEO SA

Cerne relief toutes couleurs / all colours - 390000

Version 9.1 (14/01/2014) - Page 6/7

Waste :

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

Soiled packaging :

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

Codes of wastes (Decision 2001/573/EC, Directive 2006/12/EEC, Directive 94/31/EEC on hazardous waste) :

- 20 01 27 * paint, inks, adhesives and resins containing dangerous substances
- 15 01 04 metallic packaging

SECTION 14 : TRANSPORT INFORMATION

Exempt from transport classification and labelling.

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2013 - IMDG 2012 - ICAO/IATA 2013).

SECTION 15 : REGULATORY INFORMATION


15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

- Classification and labelling information included in section 2:

- The following regulations have been used:
- Directive 67/548/EEC and its adaptations
- Directive 1999/45/EC and its adaptations
- Regulation EC 1272/2008 modified by regulation EC 618/2012
- EU Regulation No. 1272/2008 amended by EU Regulation No. 758/2013.
- Container information:
- No data available.
- Particular provisions :
- No data available.

- Standardised American system for the identification of hazards presented by the product in view of emergency procedures (NFPA 704) :

NFPA 704, Labelling: Health=0 Inflammability=1 Instability/Reactivity=1 Specific Risk=none



15.2. Chemical safety assessment

No data available.

SECTION 16 : OTHER INFORMATION

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

No labelling requirements for this mixture.

SAFETY DATA SHEET (REGULATION (EC) n° 1907/2006 - REACH) PEBEO S A

Version 9.1 (14/01/2014) - Page 7/7

Cerne relief toutes couleurs / all colours - 390000

Title for H, EUH and R indications mentioned in section 3 :				
H301	Toxic if swallowed.			
H302	Harmful if swallowed.			
H311	Toxic in contact with skin.			
H314	Causes severe skin burns and eye damage.			
H315	Causes skin irritation.			
H317	May cause an allergic skin reaction.			
H318	Causes serious eye damage.			
H331	Toxic if inhaled.			
H400	Very toxic to aquatic life.			
H410	Very toxic to aquatic life with long lasting effects.			
R 22	Harmful if swallowed.			
R 23/24/25	Toxic by inhalation, in contact with skin and if swallowed.			
R 34	Causes burns.			
R 38	Irritating to skin.			
R 41	Risk of serious damage to eyes.			
R 43	May cause sensitisation by skin contact.			
R 50	Very toxic to aquatic organisms.			
R 50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.			

Abbreviations :

ADR : European agreement concerning the international carriage of dangerous goods by Road.

IMDG : International Maritime Dangerous Goods.

IATA : International Air Transport Association.

ICAO : International Civil Aviation Organisation

RID : Regulations concerning the International carriage of Dangerous goods by rail.

WGK : Wassergefahrdungsklasse (Water Hazard Class).