



Material Safety Data Sheet

For Health Emergencies: CALL A POISON CONTROL CENTER
 For Transportation Emergencies ONLY: Call Chem-Tel
 USA, Canada, Puerto Rico, US Virgin Islands: Call 800-255-3924
 Outside North America: Call Collect 813-248-0585

05725-1001
01619-XXXX
02014-1003
-1008

Date Prepared
 Rev: 17 Jul 2008

Replaces: DRAFT-7 March 2008

Section 1 - PRODUCT AND COMPANY IDENTIFICATION

1.1 PRODUCT NAME: Wyland® Ecological Acrylic Colors & Mediums,
 Wyland® Whale Tail Painting Kit

1.2 ITEM NUMBER AND SIZES: Colors, Mediums & Set Listed in Section 2 below – 60ml tubes, 118ml bottles, Packaged Set

1.3 COMPANY IDENTIFICATION:

Martin/F. Weber Co.
 2727 Southampton Road • Philadelphia, PA 19154 USA
 Phone: 215-677-5600 • Fax: 215-677-3336
 Email: info@weberart.com • Web: www.weberart.com

SECTION 2 – COMPOSITION INFORMATION

COMPONENT	CAS #	MAX. AMOUNT (% Weight)
<p>Martin/F. Weber Company is a member of the Art & Creative Materials Institute, (ACMI) 1280 Main Street, 2nd Floor, PO Box 479, Hanson, MA 02341 USA. ACMI is a non-profit, international organization which tests and evaluates product formulations for toxicity, recommends and requires appropriate labeling. Our art and craft materials are certified by the institute to be labeled in accordance with the voluntary chronic hazard labeling standard, ASTM D-4236 of the American Society for Testing & Materials. This standard is incorporated into the US Federal Hazard Substances Act and it's LHAMA (Labeling for Hazardous Art Materials) amendment.</p>		

These products are appropriately labeled with the AP Non-Toxic Seal of ACMI. They have been certified in a program of toxicological evaluation by a medical expert, subject to review by the institute's Toxicological Advisory Board to contain no materials in sufficient quantities to be toxic or injurious to humans or to cause acute or chronic health problems.

Item	Description and Size
3201	WYLAND ECOLOGICAL ACRYLIC 60 ML – PURE YELLOW
3202	WYLAND ECOLOGICAL ACRYLIC 60 ML – PURE ORANGE
3203	WYLAND ECOLOGICAL ACRYLIC 60 ML – PURE RED
3204	WYLAND ECOLOGICAL ACRYLIC 60 ML – PURE MAGENTA
3205	WYLAND ECOLOGICAL ACRYLIC 60 ML – TEAL BLUE
3206	WYLAND ECOLOGICAL ACRYLIC 60 ML – CERULEAN BLUE HUE
3207	WYLAND ECOLOGICAL ACRYLIC 60 ML – ULTRAMARINE BLUE
3208	WYLAND ECOLOGICAL ACRYLIC 60 ML – PHTHALO BLUE
3209	WYLAND ECOLOGICAL ACRYLIC 60 ML – DEEP PURPLE
3210	WYLAND ECOLOGICAL ACRYLIC 60 ML – PAYNES GRAY
3211	WYLAND ECOLOGICAL ACRYLIC 60 ML – PHTHALO GREEN
3212	WYLAND ECOLOGICAL ACRYLIC 60 ML – PURE BROWN
3213	WYLAND ECOLOGICAL ACRYLIC 60 ML – PURE BLACK
3214	WYLAND ECOLOGICAL ACRYLIC 60 ML – PURE WHITE

3215	WYLAND ECOLOGICAL RETARDER MEDIUM 60 ML
3216	WYLAND ECOLOGICAL GLAZING MEDIUM 118 ML
3217	WYLAND ECOLOGICAL BRUSH CLEANER 118 ML
3250	WYLAND WHALE TAIL PAINTING KIT

SECTION 3 – HAZARDS IDENTIFICATION

3.1 EMERGENCY OVERVIEW

Appearance: Paint - Colored Paste, Mediums - Opaque Liquids

Physical State: Paste or Liquid

Odor: n/a

Hazards of Product: n/a

3.2 POTENTIAL HEALTH EFFECTS

EFFECTS OF SINGLE ACUTE OVEREXPOSURE: n/a

CHRONIC, PROLONGED OR REPEATED OVEREXPOSURE: n/a

MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE: n/a

3.3 POTENTIAL ENVIRONMENTAL EFFECTS: n/a

SECTION 4 – FIRST AID PROCEDURES

4.1 INHALATION: n/a.

4.2 EYE CONTACT: n/a

4.3 SKIN CONTACT: n/a.

4.4 SWALLOWING n/a.

4.2 NOTES TO PHYSICIAN: n/a

SECTION 5 - FIRE FIGHTING MEASURES

5.1 FLAMMABLE PROPERTIES

Identification Number: n/a
Flash Point – Closed Cup: >350°F (177°C)
Flash Point – Open Cup: n/a
Auto-Ignition Temperature: n/a
Flammable Limits in Air: n/a

5.2 EXTINGUISHING MEDIA Foam, CO₂, Dry Chemical (Class B) or Halon®, Water Fog

5.3 EXTINGUISHING MEDIA TO AVOID n/a

5.4 SPECIAL FIRE FIGHTING PROCEDURES n/a

5.5 SPECIAL PROTECTIVE EQUIPMENT FOR FIREFIGHTERS	As with any fire situation, full face, self contained breathing apparatus and appropriate protective clothing should be worn.
5.6 UNUSUAL FIRE AND EXPLOSION HAZARDS	n/a
5.7 HAZARDOUS COMBUSTION PRODUCTS	Under fire conditions, this product may release CO, CO ₂ , and other decomposition products of undetermined hazard.

SECTION 6 – ACCIDENTAL RELEASE MEASURES

STEPS TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED: Clean up paint using rags or paper towels and water.

SECTION 7 – HANDLING AND STORAGE

7.1 GENERAL HANDLING: After use, wash hands before eating drinking or smoking.

7.2 STORAGE: n/a

SECTION 8 – EXPOSURE CONTROLS AND PERSONAL PROTECTION

8.1 EXPOSURE LIMITS:	n/a
8.2 PERSONAL PROTECTION:	
Respiratory Protection:	n/a
Ventilation:	n/a
Eye Protection:	n/a
Protective Gloves:	Rubber or vinyl gloves or a barrier cream are useful for general cleanliness
Other Protective Equipment:	n/a
8.3 ENGINEERING CONTROLS:	n/a

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

Physical State:	Paste
Appearance:	Viscous Colored Paste
pH:	> 7
Solubility in Water (by weight):	Soluble
Odor:	n/a
Flash Point – Closed Cup:	> 350°F (177°C)
Flash Point – Open Cup:	n/a
Percent Volatiles:	< 25
Boiling Point (760mm Hg):	n/a
Freezing Point:	n/a
Specific Gravity (H₂O = 1):	> 1
Vapor Pressure at 20°C:	n/a
Vapor Density (air = 1):	n/a
Evaporation Rate (Butyl Acetate = 1):	n/a
Melting Point:	n/a

Section 10 – STABILITY AND REACTIVITY

10.1 STABILITY / INSTABILITY	Stable under ordinary conditions of use and storage
Conditions to Avoid	n/a
Incompatible Materials	n/a
10.2 HAZARDOUS POLYMERIZATION	Will not occur
10.3 INHIBITORS / STABILIZERS	n/a

SECTION 11 – TOXICOLOGICAL INFORMATION

ACUTE TOXICITY:	n/a
CHRONIC TOXICITY:	n/a

SECTION 12 – ECOLOGICAL INFORMATION

12.1 ENVIRONMENTAL FATE	n/a
12.2 ECOTOXICITY	n/a
12.3 FURTHER INFORMATION	n/a

SECTION 13 – DISPOSAL CONSIDERATIONS

13.1 WASTE DISPOSAL METHOD	Dispose of in accordance with local, state and federal regulations
13.2 DISPOSAL CONSIDERATIONS	n/a

SECTION 14 – TRANSPORTATION INFORMATION

U.S. D.O.T	n/a
-------------------	-----

SECTION 15 – REGULATORY INFORMATION

15.1 FEDERAL / NATIONAL	n/a
15.2 STATE / LOCAL	n/a

SECTION 16 – OTHER INFORMATION

The information presented here is current as of the date of this Material Safety Data Sheet and is believed to be accurate but is not warranted to be, whether originating with the company or not. Since use of this information and the product are not under the control of Martin/F. Weber Company, it is the user's obligation to determine conditions of safe use, in advance of use, and to carefully read the product label and follow all instructions for safe use of the product.