

10/17/98 11:00 1800 232 9398
(7675-00)

DIXON

* 20105-0809 001

Material Safety Data Sheet
May be used to comply with
OSHA's Hazard Communication Standard,
29 CFR 1910.1200. Standard must be
consulted for specific requirements.

Prang Payons
U.S. Department of Labor
Occupational Safety and Health Administration
(Non-Mandatory Form)
Form Approved
OMB No. 1218-0072

Set 18
7675-00

IDENTITY (As Used on Label and List),
All CP/AP Products

Note: Blank spaces are not permitted. If any item is not applicable, or if
information is available, this space must be marked to indicate this.

Section I. Payons 85

Manufacturer's Name
Dixon Ticonderoga Company
Address (Number, Street, City, State, and ZIP Code)
1706 Hayes Avenue
Sandusky, Ohio 44870

Emergency Telephone Number
(419) 625-9545
Telephone Number for Information
(419) 625-9545
Date Prepared
5/7/95
Signature of Preparer (approved)
Thomas A. ...

Section II - Hazardous Ingredients/Identity Information

Hazardous Components (Specific Chemical Identity, Common Name(s))	OSHA PEL	ACGIH TLV	Other Limits Recommended	% (opt)
Products bearing the CP certified products or AP approved products seals of the Art and Craft Materials Institute, Inc. are certified in a program of toxicological evaluation by a medical expert, subject to review by the institute's toxicological advisory board to contain no materials in sufficient quantities to be toxic or injurious to humans or cause acute or chronic health problems.				

Conforms to ASTM D4236

051-V

Section III - Physical/Chemical Characteristics

Boiling Point	NA	Specific Gravity (H ₂ O = 1)	NA
Vapor Pressure (mm Hg.)	NA	Melting Point	NA
Vapor Density (AIR = 1)	NA	Evaporation Rate (Butyl Acetate = 1)	NA
Solubility in Water	NA		

Appearance and Odor
Assorted colors, 3 1/2" X 5/16" diameter, no odor

Section IV - Fire and Explosion Hazard Data

Flash Point (Method Used)	NA	Flammable Limits	NA	LEL	NA	UEL	NA
---------------------------	----	------------------	----	-----	----	-----	----

Extinguishing Media
Water spray, Foam, CO₂

Special Fire Fighting Procedures
Containers may be subject to ignition by fire and may release toxic or other irritating gases.

Unusual Fire and Explosion Hazards
A self contained breathing apparatus should be used for this exposure.

(Reproduce locally)

OSHA 174, Sept.

Post-it Fax Note	7871	Date	page # 2
To	RAY	From	KENNA
Co./Dept.	DICK BUICK	Co.	DIXON
Phone #		Phone #	
Fax #	800-621-8293	Fax #	

10/17/96 11:09 1800 #32 9396

DIXON

002

Section V — Reactivity Data

Stability	Unstable		Conditions to Avoid None
	Stable	X	
Incompatibility (Materials to Avoid) None			
Hazardous Decomposition or Byproducts None			
Hazardous Polymerization	May Occur		Conditions to Avoid None
	Will Not Occur	X	

Section VI — Health Hazard Data

Route(s) of Entry:	NA	Inhalation?	Skin?	Ingestion?
Health Hazards (Acute and Chronic) None				
Carcinogenicity:	None	NTP?	IARC Monographs?	OSHA Regulated?
Signs and Symptoms of Exposure NA				
Medical Conditions Generally Aggravated by Exposure NA				
Emergency and First Aid Procedures NA				

Section VII — Precautions for Safe Handling and Use

Steps to Be Taken in Case Material is Released or Spilled	Sweep up or wash to suitable waste disposal area.
Waste Disposal Method	Disposal should be made in accordance with Federal, State, and Local regulations.
Precautions to Be Taken in Handling and Storing	Do not store near heat or open flame.
Other Precautions	None

Section VIII — Control Measures

Respiratory Protection (Specify Type)			
Ventilation	Local Exhaust	NA	Special
	Mechanical (General)	NA	Other
		NA	NA
Protective Gloves	NA	Eye Protection	NA
Other Protective Clothing or Equipment NA			
Work Hygienic Practices NA			