GENERAL PENCIL COMPANY, INC.

 $(T)650-369-4889 \cdot (F)650-369-7169$

Material Safety Data Sheet

May be used to comply with OSHA's Hazard Communication Standard, 29 CFR 1910.1200. Standard must be consulted for specific requirements.

U.S. Department of Labor Occupational Safety and Health Administration (Non-Mandatory Form) Form Approved OMB No. 1218-0072



IDENTITY (As Used on Label and List) All Wood Cased Pencil Products Art - Office - School - Craft - Charcoal -**Graphite - Pastels - Colored**

Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.

SECTION I

Manufacturer's Name Emergency Telephone Number

1-800-537-0734 General Pencil Company, Inc.

Address

(Number, Street, City, State, and ZIP Code)

(NJ) 67 Fleet St., Jersey City, NJ 07306

(CA) 3160 Bay Rd., Redwood City, CA 94063

Telephone Number for Information

(NJ) 1-201-653-5351 or (CA) 1-650-369-4889

Date Prepared 11/01/12

Signature of Preparer (optional)

Section II - Hazardous Ingredients/Identity Information

% **Hazardous Components** OSHA ACGIH **Other Limits** (Specific Chemical Identity; Common Name(s)) PEL TLV Recommended (optional)

Pencil products bearing the PMA Certification Mark (Seal) of the Pencil Makers Assoc. Inc., are not within the scope of the OSHA Hazard Communication Standard. Pencils and graphite products are articles, not chemicals, 29 C.F.R. part 1910 1200 (B) (5)

Pencil products bearing the PMA Certification Mark (Seal) are Certified in a program of toxicologic evaluation by a medical expert subject to review by the programs Toxicological review board to contain no materials in sufficient quantities to offer an acute or chronic health hazard to humans.

No acute or chronic health labeling is required under, provision of federal law, the federal hazardous substance act, or under ASTM Standard D 4236.

Section III - Physical/Chemical Characteristics

Boiling Point	N/A	Specific Gravity (H ₂ O = 1)	N/A
Vapor Pressure (mm Hg)	N/A	Melting Point	N/A
Vapor Density (AIR = 1)	N/A	Evaporation Rate (Butyl Acetate = 1)	N/A
Solubility in Water	N/A		

Appearance and Odor Solid Stick Form - Cedar Fragrance, Dk. Grey - Black

General Pencil Company, Inc.

Wood Cased Pencils

Page 1 of 3

GENERAL PENCIL COMPANY, INC.

 $(T)650-369-4889 \cdot (F)650-369-7169$

Section IV - Fire and Explosion Hazard Data

Flash Point Flammable
(Method Used) Limits LEL UEL
365° F N/A N/A N/A

Extinguishing Media

Foam, Carbon Dioxide, Dry Chemical

Special Fire Fighting Procedures

A self contained breathing device should be used when there is potential exposure to combustion products burning in bulk.

Unusual Fire and Explosion Hazards

Pencil products <u>stored in bulk</u> are subject to ignition by fire and may, in case of fire, release toxic and other irritating gasses.

Section V - Reactivity Data

Stability Unstable N/A Conditions to Avoid

Stable N/A N/A

Incompatibility (Materials to Avoid)

N/A

Hazardous Decomposition or Byproducts

N/A

Hazardous Polymerization May Occur N/A Conditions to Avoid

N/A Will Not Occur N/A N/A

Section VI - Health Hazard Data

Route(s) of Entry: Inhalation? Skin? Ingestion?

N/A N/A N/A

Health Hazards (Acute and Chronic)

N/A

Carcinogenicity: NTP? IARC Monographs? OSHA Regulated?

N/A N/A N/A N/A

Signs and Symptoms of Exposure

N/A

Medical Conditions Generally Aggravated by Exposure

N/A

Emergency and First Aid Procedures

N/A

GENERAL PENCIL COMPANY, INC.

 $(T)650-369-4889 \cdot (F)650-369-7169$

Section VII - Precautions for Safe Handling and Use

Steps to Be Taken in Case Material is Released or Spilled

Waste Disposal Method

Precautions to Be taken in Handling and Storing

Other Precautions

N/A

Section VIII - Control Measures

Respiratory Protection (Specify Type)

N/A

Ventilation: **Local Exhaust**

N/A Special N/A

Mechanical (General)

N/A Other

Protective Gloves

N/A

N/A

Eye Protection

Other Protective Clothing or Equipment

N/A

Work/Hygienic Practices

Section IX - Other

PMA Certified

* U.S.G.P.O.: 1986 - 491 - 529/45775

**This information sheet is for the consumer use of this product only.

***The information herein is given in good faith, but no warranty, expressed or implied, is made.