

\*Skizzen Basic Set\*

20444.1009

1-06-04

**DIN safety data sheet**

Date: 6/98

<b>Company</b> CRETACOLOR - BLEISTIFTFABRIK HIRM GMBH, AUSTRIA	
<b>Commercial product name</b> LEAD "NEGRO", ITEM NO. 261 01, 261 02	
1.1 <b>Chemical characterization:</b> BURNT MIXTURE OF SOOT AND CLAY, IMPREGNATED WITH STEARIN	
1.2 <b>Form:</b> CYLINDRICAL	1.3 <b>Colour:</b> BLACK
1.4 <b>Odour:</b> NONE	
<b>2 Physical data and safety data</b> <span style="float: right;">Tested in accordance with:</span>	
2.1 <b>Change in physical state</b>	
2.2 <b>Density</b> ( °C) <span style="float: right;">g/cm<sup>3</sup></span>	
<b>Bulk density</b> <span style="float: right;">kg/m<sup>3</sup></span>	
2.3 <b>Vapour pressure</b> ( °C) <span style="float: right;">mbar</span>	
( °C) <span style="float: right;">mbar</span>	
2.4 <b>Viscosity</b> ( °C)	
2.5 <b>Solubility in water</b> ( °C) <span style="float: right;">g/l</span>	
in ( °C) <span style="float: right;">g/l</span>	
2.6 <b>pH value</b> (at g/l H <sub>2</sub> O) ( °C)	
2.7 <b>Flash point</b> <span style="float: right;">°C</span>	
2.8 <b>Ignition temperature</b> <span style="float: right;">°C</span>	
2.9 <b>Explosion limits</b> Lower: Upper:	
2.10 <b>Thermal decomposition</b>	
2.11 <b>Hazardous decomposition products</b>	
2.12 <b>Hazardous reactions</b> NONE AT CORRECT HANDLING	
2.13 <b>Further information</b>	
<b>3 Transport</b> GGVSee/IMDG code: UN No. ICAO/IATA-DGR:	
GGVE/GGVS. RID/ADR ADNR.	
Other information	
<b>4 Regulations</b>	

DIN 52300 - Safety sheet in accordance with DIN 52300-1, obtainable from Beuth Verlag GmbH, D-1000 Berlin 30 - Sales No 11 628

V.3671

<b>Commercial product name</b> LEAD "NEGRO", ITEM NO. 261 01, 261 02	
<p><b>5 Protective measures, storage and handling</b></p> <p>5.1 Technical protective measures</p> <p>5.2 Personal protective equipment      Respiratory protection: Hand protection:</p> <p>5.3 Industrial hygiene      WASH HANDS AFTER USE</p> <p>5.4 Protection against fire and explosion</p> <p>5.5 Disposal</p>	<p>Eye protection: Other:</p>
<p><b>6 Measures in case of accidents and fires</b></p> <p>6.1 After spillage / leakage / gas leakage</p> <p>6.2 Extinguishing media      Suitable: WATER, FOAM, DRY EXTINGUISHING MATERIAL Not to be used:</p> <p>6.3 First aid      VISIT PHYSICIAN IF SWALLOWED</p> <p>6.4 Further information</p>	
<p><b>Information on toxicity</b></p> <p>NO HARM TO THE HUMAN HEALTH KNOWN</p>	
<p><b>Information on ecological effects</b></p> <p>NO NEGATIVE ECOLOGICAL EFFECTS KNOWN</p>	
<p><b>Further information</b></p>	
<p>12 900</p>	

# DIN safety data sheet

Date: 11/02/98

<b>Company</b> BLEISTIFTFABRIK HIRM GMBH, AUSTRIA	
<b>Commercial product name</b> GRAPHITE MONOLITH HB, 2B, 4B, 6B, 8B, 9B	
1.1 Chemical characterization:	BURNT MIXTURE OF GRAPHITE AND CLAY, STEARIC ACID LACQUER
1.2 Form: CYLINDRICAL	1.3 Colour: SILVERGREY
	1.4 Odour: NONE
<b>2 Physical data and safety data</b> <span style="float: right;">Tested in accordance with:</span>	
2.1 Change in physical state	°C °C
2.2 Density (°C)	g/cm <sup>3</sup>
Bulk density	kg/m <sup>3</sup>
2.3 Vapour pressure (°C)	mbar
2.4 Viscosity (°C)	mbar
2.5 Solubility in water (°C)	g/l
in (°C)	g/l
2.6 pH value (at g/l H <sub>2</sub> O) (°C)	INSOLUBLE
2.7 Flash point	°C
2.8 Ignition temperature	°C
2.9 Explosion limits	Lower:                      Upper:
2.10 Thermal decomposition	
2.11 Hazardous decomposition products	
2.12 Hazardous reactions	NONE AT CORRECT HANDLING
2.13 Further information	
<b>3 Transport</b>	GGVSee/IMDG code: UN No.: ICAO/IATA-DGR: GGVE/GGVS RID/ADR ADNR
<b>4 Regulations</b>	NONE

DIN safety data sheet in accordance with DIN 52914, inflammable from Beuth Verlag GmbH D 1000 Berlin, JD Sales No. 11628

<b>Commercial product name</b>		GRAPHITE MONOLITH, HB, 2B, 4B, 6B, 8B, 9B	
<b>5 Protective measures, storage and handling</b>			
5.1 Technical protective measures			
5.2	Personal protective equipment	Respiratory protection: Hand protection:	Eye protection: Other:
5.3	Industrial hygiene	WASH HANDS AFTER USE	
5.4 Protection against fire and explosion			
5.5 Disposal			
<b>6 Measures in case of accidents and fires</b>			
6.1 After spillage / leakage / gas leakage			
6.2	Extinguishing media	Suitable:	WATER, FOAM, DRY EXTINGUISHING MATERIAL
		Not to be used:	
6.3	First aid	VISIT PHYSICIAN IF SWALLOWED	
6.4 Further information			
<b>7 Information on toxicity</b>			
NO HARM TO THE HUMAN HEALTH KNOWN			
<b>8 Information on ecological effects</b>			
NO NEGATIVE ECOLOGICAL EFFECTS KNOWN			
9 Further information			

# DIN safety data sheet

Date: 1/98

<b>Company</b> BLEISTIFTFABRIK HIRM GMBH, AUSTRIA	
<b>Commercial product name</b> 461 51, 461 52 - WHITE CHALK PENCILS (276/1, 276/2)	
1.1 Chemical characterization:	HARDENED MIXTURE OF TITANIUM-DIOXIDE, KAOLIN, CHALK, QUARTZ AND TYLOSE, WOOD ENCASED, LACQUER
1.2 Form: CYLINDRICAL	1.3 Colour: WHITE
	1.4 Odour: NONE
<b>2 Physical data and safety data</b> <span style="float: right;">Tested in accordance with:</span>	
2.1 Change in physical state	°C °C
2.2 Density ( °C)	g/cm <sup>3</sup>
Bulk density	kg/m <sup>3</sup>
2.3 Vapour pressure ( °C)	mbar
( °C)	mbar
2.4 Viscosity ( °C)	
2.5 Solubility in water ( °C)	INSOLUBLE g/l
in ( °C)	g/l
2.6 pH value (at g/l H <sub>2</sub> O) ( °C)	
2.7 Flash point	°C
2.8 Ignition temperature	°C
2.9 Explosion limits Lower:	Upper:
2.10 Thermal decomposition	
2.11 Hazardous decomposition products	
2.12 Hazardous reactions	NONE AT CORRECT HANDLING
2.13 Further information	
<b>3 Transport</b> GGVSee/IMDG code	UN No.:
GGVE/GGVS	ICAO/IATA-DGR:
Other information	RID/ADR: ACNR:
<b>4 Regulations</b>	

This safety data sheet is in accordance with Directive 91/271/EEC, amendable from December 31, 1999. Berlin 30 - Sales No. 111628

<b>Commercial product name</b> 461 51, 461 52 - WHITE CHALK PENCIL	
<b>Protective measures, storage and handling</b>	
1 <b>Technical protective measures</b>	
2 <b>Personal protective equipment</b>	Respiratory protection: Hand protection: Eye protection: Other:
3 <b>Industrial hygiene</b>	WASH HANDS AFTER USE
4 <b>Protection against fire and explosion</b>	NONE
<b>Disposal</b>	
<b>Measures in case of accidents and fires</b>	
<b>After spillage / leakage / gas leakage</b>	
<b>Extinguishing media</b>	Suitable: WATER, FOAM, DRY EXTINGUISHING MATERIAL
<b>First aid</b>	Not to be used: VISIT PHYSICIAN IF SWALLOWED
<b>Further information</b>	
<b>Information on toxicity</b>	
NO HARM TO THE HUMAN HEALTH KNOWN	
<b>Information on ecological effects</b>	
NO NEGATIVE ECOLOGICAL EFFECTS KNOWN	
<b>Further information</b>	

# DIN safety data sheet

Date: 1/98

<b>Company</b> BLEISTIFTFABRIK HIRM GMBH, AUSTRIA	
<b>Commercial product name</b> 462 12 SANGUINE DRY PENCIL (187/2), 463 22 SEPIA LIGHT PENCIL (262/2), 463 32 SEPIA DARK PENCIL (263/2)	
1.1 <b>Chemical characterization:</b> HARDENED MIXTURE OF SOOT, FERRIC OXIDES, KAOLIN, CHALK AND QUARTZ, WOOD ENCASED, LACQUER	
1.2 <b>Form:</b> CYLINDRICAL	1.3 <b>Colour:</b> RED - BROWN
1.4 <b>Odour:</b> NONE	
<b>2 Physical data and safety data</b> <span style="float: right;">Tested in accordance with:</span>	
2.1 <b>Change in physical state</b>	
	°C
	°C
2.2 <b>Density</b> ( °C)	g/cm <sup>3</sup>
<b>Bulk density</b>	kg/m <sup>3</sup>
2.3 <b>Vapour pressure</b> ( °C)	mbar
	mbar
2.4 <b>Viscosity</b> ( °C)	
2.5 <b>Solubility in water</b> ( °C)	g/l
<b>in</b> ( °C)	g/l
2.6 <b>pH value</b> (at g/l H <sub>2</sub> O) ( °C)	
2.7 <b>Flash point</b>	°C
2.8 <b>Ignition temperature</b>	°C
2.9 <b>Explosion limits</b> Lower: Upper:	
2.10 <b>Thermal decomposition</b>	
2.11 <b>Hazardous decomposition products</b>	
2.12 <b>Hazardous reactions</b> NONE AT CORRECT HANDLING	
2.13 <b>Further information</b>	
<b>3 Transport</b> GGVSee/IMDG code: UN No. ICAO/IATA-DGR: GGVE/GGVS. RID/ADR ADNR Other information:	
<b>4 Regulations</b>	

DIN Leaflet - Data sheet in accordance with DIN 57100, obtainable from Reuth Verlag GmbH, D-9100 Berlin 30 - Sales No. 11 628

<b>Commercial product name</b> 452 12 SANGUINE DRY, 463 22 SEPIA LIGHT, 463 32 SEPIA DARK	
<b>5 Protective measures, storage and handling</b> 5.1 Technical protective measures	
5.2 Personal protective equipment	Respiratory protection: Hand protection: Eye protection: Other:
5.3 Industrial hygiene	WASH HANDS AFTER USE
5.4 Protection against fire and explosion	NONE
5.5 Disposal	
<b>6 Measures in case of accidents and fires</b> 6.1 After spillage / leakage / gas leakage	
6.2 Extinguishing media	Suitable: WATER, FOAM, DRY EXTINGUISHING MATERIAL Not to be used:
6.3 First aid	VISIT PHYSICIAN IF SWALLOWED
6.4 Further information	
<b>7 Information on toxicity</b>  NO HARM TO THE HUMAN HEALTH KNOWN	
<b>8 Information on ecological effects</b>  NO NEGATIVE ECOLOGICAL EFFECTS KNOWN	
<b>9 Further information</b>	



22/01 2003 15:37 FAX 0296617719

SAUER

- SAVOIR FAIRE

002/004

22/01 '03 15:48 TEL 04 96 63 63 17

SENNELIER

02

1/3

**SENNELIER MATERIAL SAFETY DATA SHEET.**

**1 - IDENTIFICATION OF THE PREPARATION AND COMPANY.**

Product Name and/or Code : **OIL-GROUND CERUSE**  
N133615.

Intended use : Artistic use

Name of company : **MAX SAUER S.A**  
2, rue Lamarck  
22002 Saint Brieuc Cedex  
Tél : (33) 96 68 20 00

**2 - COMPOSITION/INFORMATION ON INGREDIENTS.**

Substances presenting a health hazard by the terms of the Dangerous Substances Directive 67/548/EEC :

Names	Conc.	Symbol	R-Sentences	P-Sentences
CI : PW 1	50 - 100%	T	20/22, 33, 61, 62.	90
Basic Lead Carbonate.				

**3 - HAZARDS IDENTIFICATION OF THE PREPARATION.**

**TOXIC**

**R 20/22 :** Harmful by inhalation and if swallowed.

**R 33 :** Danger of cumulative effects.

**R 61 :** May cause harm to the unborn child.

**R 62 :** Possible risk of impaired fertility.

**P 90 :** Contains lead. Should not be used on surfaces liable to be chewed or sucked by children.

**4 - FIRST AID MEASURES.**

**General :**  
In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person.

**Eye contact :**  
Remove contact lenses, irrigate with copious amount of water for at least 10 minutes, and seek medical advice.

**Skin contact :** Remove contaminated clothing. Wash skin thoroughly with soap and water or use recognised skin cleanser. Do NOT use solvents or thinners.

**Ingestion :**  
If accidentally swallowed obtain immediate medical attention. Keep at rest. Induce vomiting.

22/01/03

Céruse.

22/01 2003 15:37 FAX 0298617719

22/01 '03 15:48 TEL 02 98 83 83 17

SAUER

SENNEBLIER

+ SAVOIR FAIRE

001/004  
03

2/3

**5 - FIRE-FIGHTING MEASURES.**

Extinguishing media :  
All.

Recommendations :  
Cool closed containers exposed to fire with water.

**6 - ACCIDENTAL RELEASE MEASURES.**

Collect spillage with non-combustible absorbent materials, in a suitable container for disposal according to local regulations.

**7 - HANDLING AND STORAGE.**

Storage : Not to be stored above 40°C.

**8 - EXPOSURE CONTROLS/PERSONAL PROTECTION.**

Hand protection : Use gloves.

Eye protection : Glasses

**9 - PHYSICAL AND CHEMICAL PROPERTIES.**

Physical State : paste  
Specific gravity : 2.5  
Solubility in water : not soluble

**10 - STABILITY AND REACTIVITY.**

Stable under recommended storage and handling conditions.

**11 - TOXICOLOGICAL INFORMATION.**

There are no data available on the preparation itself.

**12 - ECOLOGICAL INFORMATION.**

There are no data available on the preparation itself.

22/01/03

Céroue.

22/01 2003 15:38 FAX 0296817719  
22/01 03 15:48 TEL 02 96 63 82 17

SAUER

SENNELIER

+ SAVOIR FAIRE

004/004  
04

3/3

**13 - DISPOSAL CONSIDERATIONS.**

Waste and empty containers should be disposed according to local regulations.

**14 - TRANSPORT INFORMATION.**

ADR/RID : Class : 6.1, 650  
UN # : 3288 label : 6.1  
Danger # : 60  
IMDG Sec : Class 6.1  
UN # 3288 PG III  
EMS : 6.1 - 04  
ICAO/IATA : Class : 6.1  
UN/ID 3288 PG III

**15 - REGULATORY INFORMATION.**

In accordance with European Directive 88/379/EEC :

**Danger classification :** Toxique  
**Contains :** Basic lead Carbonate  
**R-phrases :**  
20/22 : Harmful by inhalation and if swallowed.  
33 : Danger of cumulative effects.  
61 : May cause harm to the unborn child.  
62 : Possible risk of impaired fertility.  
**P-phrases :**  
90 : Contains lead. Should not be used on surfaces liable to be chewed or sucked by children.  
**S-phrases :**  
1/2 : Keep locked up and out of the reach of children.  
36/37 : Wear suitable protective clothing and gloves.  
45 : In case of accident or if you feel, seek medical advice immediately (show the label where possible).  
53 : Avoid exposure - obtain special instructions before use.

**16 - OTHER INFORMATION.**

The information of this MSDS is based on the present state of our knowledge and on current national laws, as the users' working conditions are beyond our knowledge and control. The product is not to be used for other purposes than those specified under section 1 without first obtaining written handling instruction. It is always the responsibility of the user to take all necessary steps in order to fulfil the demand laid down in the local rules and legislation. The information in this MSDS is meant as a description of the safety requirements of our product : it is not to be considered as a guarantee of the products' properties.

22/01/03

Céruse.

**DiN safety data sheet**

Date: 7/99

<b>Company</b> BLEISTIFTFABRIK HIRM GMBH, AUSTRIA	
<b>Commercial product name</b> 494 01 - 494 05 COMPRESSED CHARCOAL	
1.1 <b>Chemical characterization:</b> BURNT MIXTURE OF CHARCOAL AND CLAY	
1.2 <b>Form:</b> CYLINDRICAL	1.3 <b>Colour:</b> GREYISH BLACK
1.4 <b>Odour:</b> NONE	
<b>2 Physical data and safety data</b> <span style="float: right;">Tested in accordance with:</span>	
2.1 <b>Change in physical state</b>	
	°C
	°C
2.2 <b>Density</b> ( °C)	g/cm <sup>3</sup>
<b>Bulk density</b>	kg/m <sup>3</sup>
2.3 <b>Vapour pressure</b> ( °C)	mbar
	mbar
2.4 <b>Viscosity</b> ( °C)	
2.5 <b>Solubility in water</b> ( °C)	g/l
<b>in</b> ( °C)	g/l
2.6 <b>pH value</b> (at g/l H <sub>2</sub> O) ( °C)	
2.7 <b>Flash point</b>	°C
2.8 <b>Ignition temperature</b>	°C
2.9 <b>Explosion limits</b> Lower: Upper:	
2.10 <b>Thermal decomposition</b>	
2.11 <b>Hazardous decomposition products</b>	
2.12 <b>Hazardous reactions</b> NON AT CORRECT HANDLING	
2.13 <b>Further information</b>	
<b>3 Transport</b> GGVSee/IMDG code: GGVE/GGVS: Other information:	UN No.: RID/ADR: ICAO/IATA-DGR: ADNR:
<b>4 Regulations</b>	

DiN safety data sheet in accordance with DIN 53 000, obtainable from Beuth Verlag GmbH, D-1000 Berlin 30 - Sales No 11626

<b>Commercial product name</b> 494 01 - 494 05 COMPRESSED CHARCOAL	
<b>Protective measures, storage and handling</b> Technical protective measures  Personal protective equipment Industrial hygiene  Protection against fire and explosion  Disposal	Respiratory protection: Hand protection: WASH HANDS AFTER USE  Eye protection: Other:
<b>Measures in case of accidents and fires</b> After spillage / leakage / gas leakage  Extinguishing media First aid  Further information	Suitable: Not to be used: VISIT PHYSICIAN IF SWALLOWED
<b>Information on toxicity</b>	NO HARM TO THE HUMAN HEALTH KNOWN UNTIL NOW
<b>Information on ecological effects</b>	NO NEGATIVE ECOTOXICOLOGICAL EFFECTS KNOWN UNTIL NOW
<b>Further information</b>	
Item Numbers: 20444-1009	

**DIN safety data sheet**

Date: 11.02.98

<b>Company</b> BLEISTIFTFABRIK HIRM GMBH, AUSTRIA	
<b>Commercial product name</b> GRAPHITE PENCILS, 1 - 4, 8B - 9H (123, 150 ..)	
1.1 <b>Chemical characterization:</b> LEAD: BURNT MIXTURE OF GRAPHITE AND CLAY, STEARIC ACID CEDAR WOOD, LACQUER, STAMPING FOIL	
1.2 <b>Form:</b> HEXAGONAL	1.3 <b>Colour:</b> BLACK
1.4 <b>Odour:</b> NONE	
<b>2 Physical data and safety data</b> <span style="float: right;">Tested in accordance with:</span>	
2.1 <b>Change in physical state</b>	
	°C
	°C
2.2 <b>Density</b> ( °C)	g/cm <sup>3</sup>
<b>Bulk density</b>	kg/m <sup>3</sup>
2.3 <b>Vapour pressure</b> ( °C)	mbar
	mbar
2.4 <b>Viscosity</b> ( °C)	
2.5 <b>Solubility in water</b> ( °C)	INSOLUBLE
<b>in</b> ( °C)	g/l
2.6 <b>pH value</b> (at g/l H <sub>2</sub> O) ( °C)	g/l
2.7 <b>Flash point</b>	°C
2.8 <b>Ignition temperature</b>	°C
2.9 <b>Explosion limits</b> Lower: Upper:	
2.10 <b>Thermal decomposition</b>	
2.11 <b>Hazardous decomposition products</b>	
2.12 <b>Hazardous reactions</b> NONE AT CORRECT HANDLING	
2.13 <b>Further information</b>	
<b>3 Transport</b> GGVSee/IMDG code: UN No.: ICAO/IATA-DGR: GGVE/GGVS RID/ADR ADNR. Other information	
<b>4 Regulations</b> NONE	

DIN safety data sheet in accordance with DIN 57 910, obtainable from Neuhof Verlag GmbH D-1000 Berlin 30 - Sales No 11 078

<b>Commercial product name</b> GRAPHITE PENCILS 1 - 4, 8B - 9H (123, 150 ..)	
<b>5</b> <b>Protective measures, storage and handling</b>	
5.1 <b>Technical protective measures</b>	
5.2 <b>Personal protective equipment</b>	<b>Respiratory protection:</b> <b>Hand protection:</b> <b>Eye protection:</b> <b>Other:</b>
5.3 <b>Industrial hygiene</b>	WASH HANDS AFTER USE
5.4 <b>Protection against fire and explosion</b>	NONE
5.5 <b>Disposal</b>	
<b>6</b> <b>Measures in case of accidents and fires</b>	
6.1 <b>After spillage / leakage / gas leakage</b>	
6.2 <b>Extinguishing media</b>	Suitable: WATER, FOAM, DRY EXTINGUISHING MATERIAL Not to be used:
6.3 <b>First aid</b>	VISIT PHYSICIAN IF SWALLOWED
6.4 <b>Further information</b>	
<b>7</b> <b>Information on toxicity</b>	
	NO HARM TO THE HUMAN HEALTH KNOWN
<b>8</b> <b>Information on ecological effects</b>	
	NO NEGATIVE ECOLOGICAL EFFECTS KNOWN
<b>9</b> <b>Further information</b>	

UOI-05-00 FR. 1002 1000000000  
 UOHT: BF HIRM AUSTRIA FRX-NR.: + 43 2607 47283 18-05-00 09144 P.02

# DIN safety data sheet

Date: May, 2000

<b>Company</b> BLIISTIFTFABRIK HIRM GMBH, AUSTRIA	
<b>Commercial product name</b> 407 02 SKETCHING COAL	
1.1 <b>Chemical characterization:</b> BURNT MIXTURE OF CHARCOAL, SOOT AND CLAY	
1.2 <b>Form:</b> CYLINDRICAL	1.3 <b>Colour:</b> BLACK
1.4 <b>Odour:</b> NONE	
<b>2 Physical data and safety data</b> <span style="float: right;">Tested in accordance with:</span>	
2.1 <b>Change in physical state</b>	
	°C
	°C
2.2 <b>Density</b> ( °C)	g/cm <sup>3</sup>
<b>Bulk density</b>	kg/m <sup>3</sup>
2.3 <b>Vapour pressure</b> ( °C)	mbar
	mbar
2.4 <b>Viscosity</b> ( °C)	
2.5 <b>Solubility in water</b> ( °C)	g/l
<b>in</b> ( °C)	g/l
2.6 <b>pH value</b> (at g/l H <sub>2</sub> O) ( °C)	
2.7 <b>Flash point</b>	°C
2.8 <b>Ignition temperature</b>	°C
2.9 <b>Explosion limits</b> Lower: Upper:	
2.10 <b>Thermal decomposition</b>	
2.11 <b>Hazardous decomposition products</b>	NONE
2.12 <b>Hazardous reactions</b>	NONE
2.13 <b>Further information</b>	WHEN BURNING, CO OR CO <sub>2</sub> CAN DEVELOP
<b>3 Transport</b>	GGVSee/IMDG code IUN No.. ICAO/IATA-DGR
	GGVF/GGVS: RID/ADR ADNR:
Other information:	
<b>4 Regulations</b>	
NONE	

DIN safety data sheet in accordance with DIN 52902, obtainable from Beuth Verlag GmbH, D-12205 Berlin, 30-3000 No. 11618

DIN 52900 - The instructions on how to fill in the form, contained in the complete text of the standard shall be observed.  
 Di. 40



UNION OF HIGH AUSTRIA

FAX-NR.:

+ 43 2697 47263

19-05-00 09:44 P.03

Commercial product name		407 02 SKETCHING COAL	
<b>6 Protective measures, storage and handling</b>			
5.1 Technical protective measures			
5.2 Personal protective equipment	Respiratory protection: Hand protection:	Eye protection, Other:	
5.3 Industrial hygiene	WASH HANDS AFTER USE		
5.4 Protection against fire and explosion			
5.5 Disposal			
<b>6 Measures in case of accidents and fires</b>			
5.1 After spillage / leakage / gas leakage			
6.2 Extinguishing media	Suitable:	WATER, FOAM, DRY EXTINGUISHING MATERIAL	
Not to be used:			
6.3 First aid	VISIT PHYSICIAN WHEN SWALLOWED		
6.4 Further information			
<b>7 Information on toxicity</b>			
NO HARM TO THE HUMAN HEALTH KNOWN			
<b>8 Information on ecological effects</b>			
NO NEGATIVE ECOLOGICAL EFFECTS KNOWN			
<b>9 Further information</b>			

DIN 52900

**DIN safety data sheet**

Date: 06/97

<b>Company</b> BLEISTIFTFABRIK HIRM GMBH, AUSTRIA	
<b>Commercial product name</b> CRETACOLOR 4800/.. <i>PASTELL Carré</i>	
<p>1.1 <b>Chemical characterization:</b> Mixture of inorganic filling material as Kaolin, Chalk, Quartz, Clay inorganic pigment colors as ferric oxide, organic pigment colors, soot</p> <p>1.2 <b>Form:</b> Square sticks      1.3 <b>Colour:</b> pigment colors used      1.4 <b>Odour:</b> none</p> <p style="text-align: center;">in correspondence with</p>	
<b>2 Physical data and safety data</b> <span style="float: right;">Tested in accordance with:</span>	
2.1 <b>Change in physical state</b>	°C °C
2.2 <b>Density</b> ( °C)	g/cm <sup>3</sup>
<b>Bulk density</b>	kg/m <sup>3</sup>
2.3 <b>Vapour pressure</b> ( °C)	mbar
	( °C) mbar
2.4 <b>Viscosity</b> ( °C)	
2.5 <b>Solubility in water</b> ( °C)	insoluble g/l
<b>In</b> ( °C)	g/l
2.6 <b>pH value</b> (at g/l H <sub>2</sub> O) ( °C)	
2.7 <b>Flash point</b>	°C
2.8 <b>Ignition temperature</b>	°C
2.9 <b>Explosion limits</b> Lower: None Upper:	
2.10 <b>Thermal decomposition</b>	
2.11 <b>Hazardous decomposition products</b>	
2.12 <b>Hazardous reactions</b> None at correct handling	
2.13 <b>Further information</b>	
<b>3 Transport</b> GGVSee/IMDG code: UN No.: ICAO/IATA-DGR: GGVE/GGVS: RID/ADR: ADNR:	
<b>Other information:</b> No signing duty	
<b>4 Regulations</b>	

DIN safety data sheet in accordance with DIN 52 900, obtainable from Beuth Verlag GmbH, D-1000 Berlin 30 - Sales No. 11 828

UCT-05-00 FRI 10:34 10:35:00 K FRIE

TEL 00123 000 0000

<b>Commercial product name</b> CRETACOLOR 4800/.. PASTELLCARRÉ			
<b>6 Protective measures, storage and handling</b>			
<b>5.1 Technical protective measures</b>			
<b>5.2 Personal protective equipment</b>	<b>Respiratory protection:</b>	<b>Eye protection:</b>	
	<b>Hand protection:</b>	<b>Other:</b>	
<b>5.3 Industrial hygiene</b>	Wash hands after use		
<b>5.4 Protection against fire and explosion</b>	None		
<b>5.5 Disposal</b>			
<b>6 Measures in case of accidents and fires</b>			
<b>6.1 After spillage / leakage / gas leakage</b>			
<b>6.2 Extinguishing media</b>	Suitable: Water, foam, dry extinguishing material		
	Not to be used:		
<b>6.3 First aid</b>	Visit physician if swallowed		
<b>6.4 Further information</b>			
<b>7 Information on toxicity</b>			
No harm to the human health known			
<b>8 Information on ecological effects</b>			
No negative ecological effects known			
<b>9 Further information</b>			



IMPORTERS OF FINE MATERIALS FOR THE ARTS

January 6, 2004 11:09 AM  
From: Cory Pritchard Customer Service  
To: Mary  
Company: Dick Blick  
FAX: 309 343-5785  
Total number of pages: 16

40 Leveroni Court  
Novato, CA 94949  
TEL: (800) 332-4660 ext. 18  
FAX: (800) 299-3113  
EMAIL: [cory@savoirfaire.com](mailto:cory@savoirfaire.com)

Dear Mary,

Here are MSDS sheets for the components of the Skizzen Drawing Set from Cretacolor and one of the Sennelier oil mediums you have requested.. We have requested the others from the folks at Sennelier, but need to ask again.

Have a great day,

A handwritten signature in black ink, appearing to read "Cory". The signature is fluid and cursive, with a long, sweeping tail that extends downwards and to the right.

Cory