

Recd 05-07-03

20460-1009



Material Safety Data Sheet

May be used to comply with OSHA's Hazard Communication Standard, 29 CFR 1910.1200. Standard must be consulted for specific requirements.

Art-Office School-Craft Charcoal-Graphite Pastels-Colored

U.S. Department of Labor
Occupational Safety and Health Administration
(Non-Mandatory Form)
Form Approved
OMB No. 1218-0072

IDENTITY (As Used on Label and List)
All wood cased pencil products

None. Blank spaces are not permitted if any item is not applicable, or no information is available. The space must be marked to indicate this.

Section I

Manufacturer's Name
GENERAL PENCIL CO.

Equipment Identification
1-800-537-0734

Address (Number, Street, City, State, and ZIP Code)
67 Fleet St. Jersey City N.J 07306

Telephone Number for Information
1-201-653-5351 ext. 1-415-369-4889

California--3168 Bay Rd.Box5311
Redwood City, CA 94063

Date Printed
Revised 4/15/92

Signature of Preparer (signature)

Section II - Hazardous Ingredients/Identify Information

Hazardous Components (Specific Chemical Identity, Common Name(s))	OSHA PEL	ACGIH TLV	Other Limits Recommended	As (signature)
---	----------	-----------	--------------------------	----------------

N/A-----Pencil products bearing the PMA Certification Mark(seal) of the Pencil Makers Assoc Inc, are not within the scope of the OSHA Hazard Communication Standard. Pencils and graphite products are articles, not chemicals, 29 C.F.R. part 1910 1200 (B)(5)

Pencil products bearing the PMA Certification Mark(seal) are certified in a program of toxicologic evaluation by a medical expert subject to review by the program Toxicological review Bd to contain no materials in sufficient quantities to offer an acute or chronic health hazard to humans..

No acute or chronic health labeling is required under provision of federal law, the federal hazardous substance act, or under ASTM Standard D 4236.

V-1870

Section III - Physical/Chemical Characteristics

Boiling Point	N/A	N/A	Specific Gravity (H ₂ O = 1)	N/A
Vapor Pressure (mm Hg)	N/A	N/A	Melting Point	N/A
Vapor Density (AIR = 1)	N/A	N/A	Evaporation Rate (Butyl Acetate = 1)	N/A
Solubility in Water	N/A			

Appearance and Odor
Solid Stick form----Cedar fragrance Dk. Grey--Black

Section IV - Fire and Explosion Hazard Data

Flash Point (Method Used)	365 F	Flammable Limits	LEL N/A	UEL N/A
---------------------------	-------	------------------	---------	---------

Extinguishing Method
Foam, Carbon dioxide, dry chemical

Special Fire Fighting Procedures

A self contained breathing device should be used when there is potential exposure to combustion products burning in bulk.

Up to 500 lbs and 5000 ft³ of bulk are subject to ignition by fire and may, in case of fire, release toxic and other irritating gases.

Section V — Reactivity Data

Stability	Unstable	N/A	Conditions to Avoid
	Stable	N/A	

Incompatibility (Materials to Avoid) N/A

Hazardous Decomposition or Byproducts N/A

Hazardous Polymerization N/A	May Occur	N/A	Conditions to Avoid
	Will Not Occur	N/A	

Section VI — Health Hazard Data

Route(s) of Entry: N/A Inhalation? N/A Skin? N/A Ingestion? N/A

Health Hazards (Acute and Chronic) N/A

Carcinogenicity: N/A NTP? N/A WRC Monographs? N/A OSHA Regulated? N/A

Signs and Symptoms of Exposure N/A

Medical Conditions Generally Aggravated by Exposure N/A

Emergency and First Aid Procedures N/A

Section VII — Precautions for Safe Handling and Use N/A

Steps to Be Taken in Case Material is Released or Spilled N/A

Waste Disposal Method N/A

Precautions to Be Taken in Handling and Storing N/A

Other Precautions N/A

Section VIII — Control Measures N/A

Respiratory Protection (Specify Type) N/A

N/A	Local Exhaust	N/A	Special	N/A
	Mechanical (General)	N/A	Other	N/A

Protective Gloves N/A Eye Protection N/A

Other Protective Clothing or Equipment N/A

Hygienic Practices N/A

05/07/2003 12:03 6503697169

GENERAL PENCIL CO

PAGE 02/03

MATERIAL SAFETY DATA SHEET

Page 1

IDENTITY (As Used on Label) Kneadable Eraser – 138E, 139E, 140E				
SECTION I				
Manufacturer's Name A.W.Faber-Castell (M) Sdn Bhd		Emergency Telephone Number 1-803-7334718 EXT : 307		
Address (Number, Street, ZIP Code, City, State) 14, Jalan SS 13/3A, Subang Jaya Ind. Estate, 47500 Petaling Jaya, Selangor, Malaysia		Telephone Number for Information 1-803-7334718		
		Date Prepared: 2/2/99 Signature of Preparer (Optional)		
SECTION II – Hazardous Ingredients/Identity Information				
Hazardous Components (Specific Chemical Identity, Common Name(s)) NIL				
Certify to European Standard For Safety of Toys (EN 71)				
Chemical nature of preparation Polyisobutylene Mixed with Vulcanized Vegetable Oil, Petroleum Distillate, Filler and Pigmentation				
SECTION III – Physical/Chemical Characteristics				
Boiling Point °C	N/A	Specific Gravity (H ₂ O = 1)	N/A	
Vapour Pressure (mm Hg)	N/A	Melting Point	N/A	
Vapour Density (AIR = 1)	N/A	Evaporation Rate (Butyl Acetate = 1)	N/A	
Solubility In Water:	N/A			
Appearance and Odour	Solid, Gray – Characteristic			
SECTION IV – Fire and Explosion Data				
Flash Point °C	N/A	Flammable Limits	LEL N/A	UEL N/A
Extinguishing Media	Water, Carbon Dioxide, Foam			
Special Fire Fighting Procedures In case of potential exposure to combustion products burning in bulk, a self contained breathing device should be used.				
Fire and Explosion Hazards Kneadable erasers stored in bulk are subject to ignition by fire and may, in case of fire, release toxic and other irritating gases.				

05/07/2003 12:03 6503697169

GENERAL PENCIL CO

PAGE 03/03

MATERIAL SAFETY DATA SHEET

Page 2

SECTION V - Reactivity Data			
Stability	Unstable	N/A	Conditions to avoid Strong heat, direct fire and prolonged exposure to direct sunlight
	Stable	YES	
Incompatibility (Materials to Avoid)		N/A	
Hazardous Decomposition or Byproducts		N/K	
Hazardous Polymerization	May Occur	N/A	Conditions to avoid N/A
	Will not Occur	N/A	
N/A			
SECTION VI - Health Hazard Data			
Route(s) Of Entry	Inhalation	Skin	Ingestion
	N/A	N/A	N/A
Health Hazards (Acute and Chronic)			
N/A			
Carcinogenicity	NTP7	IARC Monographs	OSHA Regulated
N/A	N/K	N/K	N/K
Signs and Symptoms of Exposure			
N/A			
Medical Conditions			
Generally Aggravated by Exposure			
N/A			
Emergency and First Aid Procedures			
N/A			
SECTION VII - Precautions for Safe Handling and Use			
Steps to Be Taken in Case Material is Released or Spilled			
Collect and Place in Disposal Container			
Waste Disposal Method			
According To Local Authority Regulation			
Precautions to Be Taken in Handling and Storing			
Keep in Dry and Cool Place, away from Strong Sunlight and Heat			
Other Precautions:			
Handle With Good Hygiene			
SECTION VIII - Control Measures			
N/A			
Respiratory Protection (Specify Type)			
Ventilation	Local Exhaust	N/A	Special
N/A	Mechanical (General)	N/A	Other
Protective Gloves:	N/A		Eye Protection
Inner Protective Clothing or Equipment			N/A
Other Hygienic Practices		N/A	N/A

TOTAL P.03

Pencil Makers Since 1889 GENERAL PENCIL COMPANY

Factory
67 Fleet Street
Jersey City, N.J. 07306
Tel (201) 653-5351
Fax (201) 653-2298



Please Reply to
3160 Bay Road/ PO 5311
Redwood City, CA 94063
New Area Code (650) 369-4889
New Area Code (650) 369-7169



"The Masters"
BRUSH CLEANER
AND PRESERVER

Dear Friends,

Thank you for your recent request for Material Safety Data Sheets in regard to the art material products which we manufacture. All of our products have been tested and certified and "conform" to the ASTM D-4236 Standard."

Below are the authorized seals we have been approved to use. These seals cover all the products listed.

We thank you for your concern and assure you the safest products available for the Arts & Crafts field.

If you have any further questions in regards to our products, please contact us at the above address nearest you.

GENERAL PENCIL CO., INC.

James S. Weissenborn, C.E.O.



The above seal covers certification of all GENERAL'S® woodcased products.



The above AP Seal covers all B&J Brush Cleaner products. The Masters® - The Original Formula.



NON-TOXIC
No health labeling Required

The above seal covers KISS-OFF™ Stain Remover.