

20513-0009



Material Safety Data Sheet *Rec'd 11-29-02*
 May be used to comply with OSHA's Hazard Communication Standard, 29 CFR 1910.1200 Standard must be consulted for specific requirements.
 U.S. Department of Labor Occupational Safety and Health Administration (Non-Mandatory Form) Form Approved OMB No 1218-0072
 Art-Office School-Craft Charcoal-Graphite Pastels-Colored

IDENTITY (As Used on Label and List) *Rec'd 02-16-00*
 All wood cased pencil products

Section I

Manufacturer's Name
 GENERAL PENCIL CO. Emergency Telephone Number
 1-800-557-0734

Address (Number, Street, City, State, and ZIP Code)
 67 Fleet St. Jersey City N.J 07306 Telephone Number for Information
 1-201-653-5351-1-415-369-4889

California--3168 Bay Rd.Box5311 Date Product Revised 4/15/92
 Redwood City, CA 94063

Signature of Preparer (optional)
[Signature]

Section II - Hazardous Ingredients/Identity Information

Hazardous Components (Specific Chemical Identity, Common Name(s))	OSHA PEL	ACGIH TLV	Other Limits Recommended	% (optional)
---	----------	-----------	--------------------------	--------------

N/A-----Pencil products bearing the PMA Certification Mark(seal) of the Pencil Makers Assoc. Inc. are not within the scope of the OSHA Hazard Communication Standard.. Pencils and graphite products are articles, not chemicals, 29 C.F.R. part 1910 1200 (B)(3)

Pencil products bearing the PMA Certification Mark(seal) are certified in a program of toxicologic evaluation by a medical expert subject to review by the program Toxicological review Bd. to contain no materials in sufficient quantities to offer an acute or chronic health hazard to humans..

No acute or chronic health labeling is required under provision of federal law, the federal hazardous substance act, or under ASTM Standard D 4236..

Section III - Physical/Chemical Characteristics

Boiling Point N/A	N/A	Specific Gravity (H ₂ O = 1)	N/A
Vapor Pressure (mm Hg)	N/A	Melting Point	N/A
Vapor Density (AIR = 1)	N/A	Evaporation Rate (Butyl Acetate = 1)	N/A
Solubility in Water N/A			

Appearance and Odor
 Solid Stick Form----Cedar fragrance Dk.- Grey--Black

Section IV - Fire and Explosion Hazard Data

Flash Point (Method Used) 365 F	Flammable Limits	LEL N/A	UEL N/A
------------------------------------	------------------	------------	------------

Extinguishing Media
 Foam, Carbon dioxide, dry chemical

Special Fire Fighting Procedures
 A self contained breathing device should be used when there is potential exposure to combustion products burning in bulk.

Up to 1000 lbs. of Pencil products stored in bulk are subject to ignition by fire and may, in case of fire, release toxic and other irritating gases.

V-1870

Section V — Reactivity Data

Stability	Unstable	N/A	Conditions to Avoid
	Stable	N/A	

Incompatibility (Materials to Avoid) N/A

Hazardous Decomposition or Byproducts N/A

Hazardous Polymerization N/A	May Occur	N/A	Conditions to Avoid
	Will Not Occur	N/A	

Section VI — Health Hazard Data

Route(s) of Entry: N/A Inhalation? N/A Skin? N/A Ingestion? N/A

Health Hazards (Acute and Chronic) N/A

Carcinogenicity: N/A NTP? N/A IARC Monographs? N/A OSHA Regulated? N/A

Signs and Symptoms of Exposure N/A

Medical Conditions Generally Aggravated by Exposure N/A

Emergency and First Aid Procedures N/A

Section VII — Precautions for Safe Handling and Use N/A

Steps to Be Taken in Case Material is Released or Spilled N/A

Waste Disposal Method N/A

Precautions to Be Taken in Handling and Storing N/A

Other Precautions N/A

Section VIII — Control Measures N/A

Respiratory Protection (Specify Type) N/A

Ventilation N/A	Local Exhaust	N/A	Special	N/A
	Mechanical (General)	N/A	Other	N/A

Protective Gloves N/A Eye Protection N/A

Other Protective Clothing or Equipment N/A

Hygienic Practices N/A

05/23/97 13:09 17056493434

SANFORD CORP

0027003

Material Safety Data Sheet

Rec'd 5-27-97

MSDS No:

Page 1 of 2

Sanford Corporation
2711 Washington Blvd.
Bellwood, IL 60104

Telephone No: 1-800-323-0749
Initiated By: Jamie Paulin
Date of Last Revision: 1/20/97
Medical Emergency No. 1-800-228-5635

20411-2009
-2001

6723 - all ca
6725 - all ca
6741 - all cod
6748 - all cod
63700-00
6374 - all cod
6375 - all cod

Section 1 - Product Identification

Product Name: Eberhard Faber - All Pencils
Colors:

Pencil products bearing the PMA Certification Mark are certified in a program of toxicological evaluation by a medical expert subject to review by the program's Toxicological Review Board to contain no materials in sufficient quantities to offer an acute or chronic health hazard to humans. No acute or chronic health labeling is required under provisions of Federal Hazardous Substances Act, or under ASTM Standard D-4236, a standard for labeling art materials for chronic health hazard. Pencils are certified as non toxic under the PMA Program.

Section 2 - Composition

Graphite Core

Section 3 - Physical / Chemical Characteristics

Boiling Point: N/A
Vapor Pressure (mm Hg): N/A
Specific Gravity: N/A
Solubility in Water: N/A
Appearance / Odor: Pencil
Evaporation Rate: N/A

Section 4 - Fire and Explosion Hazard Data

Flash Point (Method Used): N/A
Flammability Limits (% by volume): Lower: N/A Upper: N/A
Extinguishing Medium: Water, CO₂, dry chemicals
Special Fire Fighting Procedures: Pencil products stored in bulk are subject to ignition by fire & may, in the case of fire, release toxic & other irritating gases. A self-contained breathing apparatus should be used when there is potential exposure to combustion products of pencils burning in bulk.
Unusual Fire and Explosion Hazards: None.

05/23/97 13:09 17056493434

SANFORD CORP

003/003

MSDS No.

Page 2 of 2

Section 5 - Reactivity Data

Stability: Stable
 Conditions to Avoid: None
 Chemical Incompatibility: None
 Hazardous Decomposition: None
 Hazardous Polymerization: Will not occur

Section 6 - Health Hazard Data

Chemical Listed as Carcinogen or Potential Carcinogen:

IARC Monographs: No
 National Toxicology Program: No
 OSHA Regulated: No

Emergency and First Aid Procedures: Eye or skin punctures should be treated by a physician.

Section 7 - Precautions for Safe Handling and Use

Steps to be Taken in Case Material is Released or Spilled: Normal trash.
 Waste Disposal Method: In accordance with Federal, State, and Local Regulations.
 Precautions to be Taken in Handling and Storing: None
 Other Precautions: None

Section 8 - Personal Protection and Exposure Control Measures

Eye Protection: None under normal use conditions.
 Skin Protection: None under normal use conditions.
 Respiratory Protection: None under normal use conditions.
 Ventilation: None under normal use conditions.
 Protective Clothing: None under normal use conditions.

HMIS Code	
Health	N/A
Flammability	N/A
Reactivity	N/A
Personal Protection	N/A

Sanford Corporation has been advised by council that the OSHA Hazard Communication Standard does not apply to the Sanford Product described in this MSDS. The reason for the exemption is contained in 29 CFR, Part 1910.1200, (b) (6) (ix), as amended July 1, 1994 per the Code of Federal Regulations. The information contained in this MSDS is forwarded to you for your information but is not meant to imply that the product is covered by the Hazard Communication Standard nor is the MSDS meant to comply with all requirements of the Hazard Communication Standard.

4-4