

# GENERAL PENCIL COMPANY, INC.

(T)650-369-4889 · (F)650-369-7169

## Material Safety Data Sheet

May be used to comply with OSHA's Hazard Communication Standard, 29 CFR 1910.1200. Standard must be consulted for specific requirements.

U.S. Department of Labor  
Occupational Safety and Health  
Administration  
(Non-Mandatory Form)  
Form Approved  
OMB No. 1218-0072



## IDENTITY (As Used on Label and List) Factis Erasers

**Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.**

### SECTION I

#### Manufacturer's or Distributors Name

General Pencil Company, Inc.

#### Address

(Number, Street, City, State, and ZIP Code)

(NJ) 67 Fleet St., Jersey City, NJ 07306

(CA) 3160 Bay Rd., Redwood City, CA 94063

#### Emergency Telephone Number

1-800-537-0734

#### Telephone Number for Information

(NJ) 1-201-653-5351 or (CA) 1-650-369-4889

**Date Prepared** 11/01/12

**Signature of Preparer (optional)**

### Section II - Hazardous Ingredients

#### Hazardous Components

(Specific Chemical Identity; Common Name(s))

N/A

OSHA PEL	ACGIH TLV	Other Limits Recommended	% (optional)

### Section III - Physical and Chemical Characteristics

<b>Boiling Point</b>	N/A	<b>Specific Gravity (H<sub>2</sub>O = 1)</b>	N/A
<b>Vapor Pressure (mm Hg)</b>	N/A	<b>Melting Point</b>	N/A
<b>Vapor Density (AIR = 1)</b>	N/A	<b>Evaporation Rate (Butyl Acetate = 1)</b>	N/A
<b>Solubility in Water</b>	N/A	<b>Reactivity in Water</b>	Non-Reactive
<b>Appearance and Odor</b>			

### Section IV - Fire and Explosion Information

<b>Flash Point (Method Used)</b>	<b>Auto ignition Temperature</b>	<b>Explosion limits in air (% by volume)</b>
N/A	N/A	Not explosive

#### Extinguishing Media

No special media required

#### Special Fire Fighting Procedures

No special fire fighting procedures required

#### Unusual Fire and Explosion Hazards

Not combustible

# GENERAL PENCIL COMPANY, INC.

(T)650-369-4889 · (F)650-369-7169

## Section V – Physical Hazards/Reactivity

<b>Stability</b>	<b>Unstable</b>	N/A	<b>Conditions to Avoid</b>
	<b>Stable</b>	N/A	N/A
<b>Hazardous Polymerization Products</b>			
N/A			
<b>Incompatibility (Materials to Avoid)</b>			
N/A			
<b>Hazardous Decomposition or Byproducts</b>			
N/A			
<b>Hazardous Polymerization</b>	<b>May Occur</b>	N/A	<b>Conditions to Avoid</b>
	<b>Will Not Occur</b>	N/A	N/A

## Section VI - Health Hazard Data

### Permissible Exposure Level

See Section II for Component PEL/TLV's

### Route(s) of Entry

Eye, Skin, Ingestion

### Effects and Symptoms of Acute Exposure

None expected

### Effects and Symptoms of Chronic Exposure

None expected

<b>Carcinogen Listing</b>	<b>NTP</b>	<b>IARC</b>	<b>OSHA</b>
	NO	NO	NO

*See Section II for Components Affected*

### Medical Conditions Usually Aggravated by Over Exposure to This Product

None

### First Aid Measures

None required. No acute health effects expected

## Section VII – Spill or Leak Procedures

### Precautions to Be taken in Handling and Storing

N/A

### Steps to be Taken In Case a Material is Spilled

No special spill procedures required

### Waste Disposal Method

Dispose in accordance with Federal, State, and Local regulations.

# GENERAL PENCIL COMPANY, INC.

(T)650-369-4889 · (F)650-369-7169

## Section VIII – Protective Equipment/Control Measures

### Respiratory Protection and Special Ventilation Requirements

None

### Other Protective Equipment (Gloves, Goggles, Etc)

None Required

### Work/Hygienic Practices

None Required

\* U.S.G.P.O.: 1986 - 491 - 529/45775

\*\*This information sheet is for the consumer use of this product only.

\*\*\*The information herein is given in good faith, but no warranty, expressed or implied, is made.

# GENERAL PENCIL COMPANY, INC.

(T)650-369-4889 · (F)650-369-7169

## Material Safety Data Sheet

May be used to comply with OSHA's Hazard Communication Standard, 29 CFR 1910.1200. Standard must be consulted for specific requirements.

U.S. Department of Labor  
Occupational Safety and Health  
Administration  
(Non-Mandatory Form)  
Form Approved  
OMB No. 1218-0072



### IDENTITY (As Used on Label and List)

**Gum Erasers**  
**(#137E and #136E)**

**Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.**

### SECTION I

#### Manufacturer or Distributor's Name

General Pencil Company, Inc.

#### Address (Number, Street, City, State, and ZIP Code)

(NJ) 67 Fleet St., Jersey City, NJ 07306

(CA) 3160 Bay Rd., Redwood City, CA 94063

#### Emergency Telephone Number

1-800-537-0734

#### Telephone Number for Information

(NJ) 1-201-653-5351 or (CA) 1-650-369-4889

**Date Prepared** 11/01/12

**Signature of Preparer (optional)**

### Section II - Hazardous Ingredients/Identity Information

#### Hazardous Components

(Specific Chemical Identity; Common Name(s))

N/A

#### Chemical Name and Synonyms

Pure Soybean Oil

#### Formula

Soybean Oil

OSHA PEL	ACGIH TLV	Other Limits Recommended	% (optional)

### Section III - Physical Data

**Boiling Point** N/A

**Vapor Pressure (mm Hg)** N/A

**Vapor Density (AIR = 1)** N/A

**Solubility in Water** N/A

**Appearance and Odor**

**Specific Gravity (H<sub>2</sub>O = 1)** N/A

**Melting Point** N/A

**Evaporation Rate (Butyl Acetate = 1)** N/A

**Reactivity in Water** Non-Reactive

### Section IV - Fire and Explosion Hazard Data

#### Flash Point (Method Used)

N/A

#### Flammable Limits

N/A

#### LEL

N/A

#### UEL

N/A

#### Extinguishing Media

N/A

#### Special Fire Fighting Procedures

N/A

#### Unusual Fire and Explosion Hazards

General Pencil Company, Inc.

MSDS  
Gum Erasers

Page 1 of 3

# GENERAL PENCIL COMPANY, INC.

(T)650-369-4889 · (F)650-369-7169

N/A

## Section V - Reactivity Data

<b>Stability</b>	<b>Unstable</b>	N/A	<b>Conditions to Avoid</b>
	<b>Stable</b>	N/A	N/A
<b>Incompatibility (Materials to Avoid)</b>			
N/A			
<b>Hazardous Decomposition or Byproducts</b>			
N/A			
<b>Hazardous Polymerization</b>	<b>May Occur</b>	N/A	<b>Conditions to Avoid</b>
	<b>Will Not Occur</b>	N/A	N/A

## Section VI - Health Hazard Data

<b>Route(s) of Entry:</b>	<b>Inhalation?</b>	<b>Skin?</b>	<b>Ingestion</b>	N/A	n?
	N/A	N/A			
<b>Health Hazards (Acute and Chronic)</b>					
N/A					
<b>Carcinogenicity:</b>	<b>NTP?</b>	<b>IARC Monographs?</b>	<b>OSHA Regulated?</b>		
	N/A	N/A	N/A		
<b>Signs and Symptoms of Exposure</b>					
N/A					
<b>Medical Conditions Generally Aggravated by Exposure</b>					
N/A					
<b>Emergency and First Aid Procedures</b>					
N/A					

## Section VII - Precautions for Safe Handling and Use

<b>Steps to Be Taken in Case Material is Released or Spilled</b>
N/A
<b>Waste Disposal Method</b>
N/A
<b>Precautions to Be taken in Handling and Storing</b>
N/A
<b>Other Precautions</b>
N/A

# GENERAL PENCIL COMPANY, INC.

(T)650-369-4889 · (F)650-369-7169

<b>Section VIII - Control Measures</b>				
<b>Respiratory Protection (Specify Type)</b>				
N/A				
<b>Ventilation:</b>	<b>Local Exhaust</b>	N/A	<b>Special</b>	N/A
	<b>Mechanical (General)</b>	N/A	<b>Other</b>	N/A
<b>Protective Gloves</b>		<b>Eye Protection</b>		
N/A		N/A		
<b>Other Protective Clothing or Equipment</b>				
N/A				
<b>Work/Hygienic Practices</b>				
N/A				

\* U.S.G.P.O.: 1986 - 491 - 529/45775

\*\*This information sheet is for the consumer use of this product only.

\*\*\*The information herein is given in good faith, but no warranty, expressed or implied, is made.

# GENERAL PENCIL COMPANY, INC.

(T)650-369-4889 · (F)650-369-7169

## Material Safety Data Sheet

May be used to comply with OSHA's Hazard Communication Standard, 29 CFR 1910.1200. Standard must be consulted for specific requirements.

U.S. Department of Labor  
Occupational Safety and Health  
Administration  
(Non-Mandatory Form)  
Form Approved  
OMB No. 1218-0072



### IDENTITY (As Used on Label and List)

**Kneaded Erasers**  
**(#138E, #139E, #140E)**

**Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.**

### SECTION I

#### Manufacturer or Distributor's Name

General Pencil Company, Inc.

#### Address (Number, Street, City, State, and ZIP Code)

(NJ) 67 Fleet St., Jersey City, NJ 07306

(CA) 3160 Bay Rd., Redwood City, CA 94063

#### Emergency Telephone Number

1-800-537-0734

#### Telephone Number for Information

(NJ) 1-201-653-5351 or (CA) 1-650-369-4889

**Date Prepared** 11/01/12

**Signature of Preparer (optional)**

### Section II - Hazardous Ingredients/Identity Information

#### Hazardous Components

(Specific Chemical Identity; Common Name(s))

Polyisobutylene polymer mixed with vulcanized vegetable oil, petroleum distillate, fillers, and pigment.  
DOES NOT CONTAIN LATEX AND LANOLIN.

OSHA PEL	ACGIH TLV	Other Limits Recommended	% (optional)

### Section III - Physical/Chemical Characteristics

<b>Boiling Point</b>	N/A	<b>Specific Gravity (H<sub>2</sub>O = 1)</b>	N/A
<b>Vapor Pressure (mm Hg)</b>	N/A	<b>Melting Point</b>	N/A
<b>Vapor Density (AIR = 1)</b>	1.389g/cm <sup>3</sup>	<b>Evaporation Rate (Butyl Acetate = 1)</b>	N/A
<b>Solubility in Water</b>	Not soluble		
<b>Appearance and Odor</b>	Solid, Light Grey, Characteristic		

### Section IV - Fire and Explosion Hazard Data

Flash Point (Method Used)	Flammable Limits	LEL	UEL
N/A	N/A	N/A	N/A

#### Extinguishing Media

Water, Carbon Dioxide, Foam

#### Special Fire Fighting Procedures

N/A

#### Unusual Fire and Explosion Hazards

N/A

# GENERAL PENCIL COMPANY, INC.

(T)650-369-4889 · (F)650-369-7169

## Section V - Reactivity Data

<b>Stability</b>	<b>Unstable</b>	N/A	<b>Conditions to Avoid</b>
	<b>Stable</b>	N/A	Prolonged heating causes material to soften
<b>Incompatibility (Materials to Avoid)</b>			
N/A			
<b>Hazardous Decomposition or Byproducts</b>			
N/A			
<b>Hazardous Polymerization</b>	<b>May Occur</b>	N/A	<b>Conditions to Avoid</b>
	<b>Will Not Occur</b>	N/A	

## Section VI - Health Hazard Data

<b>Route(s) of Entry:</b>	<b>Inhalation?</b>	<b>Skin?</b>	<b>Eyes?</b>	<b>Ingestion?</b>
	N/A	X	X	X
<b>Health Hazards (Acute and Chronic)</b>				
N/A				
<b>Carcinogenicity:</b>	<b>NTP?</b>	<b>IARC Monographs?</b>	<b>OSHA Regulated?</b>	
	N/A	N/A	N/A	
<b>Signs and Symptoms of Exposure</b>				
N/A				
<b>Medical Conditions Generally Aggravated by Exposure</b>				
N/A				
<b>Emergency and First Aid Procedures</b>				
Inhalation	N/A			
Skin	Wash with soap and water			
Eyes	Wash with water			
Ingestion	Consult with physician for advice			

## Section VII - Precautions for Safe Handling and Use

### Steps to Be Taken in Case Material is Released or Spilled

Clean up using manual or mechanical methods

### Waste Disposal Method

Dispose of per Local, State, and Federal regulations.

### Precautions to be taken in Handling and Storing

Keep away from strong sunlight and heat.

### Other Precautions

N/A



# GENERAL PENCIL COMPANY, INC.

(T)650-369-4889 · (F)650-369-7169

## Section VIII - Control Measures

### Respiratory Protection (Specify Type)

N/A

#### Ventilation:

**Local Exhaust**

N/A

**Special**

N/A

**Mechanical (General)**

N/A

**Other**

N/A

#### Protective Gloves

N/A

#### Eye Protection

N/A

#### Other Protective Clothing or Equipment

N/A

#### Work/Hygienic Practices

Practice good hygiene. Refrain from consuming food while using.

## Section IX - Other Information

On the basis of data available to us, this product does not cause health problems.

The information provided in this MSDS is correct to the best of our knowledge and belief at the date of its publication.

This product is LATEX and LANOLIN FREE.

This product conforms to EN 71 (European Standard for Safety of Toys)

Part 1 - Physical Properties

Part 2 - Flammability

Part 3 - Migratory Heavy Metal Content

\* U.S.G.P.O.: 1986 - 491 - 529/45775

\*\*This information sheet is for the consumer use of this product only.

\*\*\*The information herein is given in good faith, but no warranty, expressed or implied, is made.