MATERIAL SAFETY DATA SHEET — 16 Sections

SECTION 1 — CHEMICAL PRODUCT AND COMPANY IDENTIFICATION.

Product Identifier SpectraFix Spray Fixative				[WHMIS CI	assification]	
Product Use Artist Material Spray Fixative						
Manufacturer's Name SpectraFix			Supplier's Name SpectraFix			
Street Address 11071 Gifford Springs Road			Street Address P.O. Box 545			
City Cobb		State CA	City Cobb			State CA
Zip 95426	Emergency T 510-717-4	4253	^{Zip} 95426		510-717-	
Date MSDS Prepared June 30 2015		MSDS Prepared By Della Heywood		Phone Num 510-717		

SECTION 2 — COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous Ingredients (specific)	%	CAS Number	LD 50 of Ingredient (specify species and route	WMIS / Hazard
Ethanol (grain alcohol)	23.0	67-17-5	2080 – rat, oral	B2 D2B Flammable, Nervous System Depressant
Isopropyl alcohol	1.0	67-63-0	5045 - rat, oral	B2 D2B Flammable, toxic
Water	70.0			
Casein	6.0	9000-71-9	No Exposure Limit	Milk Protein
	•	1		

SECTION 3 — HEALTH INFORMATION (for Specially De-Natured Alcohol 3C, 200 proof, comprising 24% by volume.)

INHALATION: Exposure to over 1000 ppm pure denatured alcohol may cause headache, drowsiness and lassitude, loss of appetite and inability to concentrate. SpectraFix contains only 24% Denatured alcohol + water.

INGESTION: Pure denatured alcohol can cause depression of central nervous system, nausea, vomiting and diarrhea.

EYE CONTACT: Liquid or vapor from pure denatured alcohol may cause irritation to eyes. SpectraFix will not irritate eyes ordinarily.

SKIN CONTACT: May cause irritation and defatting of skin on prolonged contact with pure denatured alcohol. SpectraFix only

Skill Contract, living cause initiation and defatting of skill on prolonged contact with pure deflattined alcohol. Spectrar ix only

contains 24% denatured alcohol, so irritation from skin contact is unlikely under ordinary circumstances.

SECTION 4 — FIRST AID MEASURES

Skin Contact: Wash hands if they become soaked with SpectraFix.
Eye Contact: Eyes should be flushed for at least 15 minutes. Get medical attention if necessary.
Inhalation: Remove victim to fresh air. If victim has stopped breathing, give artificial respiration. Get medical attention.
Ingestion: If victim is conscious, have them drink water to dilute. Call Poison Control immediately. Do no induce vomiting.
-

Item Numbers: 21725-1002, 21725-1012 Page 1 of 4

Product Identifier-2-

SECTION 5 — FIRE FIGHTING MEASURES

	If yes, under which conditions?		
Yes	Highly flammable in presence of open flames and sparks, of heat. Flammable in presence of oxidizing materials Non-flammable in presence of shocks.		
Means of Extinction Water , chemical powder	, foam or CO2.		
Flashpoint (° F) and Method 100° F ASTM D-56	Upper Flammable Limit (% by volu	ume)	Lower Flammable Limit (% by volume) 3.3
Autoignition Temperature (°F) 685° F	Explosion Data — Sensitivity to Im N on-Flammable in presence of sl	npact nocks	Explosion Data — Sensitivity to Static Discharge Low Flammability in presence of flame
Hazardous Combustion Products Oxides of carbon, oxides of nitrogen, and	d other organic combustion produc	ts.	•
[NFPA] Health: (0); Fire: (2); Reactivity: (0);			
SECTION 6 — ACCIDENTAL	RELEASE MEASURE	S	
Leak and Spill Procedures			
Clean up with water, prevent contact with	h flame or sparks.		
SECTION 7 — HANDLING A	ND STORAGE		
Handling Procedures and Equipment			
No respiratory danger, or dan into eyes. Do not drink this pr			directed. Avoid spraying directly
Storage Requirements			
Do not store near flames or s	ources of ignition. Will r	not explode o	r ignite.
SECTION 8 — EXPOSURE (CONTROL / PERSONA	L PROTECTI	ON
Exposure Limits	GIH TLV	OSHA PEL	☐ Other (specify)
Specific Engineering Controls (such as ventilation	n, enclosed process)		
Personal Protective Equipment NONE			

Item Numbers: 21725-1002, 21725-1012 Page 2 of 4

Product Identifier-3-

Physical State	AND CHEMICAL PROPERTIES Odour and Appearance	Odour Threshold (ppm)		
Liquid	Clear and Slightly Milky	N/A		
Specific Gravity 0.939 @ 60° / 60° F	Vapour Density (air = 1) 1.59	Vapour Pressure (mmHg) 44.6 mm Hg@ 68° F		
Evaporation Rate 0.0144829 CFM/sq. ft	Boiling Point (° F 173° F	Freezing Point (°F) -173° F		
pH n/a		[Solubility in Water] Complete		
SECTION 10 — STABILITY	' AND REACTIVITY			
Chemical Stability Stable Stable	If no, under which conditions?			
Incompatibility with Other Substances	If yes, which ones? Acetyl Chloride and other oxidizing	Apotal Chloride and other exidizing agents		
Hazardaya nalymarization not	likoly			
Hazardous polymerization not	ilkely.			
Reactivity, and under what conditions?				
Hazardous Decomposition Products				
SECTION 11 — TOXICOLO	OGICAL INFORMATION			
Effects of Acute Exposure				
Handle in presence of adequate ventilation.				
Presence of Isopropyl alcohol may cause nau	isea and dizziness. Ethanol may cause drowsiness; N	ervous system depressant. This product would need to be		
consumed in large quantities to cause toxicol	ogical effects.			

Item Numbers: 21725-1002, 21725-1012 Page 3 of 4

Skin sensitization: Possible for sensitive individuals with prolonged contact.	Respiratory sensitization: May cause irritation in high concentrations.			
Carcinogenicity-IARC: None	Carcinogenicity- ACGIH :none			
Reproductive toxicity: n/a	Teratogenicity: none			
Embrotoxicity: n/a	Mutagenicity: none			
Name of synergistic products/effects: none.				
SECTION 12 — ECOLOGICAL INFORMATION [Aquatic Toxicity]. Treat as you would ordinary alcoholic beverages and rubbing alcohol. D	o not feed to fish, pour in a fishtank or stream. Not hazardous for normal use.			
SECTION 13 — DISPOSAL CONSIDERATIONS Waste Disposal. No special considerations.				
SECTION 14 — TRANSPORT INFORMATION Not regulated for transport under USDOT, EUADR, IATA, or IMDG regulated.	tions. Agus and products containing also hal at 24 parcent or			
less are not subject to the requirements of the EU ADR, IATA, or IMDG. T provided that they contain no less than 50 percent water.				
SECTION 15 — REGULATORY INFORMATION				
ТТВ	[OSHA] N/A			
[TSCA] Specially denatured alcohol 3C is listed in TSCA Inventory of Chemical Substances.				
This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all of the information required by CPR.				
SECTION 16 — OTHER INFORMATION				
This MSDS is compiled to supply information about this product's Ethanol and Isopropyl alcohol constituents. With the exception of these two ingredients, comprising 24% of its volume, this product's ingredients are completely safe and non-hazardous. Please do not ignite, store near open flame, or breathe in strong concentrations. This is not to say SpectraFix is toxic, it is never advisable to inhale the fumes of any alcohol, unless it is a high quality Armagnac or Vintage Port.				

Hem Numbers: 21725-1002, 21725-1012 Page 4 of 4