

GENERAL PENCIL COMPANY, INC.

(T)650-369-4889 · (F)650-369-7169

Material Safety Data Sheet

May be used to comply with OSHA's Hazard Communication Standard, 29 CFR 1910.1200. Standard must be consulted for specific requirements.

U.S. Department of Labor
Occupational Safety and Health
Administration
(Non-Mandatory Form)
Form Approved
OMB No. 1218-0072



IDENTITY (As Used on Label and List)

**General Pencil Charcoal
Charcoal**

Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.

SECTION I

Manufacturer or Distributor's Name

General Pencil Company, Inc.

Address

(Number, Street, City, State, and ZIP Code)

(NJ) 67 Fleet St., Jersey City, NJ 07306

(CA) 3160 Bay Rd., Redwood City, CA 94063

Emergency Telephone Number

1-800-537-0734

Telephone Number for Information

(NJ) 1-201-653-5351 or (CA) 1-650-369-4889

Date Prepared 11/01/12

Signature of Preparer (optional)

Section II - Hazardous Ingredients/Identity Information

Hazardous Components

(Specific Chemical Identity; Common Name(s))

N/A

OSHA

PEL

ACGIH

TLV

Other Limits

Recommended

%

(optional)

Section III - Physical/Chemical Characteristics

Boiling Point

N/A

Specific Gravity (H₂O = 1)

N/A

Vapor Pressure (mm Hg)

N/A

Melting Point

N/A

Vapor Density (AIR = 1)

N/A

Evaporation Rate (Butyl Acetate = 1)

N/A

Solubility in Water

N/A

Reactivity in Water

Non-Reactive

Appearance and Odor

Wood cased pencil, no odor

Section IV - Fire and Explosion Hazard Data

Flash Point

(Method Used)

N/A

Flammable

Limits

N/A

LEL

N/A

UEL

N/A

Extinguishing Media

No special media required.

Special Fire Fighting Procedures

No special fire fighting procedures required.

Unusual Fire and Explosion Hazards

Not combustible.

GENERAL PENCIL COMPANY, INC.

(T)650-369-4889 · (F)650-369-7169

Section V - Reactivity Data

Stability	Unstable		Conditions to Avoid
	Stable	X	N/A
Incompatibility (Materials to Avoid)			
N/A			
Hazardous Decomposition or Byproducts			
N/A			
Hazardous Polymerization	May Occur	N/A	Conditions to Avoid
	Will Not Occur	N/A	N/A

Section VI - Health Hazard Data

Route(s) of Entry:	Inhalation?	Skin?	Eyes?	Ingestion?
		X	X	X
Health Hazards (Acute and Chronic)				
None expected				
Carcinogenicity:	NTP?	IARC Monographs?	OSHA Regulated?	
	No	No	No	
Signs and Symptoms of Exposure				
N/A				
Medical Conditions Generally Aggravated by Exposure				
N/A				
Emergency and First Aid Procedures				
None Required				

Section VII - Precautions for Safe Handling and Use

Steps to Be Taken in Case Material is Released or Spilled
None Required.
Waste Disposal Method
Dispose in accordance with Federal, State, and Local regulations
Precautions to Be taken in Handling and Storing
None required.
Other Precautions
None required.

GENERAL PENCIL COMPANY, INC.

(T)650-369-4889 · (F)650-369-7169

Section VIII - Control Measures

Respiratory Protection (Specify Type)

None required.

Ventilation:	Local Exhaust	Special	Mechanical (General)	Other
	N/A	N/A	N/A	N/A

Protective Gloves

N/A

Eye Protection

N/A

Other Protective Clothing or Equipment

N/A

Work/Hygienic Practices

N/A

Section IX - Color Information

This MSDS applies to the following colors which are associated with hazardous and/or non-hazardous ingredients.

557-2B	570PC	957-6B
557-4B	967	960-2B
557-6B	957-2B	960-4B
557-HB	957-4B	960-6B

Section X - Other

PMA Certified

* U.S.G.P.O.: 1986 - 491 - 529/45775

**This information sheet is for the consumer use of this product only.

***The information herein is given in good faith, but no warranty, expressed or implied, is made.

GENERAL PENCIL COMPANY, INC.

(T)650-369-4889 · (F)650-369-7169

Material Safety Data Sheet

May be used to comply with OSHA's Hazard Communication Standard, 29 CFR 1910.1200. Standard must be consulted for specific requirements.

U.S. Department of Labor
Occupational Safety and Health
Administration
(Non-Mandatory Form)
Form Approved
OMB No. 1218-0072



IDENTITY (As Used on Label and List)

All Wood Cased Pencil Products
Art – Office – School – Craft – Charcoal –
Graphite - Pastels - Colored

Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.

SECTION I

Manufacturer's Name

General Pencil Company, Inc.

Emergency Telephone Number

1-800-537-0734

Address

(Number, Street, City, State, and ZIP

Code)

(NJ) 67 Fleet St., Jersey City, NJ 07306

(CA) 3160 Bay Rd., Redwood City, CA 94063

Telephone Number for Information

(NJ) 1-201-653-5351 or (CA) 1-650-369-4889

Date Prepared 11/01/12**Signature of Preparer (optional)**

Section II - Hazardous Ingredients/Identity Information

Hazardous Components

(Specific Chemical Identity; Common Name(s))

N/A

OSHA

PEL

ACGIH

TLV

Other Limits

Recommended

%

(optional)

Pencil products bearing the PMA Certification Mark (Seal) of the Pencil Makers Assoc. Inc., are not within the scope of the OSHA Hazard Communication Standard. Pencils and graphite products are articles, not chemicals, 29 C.F.R. part 1910 1200 (B) (5)

Pencil products bearing the PMA Certification Mark (Seal) are Certified in a program of toxicologic evaluation by a medical expert subject to review by the programs Toxicological review board to contain no materials in sufficient quantities to offer an acute or chronic health hazard to humans.

No acute or chronic health labeling is required under, provision of federal law, the federal hazardous substance act, or under ASTM Standard D 4236.

Section III - Physical/Chemical Characteristics

Boiling Point

N/A

Specific Gravity (H₂O = 1)

N/A

Vapor Pressure (mm Hg)

N/A

Melting Point

N/A

Vapor Density (AIR = 1)

N/A

Evaporation Rate (Butyl Acetate = 1)

N/A

Solubility in Water

N/A

Appearance and Odor

Solid Stick Form – Cedar Fragrance, Dk. Grey - Black

GENERAL PENCIL COMPANY, INC.

(T)650-369-4889 · (F)650-369-7169

Section IV - Fire and Explosion Hazard Data

Flash Point (Method Used)	Flammable Limits	LEL	UEL
365° F	N/A	N/A	N/A

Extinguishing Media

Foam, Carbon Dioxide, Dry Chemical

Special Fire Fighting Procedures

A self contained breathing device should be used when there is potential exposure to combustion products burning in bulk.

Unusual Fire and Explosion Hazards

Pencil products stored in bulk are subject to ignition by fire and may, in case of fire, release toxic and other irritating gasses.

Section V - Reactivity Data

Stability	Unstable	N/A	Conditions to Avoid
	Stable	N/A	N/A
Incompatibility (Materials to Avoid)			
N/A			
Hazardous Decomposition or Byproducts			
N/A			
Hazardous Polymerization	May Occur	N/A	Conditions to Avoid
N/A	Will Not Occur	N/A	N/A

Section VI - Health Hazard Data

Route(s) of Entry:	Inhalation?	Skin?	Ingestion?
N/A	N/A	N/A	N/A
Health Hazards (Acute and Chronic)			
N/A			
Carcinogenicity:	NTP?	IARC Monographs?	OSHA Regulated?
N/A	N/A	N/A	N/A
Signs and Symptoms of Exposure			
N/A			
Medical Conditions Generally Aggravated by Exposure			
N/A			
Emergency and First Aid Procedures			
N/A			

GENERAL PENCIL COMPANY, INC.

(T)650-369-4889 · (F)650-369-7169

Section VII - Precautions for Safe Handling and Use

Steps to Be Taken in Case Material is Released or Spilled

N/A

Waste Disposal Method

N/A

Precautions to Be taken in Handling and Storing

N/A

Other Precautions

N/A

Section VIII - Control Measures

Respiratory Protection (Specify Type)

N/A

Ventilation:

Local Exhaust

N/A

Special

N/A

Mechanical (General)

N/A

Other

N/A

Protective Gloves

N/A

Eye Protection

N/A

Other Protective Clothing or Equipment

N/A

Work/Hygienic Practices

N/A

Section IX - Other

PMA Certified

* U.S.G.P.O.: 1986 - 491 - 529/45775

**This information sheet is for the consumer use of this product only.

***The information herein is given in good faith, but no warranty, expressed or implied, is made.

GENERAL PENCIL COMPANY, INC.

(T)650-369-4889 · (F)650-369-7169

Material Safety Data Sheet

May be used to comply with OSHA's Hazard Communication Standard, 29 CFR 1910.1200. Standard must be consulted for specific requirements.

U.S. Department of Labor
Occupational Safety and Health
Administration
(Non-Mandatory Form)
Form Approved
OMB No. 1218-0072



IDENTITY (As Used on Label and List)

Kneaded Erasers
(#138E, #139E, #140E)

Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.

SECTION I

Manufacturer or Distributor's Name

General Pencil Company, Inc.

Address (Number, Street, City, State, and ZIP Code)

(NJ) 67 Fleet St., Jersey City, NJ 07306

(CA) 3160 Bay Rd., Redwood City, CA 94063

Emergency Telephone Number

1-800-537-0734

Telephone Number for Information

(NJ) 1-201-653-5351 or (CA) 1-650-369-4889

Date Prepared 11/01/12

Signature of Preparer (optional)

Section II - Hazardous Ingredients/Identity Information

Hazardous Components

(Specific Chemical Identity; Common Name(s))

Polyisobutylene polymer mixed with vulcanized vegetable oil, petroleum distillate, fillers, and pigment.
DOES NOT CONTAIN LATEX AND LANOLIN.

OSHA PEL	ACGIH TLV	Other Limits Recommended	% (optional)

Section III - Physical/Chemical Characteristics

Boiling Point	N/A	Specific Gravity (H₂O = 1)	N/A
Vapor Pressure (mm Hg)	N/A	Melting Point	N/A
Vapor Density (AIR = 1)	1.389g/cm ³	Evaporation Rate (Butyl Acetate = 1)	N/A
Solubility in Water	Not soluble		
Appearance and Odor	Solid, Light Grey, Characteristic		

Section IV - Fire and Explosion Hazard Data

Flash Point (Method Used)	Flammable Limits	LEL	UEL
N/A	N/A	N/A	N/A

Extinguishing Media

Water, Carbon Dioxide, Foam

Special Fire Fighting Procedures

N/A

Unusual Fire and Explosion Hazards

N/A

GENERAL PENCIL COMPANY, INC.

(T)650-369-4889 · (F)650-369-7169

Section V - Reactivity Data

Stability	Unstable	N/A	Conditions to Avoid
	Stable	N/A	Prolonged heating causes material to soften
Incompatibility (Materials to Avoid)			
N/A			
Hazardous Decomposition or Byproducts			
N/A			
Hazardous Polymerization	May Occur	N/A	Conditions to Avoid
	Will Not Occur	N/A	

Section VI - Health Hazard Data

Route(s) of Entry:	Inhalation?	Skin?	Eyes?	Ingestion?
	N/A	X	X	X
Health Hazards (Acute and Chronic)				
N/A				
Carcinogenicity:	NTP?	IARC Monographs?	OSHA Regulated?	
	N/A	N/A	N/A	
Signs and Symptoms of Exposure				
N/A				
Medical Conditions Generally Aggravated by Exposure				
N/A				
Emergency and First Aid Procedures				
Inhalation	N/A			
Skin	Wash with soap and water			
Eyes	Wash with water			
Ingestion	Consult with physician for advice			

Section VII - Precautions for Safe Handling and Use

Steps to Be Taken in Case Material is Released or Spilled

Clean up using manual or mechanical methods

Waste Disposal Method

Dispose of per Local, State, and Federal regulations.

Precautions to be taken in Handling and Storing

Keep away from strong sunlight and heat.

Other Precautions

N/A

GENERAL PENCIL COMPANY, INC.

(T)650-369-4889 · (F)650-369-7169

Section VIII - Control Measures

Respiratory Protection (Specify Type)

N/A

Ventilation:

Local Exhaust

N/A

Special

N/A

Mechanical (General)

N/A

Other

N/A

Protective Gloves

N/A

Eye Protection

N/A

Other Protective Clothing or Equipment

N/A

Work/Hygienic Practices

Practice good hygiene. Refrain from consuming food while using.

Section IX - Other Information

On the basis of data available to us, this product does not cause health problems.

The information provided in this MSDS is correct to the best of our knowledge and belief at the date of its publication.

This product is LATEX and LANOLIN FREE.

This product conforms to EN 71 (European Standard for Safety of Toys)

Part 1 - Physical Properties

Part 2 - Flammability

Part 3 - Migratory Heavy Metal Content

* U.S.G.P.O.: 1986 - 491 - 529/45775

**This information sheet is for the consumer use of this product only.

***The information herein is given in good faith, but no warranty, expressed or implied, is made.

GENERAL PENCIL COMPANY, INC.

(T)650-369-4889 · (F)650-369-7169

Material Safety Data Sheet

May be used to comply with OSHA's Hazard Communication Standard, 29 CFR 1910.1200. Standard must be consulted for specific requirements.

U.S. Department of Labor
Occupational Safety and Health
Administration
(Non-Mandatory Form)
Form Approved
OMB No. 1218-0072



IDENTITY (As Used on Label and List) Willow Charcoal

Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.

SECTION I

Manufacturer or Distributor's Name

General Pencil Company, Inc.

Address

(Number, Street, City, State, and ZIP Code)

(NJ) 67 Fleet St., Jersey City, NJ 07306

(CA) 3160 Bay Rd., Redwood City, CA 94063

Emergency Telephone Number

1-800-537-0734

Telephone Number for Information

(NJ) 1-201-653-5351 or (CA) 1-650-369-4889

Date Prepared

 11/01/12

Signature of Preparer (optional)

Section II - Hazardous Ingredients/Identity Information

Hazardous Components

(Specific Chemical Identity; Common Name(s))

N/A

OSHA PEL

ACGIH TLV

Other Limits Recommended

% (optional)

Section III - Physical/Chemical Characteristics

Boiling Point

N/A

Specific Gravity (H₂O = 1)

N/A

Vapor Pressure (mm Hg)

N/A

Melting Point

N/A

Vapor Density (AIR = 1)

N/A

Evaporation Rate (Butyl Acetate = 1)

N/A

Solubility in Water

insoluble

Reactivity in Water

N/A

Appearance and Odor

Solid black carbon stick. No odor

Section IV - Fire and Explosion Hazard Data

Flash Point

(Method Used)

N/A

Flammable

Limits

N/A

LEL

N/A

UEL

N/A

Extinguishing Media

N/A

Special Fire Fighting Procedures

General's Willow Charcoal is a natural organic product and does not cause a significant hazard if burnt. It should be treated as a wood material.

Unusual Fire and Explosion Hazards

N/A

GENERAL PENCIL COMPANY, INC.

(T)650-369-4889 · (F)650-369-7169

Section V - Reactivity Data

Stability:	Unstable		Conditions to Avoid
	Stable	X	N/A
Incompatibility (Materials to Avoid)			
N/A			
Hazardous Decomposition or Byproducts			
N/A			
Hazardous Polymerization:	May Occur	N/A	Conditions to Avoid
	Will Not Occur	N/A	N/A

Section VI - Health Hazard Data

Route(s) of Entry:	Inhalation?	Skin?	Eyes?	Ingestion?
	X	X	X	X
Health Hazards (Acute and Chronic)				
N/A				
Carcinogenicity:	NTP?	N/A	IARC Monographs?	N/A
			OSHA Regulated?	N/A

Signs and Symptoms of Exposure

N/A

Medical Conditions Generally Aggravated by Exposure

N/A

Emergency and First Aid Procedures

Eyes	Flood the eye with plenty of water. Obtain medical attention if soreness or redness persists.
Skin	Not believed to be significant as supplied. Not classed as an irritant.
Ingestion	Not believed to be significant as supplied, but if a significant quantity is ingested seek medical attention/advice.
Inhalation	No fumes are given/emitted from the product.

Section VII - Precautions for Safe Handling and Use

Steps to Be Taken in Case Material is Released or Spilled

Sweep up using dustpan and brush. The powdered charcoal can be collected using a vacuum cleaner.

Waste Disposal Method

Dispose of in accordance with local and national regulations.

Precautions to be Taken in Handling and Storing

Charcoal sticks are fragile and should be handled and stored appropriately.

Other Precautions

N/A

Section VIII - Control Measures

Respiratory Protection (Specify Type)

N/A

Ventilation:	Local Exhaust	Special	Mechanical (General)	Other
	N/A	N/A	N/A	N/A

Protective Gloves

Eye Protection

General Pencil Company, Inc.

MSDS
<Product Name>

Page 2 of 3

GENERAL PENCIL COMPANY, INC.

(T)650-369-4889 · (F)650-369-7169

N/A

N/A

Other Protective Clothing or Equipment

Work/Hygienic Practices

Section IX - Color Information

This MSDS applies to the following colors which are associated with hazardous and/or non-hazardous ingredients.

N/A

* U.S.G.P.O.: 1986 - 491 - 529/45775

**This information sheet is for the consumer use of this product only.

***The information herein is given in good faith, but no warranty, expressed or implied, is made.