

21969-XXXX

MSDS for #21942 - HAND ROLLED PASTELS

MATERIAL SAFETY DATA SHEET

SOFT PASTELS PAGE: 1

MATERIAL SAFETY DATA SHEET

Item# 427319-427334

Manufacturer's Name: Jack Richeson & Co., Inc.

and
Item# 427335-427339

Phone # 920-738-0744 Fax# 920-738-9156

Products: Sunny's Soft Pastels

SECTION I - PRODUCT IDENTITY

Date prepared: 27/082007

Emergency telephone number: 1-800-233-2404
Telephone number: 920-738-0744

HMS Information

Health 2
Chemical name: See the sheet attached this paper. Flammability 0
Reactivity 0
Chemical formula: See the sheet attached this paper
DOT shipping class: Compound paint, N.O.S., Not regulated by DOT as a hazardous material.

SECTION II - HAZARDOUS INGREDIENTS

Chemical names N/A
CAS# see attachment
Wt% OSHA PEL N/A
ACGIH TLV N/A

SECTION III - PHYSICAL CHARACTERISTICS

Specific gravity: 1.4
% volatile (volume): $\leq 0.5\%$
Solubility (specify solvents): soluble in water .
Appearance and odor: solid

SECTION IV - FIRE & EXPLOSION DATA

container of burning material. N/A.
Unusual fire & explosion hazards: N/A
Materials are spontaneously combustible. N/A.
Reactivity: product is stable
Hazardous polymerization: will not occur
Conditions to avoid: avoid extreme moisture
Hazardous decomposition products: N/A
Usual products of combustion: N/A

Item Numbers: 21942-1018, 21942-1036, 21942-1072, 21942-1209, 21942-2015, 21942-2018, 21942-2036, 21942-2159, 21942-2184, 21942-2185, 21942-2186, 21942-2187, 21942-2188, 21942-2189, 21942-2171, 21942-2174, 21942-2181, 21942-3018, 21942-3038, 21942-3062, 21942-3063, 21942-3075, 21942-3090, 21942-3113, 21942-3114, 21942-3127, 21942-3128, 21942-3129, 21942-3131, 21942-3134, 21942-3135, 21942-3137, 21942-3142, 21942-3221, 21942-3222, 21942-3249, 21942-4087, 21942-4088, 21942-4089, 21942-4070, 21942-4071, 21942-4072, 21942-4073, 21942-4074, 21942-4076, 21942-4078, 21942-4080, 21942-4083, 21942-4084, 21942-4085, 21942-4087, 21942-4093, 21942-4095, 21942-4105, 21942-4106, 21942-4108, 21942-4225, 21942-5009, 21942-5033, 21942-5034, 21942-5035, 21942-5036, 21942-5037, 21942-5042, 21942-5048, 21942-5050, 21942-5051, 21942-5052, 21942-5053, 21942-5054, 21942-5055, 21942-5058, 21942-5057, 21942-5058, 21942-5059, 21942-5060, 21942-5061, 21942-5064, 21942-5065, 21942-5066, 21942-5067, 21942-5068, 21942-5069, 21942-7003, 21942-7004, 21942-7005, 21942-7006, 21942-7007, 21942-7008, 21942-7010, 21942-7011, 21942-7012, 21942-7014, 21942-7021, 21942-7022, 21942-7023, 21942-7024, 21942-7025, 21942-7026, 21942-7027, 21942-7029, 21942-7031, 21942-7032, 21942-7082, 21942-8077, 21942-8089, 21942-8091, 21942-8099, 21942-8102, 21942-8104, 21942-8107, 21942-8109, 21942-8110, 21942-8111, 21942-8112, 21942-8116, 21942-8120, 21942-8132, 21942-8141, 21942-8147, 21942-8148, 21942-8150, 21942-8151, 21942-8155, 21942-8156, 21942-8160, 21942-8161, 21942-8201, 21942-8237, 21942-1006, 21942-1024, 21942-1048, 21942-1120

MSDS for #21942 - HAND ROLLED PASTELS

MATERIAL SAFETY DATA SHEET

SOFT PASTELS PAGE: 2

SECTION V – HEALTH HAZARD DATA

Route(s) of entry: *N/A*
 Acute health effects: *N/A*
 Inhalation: No known adverse health effects
 Ingestion: No known adverse health effects
 Skin contact: No known adverse health effects

EMERGENCY FIRST AID PROCEDURES:

Eye contact: wash with clean water for at least fifteen minutes. If irritation persists, get medical attention.
 Inhalation: *N/A*
 Skin contact: *N/A*

CHRONIC HEALTH EFFECTS:

Not listed as a carcinogen by the NTP, IARC, or OSHA; no adverse long-term effects are known.

SECTION VI - SPECIAL PROTECTION DATA

Respiratory protection: none normally required
 Ventilation: none normally required
 Protective gloves: none normally required
 Eye protection: *N/A*

SECTION VII – STORAGE & HANDLING DATA

Precautions to be taken in handling and storage: store away from moisture
 Other precautions: wash hands after use.

Item Numbers: 21942-1018, 21942-1036, 21942-1072, 21942-1209, 21942-2015, 21942-2018, 21942-2036, 21942-2158, 21942-2164, 21942-2165, 21942-2166, 21942-2167, 21942-2168, 21942-2169, 21942-2171, 21942-2174, 21942-2181, 21942-3018, 21942-3038, 21942-3082, 21942-3063, 21942-3075, 21942-3090, 21942-3113, 21942-3114, 21942-3127, 21942-3128, 21942-3129, 21942-3131, 21942-3134, 21942-3135, 21942-3137, 21942-3142, 21942-3221, 21942-3222, 21942-3249, 21942-4087, 21942-4068, 21942-4069, 21942-4070, 21942-4071, 21942-4072, 21942-4073, 21942-4074, 21942-4076, 21942-4078, 21942-4080, 21942-4083, 21942-4084, 21942-4085, 21942-4087, 21942-4093, 21942-4095, 21942-4105, 21942-4108, 21942-4108, 21942-4225, 21942-5009, 21942-5033, 21942-5034, 21942-5035, 21942-5036, 21942-5037, 21942-5042, 21942-5048, 21942-5050, 21942-5051, 21942-5052, 21942-5053, 21942-5054, 21942-5055, 21942-5056, 21942-5057, 21942-5058, 21942-5059, 21942-5060, 21942-5061, 21942-5064, 21942-5065, 21942-5261, 21942-7001, 21942-7002, 21942-7003, 21942-7004, 21942-7005, 21942-7006, 21942-7007, 21942-7008, 21942-7010, 21942-7011, 21942-7012, 21942-7014, 21942-7021, 21942-7022, 21942-7023, 21942-7024, 21942-7025, 21942-7026, 21942-7027, 21942-7029, 21942-7031, 21942-7032, 21942-7082, 21942-8077, 21942-8089, 21942-8091, 21942-8099, 21942-8102, 21942-8104, 21942-8107, 21942-8109, 21942-8110, 21942-8111, 21942-8112, 21942-8116, 21942-8120, 21942-8132, 21942-8141, 21942-8147, 21942-8148, 21942-8150, 21942-8151, 21942-8155, 21942-8158, 21942-8160, 21942-8161, 21942-8201, 21942-8237, 21942-1008, 21942-1024, 21942-1048, 21942-1120

MATERIAL SAFETY DATA SHEET

SOFT PASTELS PAGE: 1

MATERIAL SAFETY DATA SHEET

Item# 427319-427334

and
Item# 427335-427339

Manufacturer's Name: Jack Richeson & Co., Inc.

Phone # 920-738-0744 Fax# 920-738-9156

Products: Richeson Handmade Pastels
Richeson Medium Soft Pastels
Richeson Semi Hard Pastels

SECTION I - PRODUCT IDENTITY

Date prepared: 27/092007

Emergency telephone number: 1-800-233-2404

Telephone number: 920-738-0744

HMIS Information

Health 2

Chemical name: See the sheet attached this paper. Flammability 0

Reactivity 0

Chemical formula: See the sheet attached this paper

DOT shipping class: Compound paint, N.O.S., Not regulated by DOT as a hazardous material.

SECTION II - HAZARDOUS INGREDIENTS

Chemical names N/A
CAS# see attachment
WT% OSHA PEL N/A
ACGIH TLV N/A

SECTION III - PHYSICAL CHARACTERISTICS

Specific gravity: 1.4

% volatile (volume): ≤0.5%

Solubility (specify solvents): soluble in water .

Appearance and odor: solid

SECTION IV - FIRE & EXPLOSION DATA

container of burning material. N/A.

Unusual fire & explosion hazards: N/A

Materials are spontaneously combustible. N/A.

Reactivity: product is stable

Hazardous polymerization: will not occur

Conditions to avoid: avoid extreme moisture

Hazardous decomposition products: N/A

Usual products of combustion: N/A.

MATERIAL SAFETY DATA SHEET **SOFT PASTELS PAGE: 2**

SECTION V - HEALTH HAZARD DATA

Route(s) of entry: N/A
Acute health effects: N/A
Inhalation: No known adverse health effects
Ingestion: No known adverse health effects
Skin contact: No known adverse health effects

EMERGENCY FIRST AID PROCEDURES:

Eye contact: wash with clean water for at least fifteen minutes. If irritation persists, get medical attention.
Inhalation: N/A
Skin contact: N/A

CHRONIC HEALTH EFFECTS:

Not listed as a carcinogen by the NTP, IARC, or OSHA; no adverse long-term effects are known.

SECTION VI - SPECIAL PROTECTION DATA

Respiratory protection: none normally required
Ventilation: none normally required
Protective gloves: none normally required
Eye protection: N/A

SECTION VII - STORAGE & HANDLING DATA

Precautions to be taken in handling and storage: store away from moisture

Other precautions: wash hands after use.

** Yarka Charcoal * pressed
Willow*

MATERIAL SAFETY DATA SHEET

MANUFACTURER OR DISTRIBUTOR: Postport, Inc.
65 Eastern Avenue, Ste. B2A
Essex MA 01929

INFORMATION TELEPHONE NUMBER: 508-768-3350

EMERGENCY TELEPHONE NUMBER: 800-582-2787

----- SECTION I - PRODUCT IDENTIFICATION -----

PRODUCT NAME: COMPRESSED CARBON (PODOLSK) PRODUCT NO. IV

PRODUCT SIZES:

PRODUCT CLASS: CHARCOAL

----- SECTION II - HAZARDOUS INGREDIENTS -----

INGREDIENT	CAS#	PEL/TLV (MG/M3)	MAX %WEIGHT	NTP	IARC
None					

----- SECTION III - PHYSICAL AND CHEMICAL CHARACTERISTICS -----

BOILING POINT: N/A	MELTING POINT: N/A
VAPOR PRESSURE: N/A	
SPECIFIC VAPOR DENSITY (AIR=1): N/A	SPECIFIC GRAVITY: N/A
SOLUBILITY IN WATER: N/A	REACTIVITY IN WATER: NON-REACTIVE
APPEARANCE AND ODOR:	

V.3586

----- SECTION IV - FIRE AND EXPLOSION INFORMATION -----

FLASH POINT (METHOD): N/A AUTOIGNITION TEMPERATURE: N/A
EXPLOSION LIMITS IN AIR (% BY VOLUME): NOT EXPLOSIVE
EXTINGUISHING MEDIA: NO SPECIAL MEDIA REQUIRED
FIRE FIGHTING PROCEDURES: NO SPECIAL FIRE FIGHTING PROCEDURES REQUIRED
UNUSUAL FIRE & EXPLOSION HAZARDS: NOT COMBUSTIBLE

----- SECTION V - PHYSICAL HAZARDS/REACTIVITY -----

HAZARDOUS POLYMERIZATION PRODUCTS: NONE
STABILITY: STABLE CONDITIONS TO AVOID: NONE
IMCOMPATIBILITY (MATERIALS TO AVOID): NONE
HAZARDOUS DECOMPOSITION PRODUCTS: NONE

COMPANY: Postport, Inc. PRODUCT: IV
BRAND NAME: COMPRESSED CARBON (PODOLSK)

----- SECTION VI - HEALTH HAZARD DATA -----

PERMISSIBLE EXPOSURE LEVEL: SEE SECTION II FOR COMPONENT PEL/TLVs

PRIMARY ROUTES OF ENTRY: EYE, SKIN

EFFECTS AND SYMPTOMS OF ACUTE EXPOSURE: NONE EXPECTED

EFFECTS AND SYMPTOMS OF CHRONIC EXPOSURE: NONE EXPECTED

CARCINOGEN LISTING: NTP: NO IARC: NO OSHA: NO
SEE SECTION II FOR COMPONENTS AFFECTED

MEDICAL CONDITIONS USUALLY AGGRAVATED BY OVER EXPOSURE TO THIS PRODUCT: NONE

FIRST AID MEASURES: NONE REQUIRED. NO ACUTE HEALTH EFFECTS EXPECTED.

----- SECTION VII - SPILL OR LEAK PROCEDURES -----

PRECAUTIONS TO BE TAKEN DURING STORAGE AND HANDLING: NO SPECIAL
PRECAUTIONS REQUIRED.

STEPS TO BE TAKEN IN CASE A MATERIAL IS SPILLED: NO SPECIAL SPILL
PROCEDURES REQUIRED.

WASTE DISPOSAL METHOD: DISPOSE IN ACCORDANCE WITH FEDERAL, STATE AND
LOCAL REGULATIONS.


----- SECTION VIII - PROTECTIVE EQUIPMENT/CONTROL MEASURES -----

RESPIRATORY PROTECTION AND SPECIAL VENTILATION REQUIREMENTS: NONE REQUIRED

OTHER PROTECTIVE EQUIPMENT (GLOVES, GOGGLES, ETC): NONE REQUIRED

WORK/HYGIENE PRACTICES: NONE REQUIRED

Form Completed by: Woodhall Stopford, MD, MSPH
Last Updated: 09/20/93



MSDS for #20004 - YARKA CHARCOAL

Page 3 of 6

THE ART & CRAFT MATERIALS INSTITUTE, INC.
100 Boylston St., Suite 1050, Boston, MA 02116
Tel. 617/426-6400 Fax 617/426-6639

Deborah M. Fanning, CAE
Executive Vice President

Authorization for Use of the CP, AP, or HL Seal

Mr. James F. Foster
Fostport, Inc.
65 Eastern Avenue
Essex, MA 01929



October 6, 1993

According to the latest revision of the Manual of Procedure of the Certified Products and Certified Labeling Bureau of The Art & Craft Materials Institute, Inc., the Institute has received the following:

1. Your request for authorization for use of the CP, AP, or HL Seal on your product(s) listed below, a signed Institute copy of the Toxicologist's Approval form, and an affidavit that fees for the Toxicologist and testing lab (if any) have been or will be paid;
2. For the CP Seal, a testing lab report that the product(s) meet or exceed the requirements of the appropriate Product Standard; and
3. For the HL (Cautions Required) Seal, a notarized statement that the labeling requirements specified by the Toxicologist are being met.

Upon finding compliance in full with the Bureau procedures, the Institute hereby authorizes you to use the following seal:

<u>PRODUCT</u>	<u>CERTIFICATION</u>	<u>BRAND NAME</u>	<u>COLOR(S)</u>
Chalks, Charcoal	AP	Yarka	n/a
Pastels, Soft	AP	Yarka	4: Sepia Light, Sepia Dark, Sanguine Light, Sanguine Dark

This authorization will be for this calendar year and may be renewed upon your obtaining permission for the continued use of the Seals annually in accordance with Bureau procedures. The Seals must be used on all authorized products unless an exemption is granted in writing by the Institute. Products bearing the CP Seal must display with the Seal which quality standard is being met.

The use of the Seals on any other than the specifically-authorized products shall immediately result in the loss of the privilege to use the Seals on any and all items. The authority for the use of the Seals automatically terminates should any of the conditions present at the granting of the privilege change. This permission to use the Seals is neither assignable nor transferable. Since the Seals are Registered Certification Marks, the symbol ® must appear to the bottom right of these Seals, wherever they appear.

Sincerely,

Deborah M. Fanning
Deborah M. Fanning, CAE
Executive Vice President

cc: W. Stopford
Item Numbers: 20004-1004, 20004-1045

Page 3 of 6

MSDS for #20004 - YARKA CHARCOAL

CONFIDENTIAL
TRADE SECRET INFORMATION

DUKE OCCUPATIONAL HEALTH SERVICE

ACTION: NAME CHANGE

FG# COMPANY NAME
017 Postport, Inc.

PRODUCT # PRODUCT CATEGORY
IV CHARCOAL

CERTIFICATION STATUS
1 CP/AP/HL (NO LABEL)

BRAND NAME
YARKA NATURAL CHARCOAL

ALTERNATE BRAND NAME (1)

ALTERNATE BRAND NAME (2)

PRODUCT SIZES

#COLORS APPROVAL SUBMITTED BY
0 05/09/95 Jim Foster

SUB DATE WGT FACTOR PROO TYPE
04/25/95 10.0 0 4 SOL <20

===== NO LABELING REQUIRED =====

TOXICITY [AT] Acute Toxicity	[CT] Chronic Toxicity	[N.] Narcosis
IRITATION [S.] Acute: Allergic Sensitivity	[C.] Chronic: Cancer	[EM] EN 71
[E.] Acute: Eye Irritation	[F.] Chronic: Fetotoxicity	[CA] CA Proposition 65
[SI] Acute: Skin Irritant	[FL] Flammable/Combustible	[CY] Clay
[L.] Inhalation Effect	[NJ] New Jersey Right to Know	

LABELING CONFORMS WITH ASTM D-4236

TOXICOLOGIST'S ACTION: APPROVED FOR CP/AP/HL (NO LABEL) CERTIFICATION BY THE ART & CREATIVE MATERIALS INSTITUTE, INC.

THIS FORM MUST BE SENT TO ACHI FOR AUTHORIZATION TO USE THEIR SEAL.

Date: 05/09/95

Woodhall Stopford MD, MSPH
Toxicologist

MSDS for #20004 - YARKA CHARCOAL

CONFIDENTIAL
TRADE SECRET INFORMATION

DUKE OCCUPATIONAL HEALTH SERVICE

ACTION: NAME CHANGE

FCB COMPANY NAME
017 Fosterport, Inc.

PRODUCT # PRODUCT CATEGORY
IV CHARCOAL

CERTIFICATION STATUS
1 CP/AP/HL (NO LABEL)

BRAND NAME
ARCA NATURAL CHARCOAL

ALTERNATE BRAND NAME (1)

ALTERNATE BRAND NAME (2)

PRODUCT SIZES

#COLORS APPROVAL SUBMITTED BY
0 05/09/95 Jim Foster

SUB DATE WGT (FACTOR PROD TYPE
04/25/95 10.0 0 4 SOL <20

===== NO TESTING REQUIRED =====



FOSTPORT, Inc.
65 Eastern Avenue • Essex, MA 01929
Phone: (508) 768-3350 (800) 582-2787
Fax: (508) 768-6637

20004-1004 *
-1045

(3623-00)
(3624-00)

May 24, 1995

Dick Blick Company
Box 1267
Galesburg, IL 61401

In response to your request for Material Safety Data Sheets on both YARKA compressed and natural willow I enclose the following documentation:

- MSDS for Compressed carbon dated 9/20/93
- ACMI Seal Authorization for Chalks, Charcoal and Pastels dated 10/6/93
- Duke Occupational Health Service Toxicology Laboratory Name Change form dated 5/9/95

Both forms of YARKA charcoal (carbon) are covered by these documents and bear the AP Label of Certification as authorized by the Art & Craft Materials Institute.

Please feel free to contact me if you need any futher information.

Sincerely,

Britta Karlberg
Office Manager

enc.