<Material Safety Data Sheet>

Too Marker Products Inc. TOC Bldg. 8F, 22-17, Nishi-Gotanda 7-chome, Shinagawa-ku, Tokyo, Japan (Phone)81-3-5719-2657 (Fax)81-3-5719-2658 January 01, 2014

Product Name:	Copic Multiliner (water based pigment ink) Copic Multiliner SP (water based pigment ink)	
Hazardous Component:		CAS No.
	(Black)	
	Water	
	Carbon Black	1333-86-4
	Glycerin	56-81-5
	Resin	25086-15-1
	Isopropyl Alcohol	67-63-0
	(Purple)	
	Water	
	Purple	6358-30-1
	Ethrene Glycol	107-21-1
	Glycerin	56-81-5
	Resin	25086-15-1
	Urea	57-13-6
	Isopropyl Alcohol	67-63-0
	(Wine)	
	Water	
	Red	1047-16-1
	Blue	147-14-8
	Yellow	6358-85-6
	Purple	6358-30-1
	Ethrene Glycol	107-21-1
	Glycerin	56-81-5
	Resin	25086-15-1
	Urea	57-13-6
	Isopropyl Alcohol (Pink)	67-63-0
	Water	
	Red	1074-16-1
	Ethrene Glycol	1074-10-1
	Glycerin	56-81-5
	Resin	25086-15-1
	Urea	57-13-6
	Isopropyl Alcohol	67-63-0
	(Red)	07 03 0
	Water	
	Red	6655-84-1
	Ethrene Glycol	107-21-1
	Glycerin	56-81-5
	Resin	25086-15-1
	Urea	57-13-6
	Isopropyl Alcohol	67-63-0
	(Orange)	
	Water	
	Orange	6505-28-8
	Ethrene Glycol	107-21-1
	Glycerin	56-81-5
	Resin	25086-15-1
	Isopropyl Alcohol	67-63-0
	(Yellow)	
	Water	

Item Numbers: 22166-1009, 22166-2009 Page 1 of 4

Yellow	6358-85-6
Ethrene Glycol	107-21-1
Glycerin	56-81-5
Resin	25086-15-1
Urea	57-13-6
Isopropyl Alcohol	67-63-0
(Olive)	
Water	
Carbon Black	1333-86-4
Blue	147-14-8
Yellow	6358-85-6
Purple	6358-30-1
Ethrene Glycol	107-21-1
Resin	25086-15-1
Urea	57-13-6
Isopropyl Alcohol	67-63-0
(Turquois)	
Water	
Green	1328-53-6
Ethrene Glycol	107-21-1
Glycerin	56-81-5
Resin	25086-15-1
Urea	57-13-6
Isopropyl Alcohol	67-63-0
(Sky Blue)	
Water	
Blue	147-14-8
Ethrene Glycol	107-21-1
•	56-81-5
Glycerin	
Resin	25086-15-1
Urea	57-13-6
Isopropyl Alcohol	67-63-0
(Cobalt)	
Water	
Red	6655-84-1
Blue	147-14-8
Ethrene Glycol	107-21-1
Glycerin	56-81-5
Resin	25086-15-1
Urea	57-13-6
Isopropyl Alcohol	67-63-0
(Sepia)	
Water	
Yellow	5567-15-7
Red	57301-22-1
Blue	147-14-8
Ethrene Glycol	107-21-1
Resin	25086-15-1
Isopropyl Alcohol	67-63-0
(Cool Grey)	
Water	
Carbon Black	1333-86-4
Blue	147-14-8
Glycerin	56-81-5
Resin	25086-15-1
Isopropyl Alcohol	67-63-0
(Warm Grey)	0. 00 0
Water	
	1222 96 4
Carbon Black	1333-86-4
Ethrene Glycol	107-21-1
Diethrene Glycol	111-46-6

Item Numbers: 22166-1009, 22166-2009 Page 2 of 4

Resin 1 25086-15-1
Resin2 67-63-0
7732-18-4
71356--38-2
Urea 57-13-6
Isopropyl Alcohol 67-63-0

This artitst drawing ink is a professional artits's product that is not intended for use by children. Keep out of the reach of children. Non-Flammable.

Physical and Chemical Characteristics

Classification: Non-flammable liquid Boiling Point: 100 degrees centigrade

Vapor Pressure:
Vapor Density:
Solubility in Water:
Specific Gravity:
Melting Point:
Evaporation Rate:
Odor:
Not known
Moderate
1.03-1.05
Not Applicable
Slow
Very little

Fire and Explosion Hazard Data

Flash Point: Non-flammable

Lower Flammable Limit: Upper Flammable Limit:

Fire extinguishing media: Water Special Fire Fighting Procedur Use water.

Report to the appropriate authorities to seek for assistance.

Unusual Fire & Explosion Haz None

Reactivity Data

Apprearance:

Stability:Stable: YesConditions to Avoid:None KnownIncompatibility (Avoid):None KnownHazardous Decomposition:No

Hazardous Polymerization: No

Conditions to Avoid: None Known

Health Hazard Data

Physical Hazards: No

Health Hazards: Do not swallow. No warranty is given.

Liquid Ink

First Aid: Eye Contact: Flush the eye with fresh water for at least 5 minutes.

Seek ophthalmologist assistance immediately.

Swallowed: Give a plenty of water or salt water, put fingers down the throat to induce vomit, and seek medical help immediately. Do not give

an unconscious victim anything orally.

Precaution for Safe Handling and Use

In Case of Spill: Flush out the spill by large quantities of water.

In this case, need to make sure that the concentrated liquid would not be flown out into nearby rivers and other water bodies.

Waste Disposal Method Dispose in accordance with the regulations of country concerned

for water based pigment ink.

Precaution None Known. **Other Precautions** None Known.

Control Measures

Respiratory Protection: None.

Item Numbers: 22166-1009, 22166-2009 Page 3 of 4

Local Exhaust: Not specifically suggested. **Special Local Exhaust:** Not specifically suggested. **Mechanical Exhaust:** Not specifically suggested. Other Mech. Exhaust: Not specifically suggested. **Protective Gloves:** Yes to avoid skin contact. **Eye Protection:** Chemical goggles or face shield to avoid splash.

Other Protective Clothing or

Equipment:

Work/Hygienic Practices:

Handling and Storage:

Impervious rubber gloves

Use standard Artist's precautions. Do not spray or airbrush without

adequate ventilation. Avoid inhalation of mist or spray.

Handling: Do not swallow.

Storage: Store in accordance with the regulations of country concerned.

Store it in a cool and dry area out of direct sunlight.

Protection from Exposure: Accommodation/equipment measures: Handle the material in a

well-ventilated place.

Protective gear: Rubber gloves and chemical goggles or face shield for normal condition. Wear rubber gloves, rubber apron, and safety shoes,

protective goggles, and gas mask for concentrated area.

Disposal: Recover free liquid and dispose in accordance with the regulations of

country concerned.

Transportation: Follow the directions given in Handling and Storage section.

Inquiry, References: The above statements were based on currently available data and

information. Please note that this does not ensure the product characteristics in every possible respect. Strict observance of current

laws and regulations is individual responsibility.

Page 4 of 4 Item Numbers: 22166-1009, 22166-2009