Safety data sheet according to 1907/2006/BC, Article 31

22198-7011 Page 1/6 Printing date 16.06 2011 Revision: 14.06 2011 Version number 6

-7015 -7018

1 Identification of the substance/mixture and of the company/undertaking

- Product identifier
- · Trade name: Montana Black Ink light green
- · Article number:
- Registration number
- Registration number
 The ingredients of this ink have been pre-registered according to 1907/2006/EC (REACH)
 Relevant identified uses of the substance or mixture and uses advised against
 Currently no such applications are identified
 Application of the substance / the preparation alcohol based permanent marking ink

- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier: Georg Linz GmbH & Co.KG Rothensteig 17 D-90408 Nurnberg Phone + 49(0)911/93^719-0 Fax + 49(0)911/937719-44 info@linz-pen.de
- Purther information obtainable from:

as above

· Emergency telephone number:

as above

2 Hazards identification

- Classification of the substance or mixture
- Classification according to Directive 67/548/BBC or Directive 1999/45/BC

May cause sensitisation by skin contact.



Xi; Sensitising

R43:

F; Highly flammable

R11: Highly flammable.

- R52/53-67: Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment. Vapours may cause drowsiness and dizziness.

 Information concerning particular hazards for human and environment:

 The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

 Has a narcotizing effect.

 Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

- · Label elements
- · Labelling according to BU guidelines:
 The product has been classified and marked in accordance with EU Directives / Ordinance on Hazardous Materials.
- Code letter and hazard designation of product:





Xi Irritant F Highly flammable

- Hazard-determining components of labelling:
 - C. I. Solvent Yellow 146
- · Risk phrases:

- Alba phiabas: 11 Highly flammable. 43 May cause sensitisation by skin contact. 52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment. 67 Vapours may cause drowsiness and dizziness.
- Safety phrases:

- Safety phrases:

 7/9 Keep container tightly closed and in a well-ventilated place.

 24/25 Avoid contact with skin and eyes.

 37/39 Wear suitable gloves and eye/face protection.

 Avoid release to the environment. Refer to special instructions/safety data sheets.

 (Contd. cm page 2)

Page 2/6 Printing date 16.06.2011 Revision: 16.06.2011 Version number 6

(Contd. of page 1)

according to 1907/2006/EC, Article 31

Trade name: Montana Black Ink light green

- Other hazards
- Results of PBT and vPvB assessment
- PBT: Not applicable. vPvB: Not applicable.

3 Composition/information on ingredients

- Chemical characterization: Nixtures
 Mixture of the following substances, containing non-hazardous substances and colouring agents.
 Description: Mixture of substances listed below with nonhazardous additions.

CAS: 64-17-5	ethanol	50-100%	
EINECS: 200-578-6	SCS: 200-578-6 面 F R11		
	→ Flam. Liq. 2, H225	1	
CAS: 107-98-2	1-Methoxy-2-propanol	25-50%	
EINECS: 203-539-1		1	
	♠ Flam. Liq. 3, H226; ♠ STOT SE 3, H336	1	
CAS: 94279-65-9	C. I. Solvent Yellow 146	2,5-101	
	📷 Xi R36; 📷 Xi R43; 🔯 N R51/53	1	
	Aquatic Chronic 2, H411; ① Eye Irrit. 2, H319; Skin Sens. 1, H317	J	
CAS: 1328-51-4	C. I. Solvent Blue 38	≤ 2,5%	
EINECS: 215-523-1	MR Xn R22	ł	

· Additional information: For the wording of the listed risk phrases refer to section 16.

4 First aid measures

- · Description of first aid measures

- After inhalation:
 Supply fresh air and to be sure call for a doctor.
 In case of unconsciousness place patient stably in side position for transportation.
 After skin contact: Immediately wash with water and soap and rinse thoroughly.
 After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
 After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Firefighting measures

- Extinguishing media
- Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water. For safety reasons unsuitable extinguishing agents:

- mater Water with full jet **Special hazards arising from the substance or mixture** No further relevant information available.
- Advice for firefighters
- Protective equipment: No special measures required.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures
- Wear protective equipment. Keep unprotected persons away Wear protective clothing.
- Environmental precautions:
- Prevent seepage into sewage system, workpits and cellars.

 Inform respective authorities in case of seepage into water course or sewage system.

 Do not allow to enter sewers/ surface or ground water.

 Methods and material for containment and cleaning up:
- Methods and material for containment and cleaning up:
 Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
 Ensure adequate ventilation.
 Do not flush with water or aqueous cleansing agents
 Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

(Contd. on page 3)

Printing date 16 06 2011 Revision, 16 06 2011 Version number 6

according to 1907/2006/EC, Article 31

Trade name: Montana Black Ink light green

(Contd. of page 2)

7 Handling and storage

- Handling:
- Precautions for safe handling
- Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.

 Information about fire and explosion protection:
 Keep ignition sources away Do not smoke.

Protect against electrostatic charges.

- Conditions for safe storage, including any incompatibilities
- Storage:
 Requirements to be met by storerooms and receptacles: Store in a cool location.
 Information about storage in one common storage facility: Not required.
 Purther information about storage conditions:

- Keep container tightly sealed. Store in cool, dry conditions in well sealed receptacles
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- Control parameters
- Ingredients with limit values that require monitoring at the workplace:

107-98-2 1-Methoxy-2-propanol (25-50%)

IOELV Short-term value: 568 mg/m², 150 ppr
Long-term value: 375 mg/m², 100 ppm

Skin

- Additional information: The lists valid during the making were used as basis.
- Exposure controls
- Personal protective equipment:
- General protective and hygienic measures: Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work.
- Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the

preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and

the degradation Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

Bye protection:



Tightly sealed goggles

9 Physical and chemical properties

- Information on basic physical and chemical properties
- General Information Appearance:
 - Form:

Colour:

According to product specification

(Contd. on page

Printing date 16.06.2011 Sevision. 16.06.2011 Version number 6

according to 1907/2006/EC, Article 31

Trade name: Montana Black Ink light green

	(Contd. of p	
Odour:	Product specific	
Odour threshold:	Not determined.	
Important information on protection of health a	nd .	
environment, and on safety.	-	
	•	
pH-value:	Not determined.	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	78°C	
Flash point:	13°C	
Plammability (solid, gaseous):	Not applicable.	
Ignition temperature:	287°C	
Decomposition temperature:	Not determined.	
Self-igniting:	Product is not selfigniting.	
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapour mixtures are possible.	
Explosion limits:		
Lower:	1,7 Vol 8	
Upper:	15,0 Vol \$	
Vapour pressure at 20°C:	59 hPa	
Density at 20°C:	0,86 g/cm²	
Relative density	Not determined.	
Vapour density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
water:	Not miscible or difficult to mix.	
Segregation coefficient (n-octanol/water):	Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Rinematic at 20°C:	4 s (DIN 53211/4)	
Solvent content:		
Organic solvents:	89,5 %	
Solids content:	8,1 \$	
Other information	No further relevant information available.	

10 Stability and reactivity

- Reactivity
 Chemical stability
 Thermal decomposition / conditions to be avoided:
 No decomposition if used according to specifications.
 Possibility of hazardous reactions No dangerous reactions known.
 Conditions to avoid No further relevant information available.
 Incompatible materials: No further relevant information available.
 Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- Information on toxicological effects Acute toxicity:

- Acute toxicity:
 Primary irritant effect:
 on the skin: No irritant effect.
 on the eye: No irritating effect.
 Sensitization: Sensitization possible through skin contact.
 Additional toxicological information:
 The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:
 Irritant

(Contd. on page 5)

according to 1907/2006/EC, Article 31

Trade name: Montana Black Ink light green

(Contd. of page 4)

12 Ecological information Toxicity Acquatic toxicity: 94279-65-9 C. I. Solvent Yellow 146 Oral | LC50 / 48h | 2,000-5,000 mg/l (rat) Persistence and degradability No further relevant information available. Behaviour in environmental systems: Bioaccumulative potential No further relevant information available. · Mobility in soil No further relevant information available. · Rcotoxical effects: Remark: Harmful to fish Additional ecological information: **Maditional ecological information: General notes: Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground. Harmful to aquatic organisms **Results of PBT and vPvB assessment** **PBT*** Not applicable. PBT: Not applicable. vpvB: Not applicable. Other adverse effects No further relevant information available.

13 Disposal considerations

- Waste treatment methods
- Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

, -	raste catalogue
	WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS
	wastes from MFSU and removal of paint and varnish
08 01 13*	sludges from paint or varnish containing organic solvents or other dangerous substances

- · Uncleaned packaging:
 · Recommendation: Disposal must be made according to official regulations.

14 Transport information Land transport ADR/RID (cross-border) ADR/RID class: 3 (F1) Flammable liquids. Danger code (Kemler): UN-Number: 33 1263 Packaging group: ΙI Hazard label UN proper shipping name: 1263 PAINT Limited quantities (LQ) 5L Tunnel restriction code D/E · Maritime transport IMDG: IMDG Class: UN Number: 1263 TT Packaging group: EMS Number: F-E, <u>S-E</u> Marine pollutant: No

(Contd. on page 6)

Printing date 16.06.2011 #swimion. 16.06.2011 Vermion number 6

(Contd. of page 5)

according to 1907/2006/BC, Article 31

Trade name: Hontana Black Ink light green

Air transport ICAO-TI and IATA-DGR:

PAINT · Proper shipping name:



ICAO/IATA Class: UN/ID Number: 1263 Label Packaging group: TT PAINT Proper shipping name:

Special precautions for user Warning: Flammable liquids.

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · National regulations:
- · Technical instructions (air):

C	lass	Share	in	8
NK		50-100		

- · Waterhazard class: Water hazard class 2 (Self-assessment): hazardous for water. · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases
H225 Highly flammable liquid and vapour.
H226 Flammable liquid and vapour.
H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.
H336 May cause drowsiness or dizziness.

Toxic to aquatic life with long lasting effects. H411

R10 Flammable.

R10 Flammable.
R11 Highly flammable.
R22 Harmful if swallowed.
R36 Irritating to eyes.
R37 Asy cause sensitisation by skin contact.
R38 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
R59 Vapours may cause drowsiness and dizziness.

- EU -