

MATERIAL SAFETY DATA SHEET

22220-XXXX

BLICK GRAPHITE PENCILS

Page 1 of 3

Emergency Medical Number: 800-222-1222

Creation Date: December 15, 2011

Section One: Product Information

Product Name: Blick Graphite Pencils
 Product Sizes: 2B, 2H, 3B, 4B, 4H, 5B, 6B, 6H, B, HB, F, H
 Product Class: Artist Graphite Pencils

Section Two: Ingredients

Ingredients	CAS Number	% by Weight	PEL/TLV
graphite/clays/waxes in cores			
natural wood			
pigmented nitrocellulose lacquer on wood case			
pigmented foil			

Section Three: Hazards Identification

This product is considered safe under normal use conditions.

Section Four: First Aid Measures

Inhalation: None under normal use conditions.
 Skin Contact: None under normal use conditions.
 Eye Contact: None under normal use conditions. Possible mild irritation (similar to dust), irrigate with water.
 Ingestion: None under normal use conditions. No toxic effects known, give plenty of water.

This Material Safety Data Sheet is applicable to the consumer use of the following:
 Dick Blick Graphite Pencils with Part Numbers (22220 - XXXX)

MATERIAL SAFETY DATA SHEET

BLICK GRAPHITE PENCILS

Page 2 of 3

Section Five: Fire Fighting Measures

Flash Point: Above 120°C

Flammability Limits (% by volume): Lower: Not explosive Upper: Not explosive

Extinguishing Media: As appropriate for surrounding area. Dry powder, foam, carbon dioxide, water.

Special Fire Fighting Measures: No special fire fighting procedures required

Unusual Fire and Explosion Hazards: Not combustible

Section Six: Accidental Release Measures

No special spill procedures required.

Section Seven: Handling and Storage

Store away from open flame and heat.

Section Eight: Exposure Controls and Personal Protection

Respiratory Protection and Special Ventilation Requirements: None required

Other Protective Equipment (Gloves, Goggles, Etc.): None

Work/Hygiene Practices: Studio hygiene rules should be observed. Wash thoroughly before eating, drinking, and smoking.

Section Nine: Physical and Chemical Properties

Boiling Point: Not determined Melting Point: Not determined

Decomposition Temperature: Above 120°C Specific Gravity: Not determined

Specific Vapor Density (AIR = 1): Not determined Evaporation Rate (Butyl Acetate = 1): Not determined

Solubility in Water: None Reactivity in Water: Non-reactive

Appearance and Odor: Colored pencils; odorless

Section Ten: Stability and Reactivity

Stability: Stable.

Conditions to Avoid: Excessive heat, open flames.

Chemical Incompatibility: Strong Oxidizing agents, strong acids.

Hazardous Decomposition: Products stored in bulk are subject to ignition by fire and may, in case of fire, release toxic and/or irritating gasses.

Hazardous Polymerization: Will not occur.

MATERIAL SAFETY DATA SHEET

BLICK GRAPHITE PENCILS

Page 3 of 3

Section Eleven: Toxicological Information

IARC Monographs: No

National Toxicology Program: No

OSHA Regulated: No

Effects/Symptoms of Acute Exposure: None expected

Effects/Symptoms of Chronic Exposure: None expected

Medical Conditions Usually Aggravated By Overexposure of This Product: None known

Section Twelve: Ecological Information

Not available

Section Thirteen: Disposal Considerations

Dispose in accordance with Federal, State, and Local Regulations.

Section Fourteen: Transport Information

Not regulated as a hazardous material by DOT, IMO, or IATA.

Section Fifteen: Regulatory Information

TSCA INVENTORY:

The product on this Material Safety Data Sheet is not listed on the United States Environmental Protection Agency Toxic Substances Control Act Inventory. However, the components of the product are included in the TSCA Inventory.

Section Sixteen: Other Information**HMS Code**

Health 0

Flammability 0

Reactivity 0

Personal Protection N/A

0=Minimal / 4 = Severe

Dick Blick is a member of The Art and Creative Materials Institute, Inc. This product is certified by the Institute to be labeled in accordance with the voluntary chronic hazard labeling standard ASTM D-4236 and is labeled with the AP Seal (non-toxic). Products bearing the AP Seal are certified to be properly labeled in a program of toxicological evaluation by a medical expert for any known health risks and with information on the safe and proper use of these materials. Conforms to ASTM D-4236.

This product conforms with EN71-1, 2, 3 Regulations.

Professional Product. Not intended for use by children.

The information contained herein is accurate to the best of our knowledge, but no representation to that effect, expressed or implied, is given. The user hereby expressly acknowledges that he has in not way relied on the data contained herein and he agrees that it is his sole responsibility to check the product as to its suitability for its intended purpose.

May be used to comply with OSHA Hazard Communication Standard 29 CFR 1910.1200. Standard must be consulted for specific requirements.