

General Pastel Chalk

22978-XXX



Material Safety Data Sheet

May be used to comply with OSHA's Hazard Communication Standard, 29 CFR 1910.1200. Standard must be consulted for specific requirements.

Art-Office
School-Craft
Charcoal-Graphite
Pastels-Colored

U.S. Department of Labor
Occupational Safety and Health Administration
(Non-Mandatory Form)
Form Approved
OMB No 1218-0072

OKD per OSCAR.
General Pencil Vendor

IDENTITY (As Used on Label and List)
All wood cased pencil products

Note: Blank spaces are not permitted if any item is not applicable, or no information is available, the space must be marked to indicate this.

Section I

Manufacturer's Name GENERAL PENCIL CO.	Emergency Telephone Number 1-800-537-0734
Address (Number, Street, City, State, and ZIP Code) 67 Fleet St. Jersey City N.J 07306	Telephone Number for Information 1-201-653-5351 --- 1-415-369-4889
California--3168 Bay Rd. Bpx5311 Redwood City, CA 94063	Date Printed REVISED Revised 4/15/92
	Signature of Preparer (optional) <i>[Signature]</i>

Section II - Hazardous Ingredients/Identify Information

Hazardous Components (Specific Chemical Identity, Common Name(s))	OSHA PEL	ACGIH TLV	Other Limits Recommended	Ref (optional)
N/A-----Pencil products bearing the PMA Certification Mark(seal) of the Pencil Makers Assoc. Inc. are not within the scope of the OSHA Hazard Communication Standard. Pencils and graphite products are articles, not chemicals, 29 C.F.R. part 1910.1200 (B)(5)				
Pencil products bearing the PMA Certification Mark(seal) are certified in a program of toxicologic evaluation by a medical expert subject to review by the program Toxicological review Bd to contain no materials in sufficient quantities to offer an acute or chronic health hazard to humans..				
No acute or chronic health labeling is required under provision of federal law, the federal hazardous substance act, or under ASTM Standard D 4236.				

Section III - Physical/Chemical Characteristics

Boiling Point N/A	N/A	Specific Gravity (H ₂ O = 1) N/A
Vapor Pressure (mm Hg) N/A	N/A	Melting Point N/A
Vapor Density (AIR = 1) N/A	N/A	Evaporation Rate (Butyl Acetate = 1) N/A

Solubility in Water **N/A**

Appearance and Odor **Solid Stick form----Cedar Fragrance**

Dk.--Grey--Black

Section IV - Fire and Explosion Hazard Data

Flash Point (Method Used) 365° F	Flammable Limits	LEL N/A	UEL N/A
--	------------------	-------------------	-------------------

Extinguishing Media
Foam, Carbon dioxide, dry chemical

Special Fire Fighting Procedures
A self contained breathing device should be used when there is potential exposure to combustion products burning in bulk.

Additional Fire and Explosion Hazards
Pencil products stored in bulk are subject to ignition by fire and may,

in case of fire, release toxic and other irritating gases.

V1870

Section V — Reactivity Data

Stability	Unstable	N/A	Conditions to Avoid
	Stable	N/A	

Incompatibility (Materials to Avoid) N/A

Hazardous Decomposition or Byproducts N/A

Hazardous Polymerization	May Occur	N/A	Conditions to Avoid
	Will Not Occur	N/A	

Section VI — Health Hazard Data

Route(s) of Entry N/A Inhalation? N/A Skin? N/A Ingestion? N/A

Health Hazards (Acute and Chronic) N/A

Carcinogenicity: N/A NTP? N/A IARC Monographs? N/A OSHA Regulated? N/A

Signs and Symptoms of Exposure N/A

Medical Conditions Generally Aggravated by Exposure N/A

Emergency and First Aid Procedures N/A

Section VII — Precautions for Safe Handling and Use N/A

Steps to Be Taken in Case Material is Released or Spilled N/A

Waste Disposal Method N/A

Precautions to Be Taken in Handling and Storing N/A

Other Precautions N/A

Section VIII — Control Measures N/A

Respiratory Protection (Specify Type) N/A

Ventilation	Local Exhaust	N/A	Special	N/A
	Mechanical (General)	N/A	Other	N/A

Protective Gloves N/A Eye Protection N/A

Other Protective Clothing or Equipment N/A

Hygiene Practices N/A


Item Numbers: 22978-1009, 22978-3800, 22978-8120, 22978-8818, 22978-8122, 22978-8522

Pencil Makers Since 1889 GENERAL PENCIL COMPANY

Factory:
67 Fleet Street
Jersey City, N.J. 07306
Tel. (201) 653-5351
Fax (201) 653-2298



Please Reply to
3160 Bay Road/ PO 5311
Redwood City, CA 94063
New Area Code (650) 369-4889
New Area Code (650) 369-7169



Dear Friends,

Thank you for your recent request for Material Safety Data Sheets in regard to the art material products which we manufacture. All of our products have been tested and certified and "conform" to the ASTM D-4236 Standard."

Below are the authorized seals we have been approved to use. These seals cover all the products listed.

We thank you for your concern and assure you the safest products available for the Arts & Crafts field.

If you have any further questions in regards to our products, please contact us at the above address nearest you.

GENERAL PENCIL CO., INC.

James S. Weissenborn, C.E.O.



The above seal covers certification of all GENERAL'S® woodcased products.



The above AP Seal covers all B&J Brush Cleaner products. The Masters®- The Original Formula.



NON-TOXIC
No health labeling Required
The above seal covers KISS-OFF™ Stain Remover.