

23864-XXXX

## Material Safety Data Sheet

### 1. Product Identification Glitter Glue

### 2. Composition / Information on Ingredients

Contains: Water, Polyethylene Terephthalate, Acrylates Copolymer, PVP, Polyvinyl Alcohol, Polysorbate 20, Propylene Glycol, Phenonip, Tirethanolamine, Lauramidopropyl Betaine 30%, Carbomer and Parfum. Does not contain any substance presenting a health hazard.

### 3. Physical and Chemical Properties

Pure Material or Mixture:	Mixture
Physical Form:	Viscous liquid
Appearance / Physical Description:	Colored viscous liquid
Odor Threshold:	Not available (slightly perfumed)
pH:	7.5 – 8.5
Boiling Point:	>212° F
Melting / Freezing Point:	<32° F
Partition Coefficient (n-octanol/water):	Not applicable
Specific Gravity (Water = 1):	1.04
Bulk Density:	8.6 lb. / gal
Volatiles:	75% / wt.
Evaporation Rate (Water = 1):	1
Vapor Pressure:	17.5 mm Hg @ 20° C (68° F)
Vapor Density (Air = 1):	0.62
Volatile Organic Compounds:	202 g / 1
Autoignition Temperature:	Unknown
Flash Point:	Not applicable
Oxidizing Properties:	Not applicable
Solubility in Water:	Dispersible

### 4. Hazards Identification

HMIS Hazard Ratings for Product

0 = Minimal

1

Health:	1	1 = Slight
Flammability:	0	2 = Moderate
Reactivity:	0	3 = Serious
Personal Protection:	See Section 9	4 = Severe
		ξ = Chronic Effects

## 5. First Aid Measures

Eye Contact:	Flush eyes with large amounts of water until irritation subsides. Consult a physician if irritation persists.
Skin Contact:	Wash affected skin areas thoroughly with soap and water. Consult a physician if irritation persists.
Inhalation:	Move subject to fresh air.
Ingestion:	If swallowed, give two glasses of water to drink. Immediately contact poison control center, hospital emergency room or physician for any other treatment directions. Never give anything by mouth to an unconscious person.

## 6.. Fire Fighting Measures

Autoignition Temperature:	Unknown
Flash Point:	Not applicable
Upper Explosive Limit (%):	Not applicable
Lower Explosive Limit (%):	Not applicable
Extinguisher Media:	CO <sup>2</sup> , Dry Chemical Foam – Use extinguishing media appropriate for surrounding fire
Special Firefighting Procedures:	Not applicable
Fire & Explosion Hazards:	Not applicable
NFPA Flammability Hazard Class:	0 = insignificant

## 7. Accidental Release Measures

**Spill or Leak Procedures:** Spills should be taken up with suitable absorbent material and placed in containers. Spill areas can be washed with water; collect wash water for approved disposal. Do not flush in storm sewer or waterway.

## 8. Handling and Storage

Storage Temperature:	40° - 100° F
Handling / Storage:	Protect from freezing. Keep container sealed

**Ventilation Requirements:** when not in use.  
General

## **9. Exposure Control and Personal Protection**

**Conditions under which Personal Protective Equipment Required:** Normal work conditions, maintenance / repair. Recommended that working Area be covered with cloth or old newspaper.

**Eye Protection Requirements:** None required.

**Glove Requirements:** None required

**Clothing Requirements:** Protective clothing is normally unnecessary for foreseeable conditions of use. Recommended that children wear old clothes or overalls.

**Wash Requirements:** Stains may be removed by soaking overnight then washing with soap and warm water. Scrubbing can help. Do not use bleach, chemical cleaners or biological washing powder.

**Respirator Requirements:** None required under normal handling conditions.

**Ventilation Requirements:** General

## **10. Stability and Reactivity**

**Stability:** Normally stable as defined in NFPA 704-12 (4-3.1)..

**Incompatibilities:** Materials that react with water.

**NFPA Reactivity Hazard Class:** 0 = insignificant

**Hazardous Decomposition Products:** Carbon Monoxide, Carbon Dioxide

**Hazardous Polymerization:** Will not occur

## **11. Toxicological Information**

### ***Route of Entry***

**Acute Effects – Eye:**  
**Acute Effects – Skin Contact:**  
**Acute Effects – Inhalation:**  
**Acute Effects – Ingestion:**

### ***Short Term Effects of Exposure***

Slight, transient  
No hazard in normal commercial use  
No hazard in normal commercial use  
No hazard in normal commercial use

### ***Long Term Effects of Exposure***

**Effect of Chronic Exposure:** This product should be considered non-hazardous and has no known chronic effects.  
**Target Organs:** Not applicable.  
**Carcinogenicity:** None

## **12. Ecological Information**

No applicable data.

## **13. Disposal Considerations**

**Waste Disposal Methods:** Waste disposal should be in accordance with existing Federal, State and Local environmental regulations.  
**Empty Container Warnings:** Empty containers may contain product residue, follow MSDS and label warnings even after they have been emptied.

## **14. Transport Information**

### ***U.S. Department of Transportation Information***

**DOT Shipping Name:** Paints or Stains 149980 Sub. 3  
**DOT Hazard Class:** Non-hazardous  
**DOT Reportable Quantity:** None

### ***Canadian Transportation of Dangerous Goods (TDG)***

Non-Regulated.

### ***United Nations Transportation Information***

**U.N. Number:** None  
**U.N. Class:** None

## **15. Regulatory Information**

**TSCA:** All components are on the TSCA Inventory

<b>EEC:</b>	Not considered a dangerous substance or preparation within the meaning of European Directives 67/548/EEC and 88/379/EEC.
<b>FDA:</b>	21CFR175.105. Not considered to be toxic, or an eye / skin irritant as defined in the Federal Hazardous Substances Act (16 CFR 1500.3 (b) (5) and 16 CFR 1500.3 (b) (8).
<b>SARA/Title III:</b>	This product contains no substances at or above the reported threshold under Section 313 of Title III of the Superfund Amendment 48 and Reauthorization Act of 1986 and subpart C – Supplier Notification Requirement of 40 CFR Part 372 based on available data.
<b>ASTM D-4236:</b>	Products bearing the Non-Toxic Product Seal are Certified in a program of toxicological evaluation by a nationally certified toxicologist to contain no Materials in sufficient quantities to be toxic or injurious to humans or to cause acute or chronic health problems. These products are certified to be labeled in accordance with the voluntary chronic hazard labeling standard ASTM D-4236. In addition, there is no physical hazard as defined within 29 CFR Part 1910.1200 (c) .

## **16. Other Information**

**Creation Date:** September 1, 2004

### **User's Responsibility:**

*The OSHA Hazard Communication Standard 29 CFR 1910.1200 and the Workplace Hazardous Materials Information System (WHMIS) require that the information contained on these sheets be made available to your workers. Education and train your workers regarding OSHA and WHMIS precautions. Instruct your workers to handle this product properly. Consult with appropriate experts to guard against hazards associated with use of this product and its ingredients.*

### **Disclaimer:**

