MSDS for #24213 - LASCAUX ADHESIVE Material Safety Data Sheet

m Numbers: 24212-2020



Pro					
Product name : Revision : Print date :		Lascaux Acrylic Adhesive 303 HV (4001) 17.10.2012 Version : 4.0.0	the spirit of colours		
Print	date :	17.10.2012			
01.	Identification of the substance/preparation and of the company/undertaking Product name Lascaux Acrylic Adhesive 303 HV (4001) Manufacturer/Supplier Lascaux Colours & Restauro Barbara Diethelm AG				
	Street/P.O.Bo Zürichstrasse 4	x			
	8306 Brüttise				
	Telephone / T +41 44 807 41 Contact techsupport@l Emergency inf	41 / +41 44 807 41 40 ascaux.ch			
	+41 44 251 51	51 (Tox Center)++1 800 468 6942 (for	U.S.A.)		
02.	Hazards ident Hazard design				
03.	- Composition/	information on ingredients			
03.	Chemical char Aqueous disper acrylate. Hazardous cor	information on ingredients racterization rsion of a thermoplastic acrylic polymer based on 2-et	thylhexyl acrylate and ethyl		
03.	Chemical char Aqueous disper acrylate. Hazardous con ALKYL ETHER SULF Percentage : Classification :	information on ingredients racterization rsion of a thermoplastic acrylic polymer based on 2-et mponents ATE, SODIUM SALT 1 - 3 %	thylhexyl acrylate and ethyl		
	Chemical char Aqueous disper acrylate. Hazardous con ALKYL ETHER SULF Percentage : Classification : For the wordin First-aid meas General In all cases of	information on ingredients fracterization rsion of a thermoplastic acrylic polymer based on 2-et mponents ATE, SODIUM SALT 1 - 3 % XI ; R 36 g of the listed risk phrases refer to section 16. Sures doubt, or when symptoms persist, seek medical atten			
	Chemical char Aqueous disper acrylate. Hazardous con ALKYL ETHER SULF Percentage : Classification : For the wordin First-aid meas General In all cases of by mouth to an After inhalatic Take the casua breathing: artist	information on ingredients fracterization rsion of a thermoplastic acrylic polymer based on 2-et mponents ATE, SODIUM SALT 1 - 3 % XI ; R 36 g of the listed risk phrases refer to section 16. Sures doubt, or when symptoms persist, seek medical atten in unconscious person. On alty into the fresh air and keep warm. Keep at rest. In ficial respiration. Unconsciousness: lateral position - c	ntion. Never give anything regular breathing/no		
	Chemical char Aqueous disper acrylate. Hazardous con ALKYL ETHER SULF Percentage : Classification : For the wordin First-aid meas General In all cases of by mouth to an After inhalatic Take the casua breathing: artif	information on ingredients racterization rsion of a thermoplastic acrylic polymer based on 2-et mponents ATE, SODIUM SALT 1 - 3 % XI ; R 36 g of the listed risk phrases refer to section 16. Sures doubt, or when symptoms persist, seek medical attent n unconscious person. on alty into the fresh air and keep warm. Keep at rest. In ficial respiration. Unconsciousness: lateral position - c tact th soap and water and rinse. Do NOT use solvents or	ntion. Never give anything regular breathing/no all a physician.		
	Chemical char Aqueous disper acrylate. Hazardous con ALKYL ETHER SULF Percentage : Classification : For the wordin First-aid meas General In all cases of by mouth to an After inhalation Take the casua breathing: artif After skin con Wash away wit After eye conta physician.	information on ingredients fracterization rsion of a thermoplastic acrylic polymer based on 2-et mponents ATE, SODIUM SALT 1 - 3 % XI : R 36 g of the listed risk phrases refer to section 16. Sures doubt, or when symptoms persist, seek medical attent in unconscious person. On alty into the fresh air and keep warm. Keep at rest. In ficial respiration. Unconsciousness: lateral position - c tact th soap and water and rinse. Do NOT use solvents or cact ct lenses, keep eyelids open. Flush with plenty of water	ntion. Never give anything regular breathing/no all a physician. thinners.		
	Chemical char Aqueous disper acrylate. Hazardous con ALKYL ETHER SULF Percentage : Classification : For the wordin First-aid meas General In all cases of by mouth to an After inhalatio Take the casua breathing: artif After skin con Wash away wit After eye conta physician.	information on ingredients fracterization rsion of a thermoplastic acrylic polymer based on 2-et mponents ATE, SODIUM SALT 1 - 3 % XI : R 36 g of the listed risk phrases refer to section 16. Sures doubt, or when symptoms persist, seek medical attent in unconscious person. On alty into the fresh air and keep warm. Keep at rest. In ficial respiration. Unconsciousness: lateral position - c tact th soap and water and rinse. Do NOT use solvents or cact ct lenses, keep eyelids open. Flush with plenty of water	ntion. Never give anything regular breathing/no all a physician. thinners. er (10 - 15 min.). Call a		

MSDS for #24213 - LASCAUX ADHESIVE Material Safety Data Sheet

according to Regulation (EC) 1907/2006



the spirit of colours

Product name : Revision : Print date :

17.10.2012 17.10.2012

Lascaux Acrylic Adhesive 303 HV (4001)

Version : 4.0.0

05. Fire-fighting measures

Suitable extinguishing media

Alcohol resistant foam, CO2, powders, water spray.

Unsuitable extinguishing media

Waterjet.

Special risk posed by the substance or by the actual preparation, its combustion products or gases discharged

Fire will produce dense black smoke. Exposure to decomposition products may cause a health hazard.

Special protective equipment

Appropriate breathing apparatus may be required.

Additional information

Do not allow the quenching water into the sewage system.

06. Accidental release measures

Personal precautions

Refer to protective measures listed in sections 7 and 8.

Environmental precautions

If the product contaminates lakes, rivers or sewages, inform appropriate authorities in accordance with local regulations.

Methods for cleaning up/collecting

Contain and collect spillage with non-combustible absorbent materials, e.g. sand, earth, vermiculite, diatomaceous earth and place in container for disposal according to local regulations (see section 13). Clean preferabily with a detergent; avoid use of solvents.

07. Handling and storage

Information for safe handling

Do not eat or drink during work - no smoking. Comply with the health and safety at work laws. For personal protection see Section 8.

Requirements to be met by storerooms and containers

No particular measures required.

Information about separation of incompatible products

12

Keep away from oxidizing agents, from strongly alkaline and strongly acid materials.

Further information about storage conditions

Always keep in containers of same material as the original one. See also instructions on the label. Avoid heating and direct sunlight. Keep containers dry and cool. Comply with the health and saftey at work laws.

Storage class (VCI) :

08. Exposure controls/personal protection Personal protective equipment

Respiratory protection

- 24212-202

If workplace limits are exceeded, a gas mask approved for this purpose must be worn. Eye protection

Page : 2 / 4

(EN/D)

Page 2 of 4

MSDS for #24213 - LASCAUX ADHESIVE

Item Numbers: 24213-3030

Pro	duct name :	9603114	Acrylic Adhe		IV (4001)	the spirit of colours
	sion :	17.10.2012	Version :	esive 303 r	4.0.0	
	date :	17.10.2012	version.		4.0.0	
	Use safety gla Body protecti After skin con use solvents c	ion tact wash tho	rougly with so	pap and wat	er or use recogn	ised skin cleanser. Do No
)9 .	Physical and c	hemical pro	<u>perties</u>			
	Image					
	Form :	Pasty	1.			
	Colour :	Whit	э.			
	Odour :	Char	acteristic.			
	Relevant safet	ty data				
	Boiling point / ra	-	(1013 hPa)	ca.	100	°C
	Flash point :	-			not applicable	
	Vapour pressure :	:	(50 °C)	ca.	120	hPa
	Density : pH value :		(20 °C)	ca. ca.	1 8 - 9	g/cm³
	Viscosity :		(20 °C)	ca.	8 - 9 5000 - 8000	mPa.s
1.	Hazardous dec When exposed carbon monoxi	ecommended composition to high temp de and dioxid	products eratures may e, smoke, oxi	produce ha		ion 7). osition products such as
11.	Stable under re Hazardous ded When exposed carbon monoxi Toxicological i Additional tox There no data the convention	avoid ecommended to high temp de and dioxid information icological in availble on th al method of	products eratures may e, smoke, oxi formation e preparation the Dangerou	produce ha des of nitro itself. The p s Preparatic	zardous decompo gen. preparation has b ons Directive 1990	position products such as
	Stable under re Hazardous ded When exposed carbon monoxi <u>Toxicological i</u> Additional tox There no data	avoid ecommended composition to high temp de and dioxid information icological in availble on th al method of azards accordi prmation logical inform	products eratures may e, smoke, oxi formation e preparation the Dangerou ngly. See Sec mation	produce ha des of nitro itself. The p s Preparatio tions 2 and	zardous decompo gen. preparation has b ons Directive 1990	position products such as
	Stable under re Hazardous dec When exposed carbon monoxi Toxicological i Additional tox There no data the convention toxicological hat Ecological info Additional ecolo General ecolo There are no o Disposal consi Contaminated	avoid ecommended to high temp de and dioxid information icological in availble on th al method of azards accordi ormation ological inform data available iderations packaging mu	products eratures may e, smoke, oxi formation e preparation the Dangerou ngly. See Sec mation on the produ	produce ha des of nitro itself. The p is Preparatio tions 2 and uct itself.	zardous decompo gen. preparation has b ns Directive 1990 15 for details.	osition products such as
12.	Stable under re Hazardous dec When exposed carbon monoxi Toxicological i Additional tox There no data the convention toxicological hat Ecological info Additional ecolo General ecolo There are no o Disposal consi Contaminated p may be sent to as the medium	avoid ecommended to high temp de and dioxid information icological in availble on th al method of azards accordi ormation data available iderations packaging mu a recycling p ormation t ADR/RID	products eratures may e, smoke, oxi formation e preparation the Dangerou ngly. See Sec mation on the produ	produce ha des of nitro itself. The p is Preparatio tions 2 and uct itself.	zardous decompo gen. preparation has b ns Directive 1990 15 for details.	position products such as been assessed following 9/45/EC and classified fo
12.	Stable under re Hazardous ded When exposed carbon monoxi Toxicological i Additional tox There no data the convention toxicological had Ecological info Additional ecolo General ecolo There are no o Disposal consi Contaminated p may be sent to as the medium Transport info Land transpor	avoid ecommended composition to high temp de and dioxid information icological in availble on th al method of azards accordi ormation ological inforn data available iderations packaging mu a recycling p crmation t ADR/RID	products eratures may e, smoke, oxi formation e preparation the Dangerou ngly. See Sec mation on the produ st be emptied lant. Uncleane	produce ha des of nitro itself. The p is Preparatio tions 2 and uct itself.	zardous decompo gen. preparation has b ns Directive 1990 15 for details.	position products such as been assessed following 9/45/EC and classified fo
12.	Stable under re Hazardous ded When exposed carbon monoxi Toxicological i Additional tox There no data the convention toxicological ha Ecological info Additional ecolo General ecolo There are no o Disposal consi Contaminated p may be sent to as the medium Transport info Land transpor Classification Class : Maritime transpor	avoid ecommended composition to high temp de and dioxid information icological in availble on th al method of azards accordi ormation ological inforn data available iderations packaging mu a recycling p crmation t ADR/RID	products eratures may e, smoke, oxi formation e preparation the Dangerou ngly. See Sec mation on the produ st be emptied lant. Uncleand	produce ha des of nitro itself. The p is Preparatio tions 2 and uct itself.	zardous decompo gen. preparation has b ns Directive 1990 15 for details.	position products such as been assessed following 9/45/EC and classified for g appropriate cleaning,

Page 3 of 4

MSDS for #24213 - LASCAUX ADHESIVE Material Safety Data Sheet

according to Regulation (EC) 1907/2006					
Product name : Revision : Print date :	Lascaux Acrylic Adhesive 303 HV (4001)the spirit of colou17.10.2012Version :4.0.017.10.2012				
IMDG-Code :	-				
Air transport I	CAO-TI and IATA-DGR				
Classification					
Class :					
Packaging					
I.F. Demulater inf					
15. <u>Regulatory inf</u>	ormation according to EC directives				
	nation for certain preparations				
101	Safety data sheet available for professional user on request.				
	atory information				
	5				
•					
Water polluti	cording VwVwS				
Water polluti Class : 1 ac	cording VwVwS				
Water polluti Class : 1 ac 16. <u>Other informa</u>	cording VwVwS				
Water polluti Class : 1 ac 16. <u>Other informa</u> Further inform	cording VwVwS tion nation				
Water polluti Class : 1 ac 16. <u>Other informa</u> Further inform The details in t	cording VwVwS				
Water polluti Class : 1 ac 16. Other informa Further inform The details in t knowledge or c	tion his material safety data sheet satisfy national and EC legislation. We have no				
Water polluti Class : 1 ac 16. Other informa Further inform The details in t knowledge or c used for any pu	cording VwVwS tion hation his material safety data sheet satisfy national and EC legislation. We have no ontrol over the user 's working conditions however. The product may not be				
Water polluti Class : 1 ac 16. Other informa Further inform The details in t knowledge or c used for any pu	tion his material safety data sheet satisfy national and EC legislation. We have no ontrol over the user 's working conditions however. The product may not be urpose other than that specified in chapter 1 unless written consent has been user is responsible for the observance of all required statutory provisions.				
Water polluti Class : 1 ac 16. Other informa Further inform The details in t knowledge or c used for any pu obtained. The o Relevant char	tion his material safety data sheet satisfy national and EC legislation. We have no ontrol over the user 's working conditions however. The product may not be urpose other than that specified in chapter 1 unless written consent has been user is responsible for the observance of all required statutory provisions.				
Water polluti Class : 1 ac 16. Other informa Further inform The details in t knowledge or c used for any pu obtained. The o Relevant char	tion hation his material safety data sheet satisfy national and EC legislation. We have no control over the user 's working conditions however. The product may not be urpose other than that specified in chapter 1 unless written consent has been user is responsible for the observance of all required statutory provisions. nges s to the thresholds				

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Page : 4 / 4

(EN/D)