

25308-Fluore

MATERIAL SAFETY DATA SHEET**CREATEX
COLORS**14 Airport Park Road
P.O. Box 120
East Granby, CT. 06026
(860) 653-5505
(860) 653-0643 fax**PRODUCT IDENTIFICATION****REVISION DATE: 10/24/12**

IDENTITY: (As used on label)	Item numbers:
Creutex Fluorescent Airbrush Colors	5401,5402,5403,5404,5405,5406,5407,5408,5409,5410
Product Class:	Formula:
Acrylic Paint, Artist	Aqueous dispersion of organic pigment and acrylic polymer

HAZARDOUS INGREDIENTS

COMPONENT	CAS #	%	OSHA/PEL
Not a hazardous material as outlined by the OSHA Hazard Communication Standards. Meets ASTM D-4236 Standards			

PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling /melting point: 408°F (209° C)
Flash Point: N/A
Solubility in water: N/A
Vapor pressure (mm Hg): NA
Vapor density: N/A
Specific Gravity (H₂O-1): N/A
Evaporation Rate: (BuAct=1): N/A
V.O.C. : 0.42 lbs/gal

FIRE AND EXPLOSION HAZARD DATA

Extinguisher Media: No special media required, not combustible, not explosive
--

TRANSPORTATION INFORMATION

U.S. DOT (49 CFR 172.101): This is not a hazardous material as classified by CFR 172.101

REACTIVITY DATA

Stability: (X) Stable () Unstable Conditions to avoid: extreme temperatures, open flames
Incompatibility (materials to avoid) : N/A
Hazardous Decomposition or Byproducts: N/A
Hazardous Polymerization: () may occur (X) will not occur Conditions to avoid: None

HEALTH INFORMATION

Primary Route of Exposure:		Inhalation:	Skin: X	Ingestion:	Eyes:
Carcinogen:	IARC: no	NTP: no	OSHA: no		
Signs and Symptoms of Exposure: None expected					
Medical Conditions Generally Aggravated by Exposure: Non expected					
Emergency and First Aid Procedures: <u>Eye Contact</u> , remove contact lenses. Flush with water for 15 min. and consult physician if irritation persists. <u>Ingestion</u> , If victim is conscious give water, <i>do not</i> induce vomiting. Call physician.					

SPECIAL PROTECTION DATA

Respiratory Protection: Respiratory protection equipment is required under normal conditions of anticipated use with adequate ventilation. Wear a NIOSH/MSHA approved respirator.
Ventilation: The use of local exhaust ventilation is recommended to control emissions near the source. Provide mechanical ventilation of confined spaces. Use explosion proof ventilation equipment.
Protective Gloves: None required
Other Protective Clothing: Coveralls, apron, or other equipment can be worn to minimize skin contact. Where use can result in skin contact, wash thoroughly before eating, drinking, or smoking.

SPILL AND LEAK PROCEDURES

Storing/Handling: Store in tightly closed containers in a cool, well-ventilated area.
Waste Disposal Method: Sanitary landfill in accordance with local, state, and federal regulations.
Other Precautions: None

REGULATORY INFORMATION

CANADIAN WHMIS: THIS PRODUCT IS CONTROLLED PRODUCT UNDER CANAD'S WORKPLACE HAZARDOUS MATERIALS INFORMATION SYSTEM: It contains the following toxic or highly toxic materials: Aluminum Oxide, Ferric Oxide, Mica, Propylene Glycol
NEW JERSEY'S RIGHT TO KNOW PROGRAM: This product contains the following chemicals: Aluminum Oxide, Mica

25308

Fluorescent Blue = 5243, 5004, 5245, 5246

Fluorescent Green = 7003, 7004, 7005, 7006

Fluorescent Hot Pink = 3293, 3294, 3295, 3296

Fluorescent Magenta = 3043, 3044, 3045, 3046

Fluorescent Orange = 4563, 4504, 4505, 4506

Fluorescent Raspberry = 3363, 3364, 3365, 3366

Fluorescent Red = 3703, 3004, 3025, 3026

Fluorescent Sunburst = 4543, 4544, 4545, 4546

Fluorescent Violet = 6503, 6504, 6505, 6506

Fluorescent Yellow = 4003, 4004, 4005, 4006