

25308 - Irides

MATERIAL SAFETY DATA SHEET**CREATEX
COLORS**14 Airport Park Road
P.O. Box 120
East Granby, CT. 06026
(860) 653-5505
(860) 653-0643 fax**PRODUCT IDENTIFICATION****REVISION DATE: 10/24/12**

IDENTITY: (As used on label)	Item numbers:
Creutex Iridescent Airbrush Colors	5501,5502,5503,5504,5505,5506,5507,5508
Product Class:	Formula:
Acrylic Paint, Artist	Aqueous dispersion of organic pigment and acrylic polymer

HAZARDOUS INGREDIENTS

COMPONENT	CAS #	%	OSHA/PEL
Not a hazardous material as outlined by the OSHA Hazard Communication Standards. Meets ASTM D-4236 Standards			

PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling /melting point: 408°F (209° C)
Flash Point: N/A
Solubility in water: N/A
Vapor pressure (mm Hg): NA
Vapor density: N/A
Specific Gravity (H₂O-1): N/A
Evaporation Rate: (BuAct=1): N/A
V.O.C. : 0.42 lbs/gal

FIRE AND EXPLOSION HAZARD DATA

Extinguisher Media: No special media required, not combustible, not explosive
--

TRANSPORTATION INFORMATION

U.S. DOT (49 CFR 172.101): This is not a hazardous material as classified by CFR 172.101

REACTIVITY DATA

Stability: (X) Stable () Unstable Conditions to avoid: extreme temperatures, open flames
Incompatibility (materials to avoid) : N/A
Hazardous Decomposition or Byproducts: N/A
Hazardous Polymerization: () may occur (X) will not occur Conditions to avoid: None

HEALTH INFORMATION

Primary Route of Exposure:			
Inhalation:	Skin: X	Ingestion:	Eyes:
Carcinogen:	IARC: no	NTP: no	OSHA: no
Signs and Symptoms of Exposure: None expected			
Medical Conditions Generally Aggravated by Exposure: Non expected			
Emergency and First Aid Procedures:			
<u>Eye Contact</u> , remove contact lenses. Flush with water for 15 min. and consult physician if irritation persists.			
<u>Ingestion</u> , If victim is conscious give water, <i>do not</i> induce vomiting. Call physician.			

SPECIAL PROTECTION DATA

Respiratory Protection: Respiratory protection equipment is required under normal conditions of anticipated use with adequate ventilation. Wear a NIOSH/MSHA approved respirator.
Ventilation: The use of local exhaust ventilation is recommended to control emissions near the source. Provide mechanical ventilation of confined spaces. Use explosion proof ventilation equipment.
Protective Gloves: None required
Other Protective Clothing: Coveralls, apron, or other equipment can be worn to minimize skin contact. Where use can result in skin contact, wash thoroughly before eating, drinking, or smoking.

SPILL AND LEAK PROCEDURES

Storing/Handling: Store in tightly closed containers in a cool, well-ventilated area.
Waste Disposal Method: Sanitary landfill in accordance with local, state, and federal regulations.
Other Precautions: None

REGULATORY INFORMATION

CANADIAN WHMIS: THIS PRODUCT IS CONTROLLED PRODUCT UNDER CANAD'S WORKPLACE HAZARDOUS MATERIALS INFORMATION SYSTEM: It contains the following toxic or highly toxic materials: Aluminum Oxide, Ferric Oxide, Mica, Propylene Glycol
NEW JERSEY'S RIGHT TO KNOW PROGRAM: This product contains the following chemicals: Aluminum Oxide, Mica

25308

Iridescent Electric Blue = 5813, 5814, 5815

Iridescent Fuchsia = 6143, 6144, 6145

Iridescent Green = 7023, 7024, 7025

Iridescent Red = 3013, 3014, 3015

Iridescent Scarlet = 3093, 3094, 3095

Iridescent Turquoise = 5923, 5924, 5925

Iridescent Violet = 6513, 6514, 6515

Iridescent Yellow = 4013, 4014, 4015