

25308 - Opaque

**MATERIAL SAFETY DATA SHEET****CREATEX  
COLORS**14 Airport Park Road  
P.O. Box 120  
East Granby, CT. 06026  
(860) 653-5505  
(860) 653-0643 fax**PRODUCT IDENTIFICATION****REVISION DATE: 10/24/12**

<b>IDENTITY: (As used on label)</b>	<b>ITEM NUMBERS</b>
Createx Opaque Airbrush Colors	5201, 5202, 5203, 5204, 5205, 5206, 5207, 5208, 5209, 5210, 5211, 5212
<b>Product Class:</b>	<b>Formula:</b>
Acrylic Paint, Artist	Aqueous dispersion of organic pigment and acrylic polymer

**HAZARDOUS INGREDIENTS**

COMPONENT	CAS #	%	OSHA/PEL
Not a hazardous material as outlined by the OSHA Hazard Communication Standards. Meets ASTM D-4236 Standards			

**PHYSICAL/CHEMICAL CHARACTERISTICS**

<b>Boiling /melting point:</b> 408°F (209° C)
<b>Flash Point:</b> N/A
<b>Solubility in water:</b> N/A
<b>Vapor pressure (mm Hg):</b> NA
<b>Vapor density:</b> N/A
<b>Specific Gravity (H<sub>2</sub>O-1):</b> N/A
<b>Evaporation Rate: (BuAct=1):</b> N/A
<b>V.O.C. :</b> 0.42 lbs/gal

**FIRE AND EXPLOSION HAZARD DATA**

<b>Extinguisher Media:</b> No special media required, not combustible, not explosive
--

**TRANSPORTATION INFORMATION**

<b>U.S. DOT (49 CFR 172.101):</b> This is not a hazardous material as classified by CFR 172.101
---

**REACTIVITY DATA**

<b>Stability:</b> ( X ) Stable      ( ) Unstable <b>Conditions to avoid:</b> extreme temperatures, open flames
<b>Incompatibility (materials to avoid) :</b> N/A
<b>Hazardous Decomposition or Byproducts:</b> N/A
<b>Hazardous Polymerization:</b> ( ) may occur      ( X ) will not occur <b>Conditions to avoid:</b> None

**HEALTH INFORMATION**

<b>Primary Route of Exposure:</b>		<b>Inhalation:</b>	<b>Skin:</b> X	<b>Ingestion:</b>	<b>Eyes:</b>
<b>Carcinogen:</b>	<b>IARC:</b> no	<b>NTP:</b> no	<b>OSHA:</b> no		
<b>Signs and Symptoms of Exposure:</b> None expected					
<b>Medical Conditions Generally Aggravated by Exposure:</b> Non expected					
<b>Emergency and First Aid Procedures:</b> <u>Eye Contact</u> , remove contact lenses. Flush with water for 15 min. and consult physician if irritation persists. <u>Ingestion</u> , If victim is conscious give water, <i>do not</i> induce vomiting. Call physician.					

**SPECIAL PROTECTION DATA**

<b>Respiratory Protection:</b> Respiratory protection equipment is required under normal conditions of anticipated use with adequate ventilation. Wear a NIOSH/MSHA approved respirator.
<b>Ventilation:</b> The use of local exhaust ventilation is recommended to control emissions near the source. Provide mechanical ventilation of confined spaces. Use explosion proof ventilation equipment.
<b>Protective Gloves:</b> None required
<b>Other Protective Clothing:</b> Coveralls, apron, or other equipment can be worn to minimize skin contact. Where use can result in skin contact, wash thoroughly before eating, drinking, or smoking.

**SPILL AND LEAK PROCEDURES**

<b>Storing/Handling:</b> Store in tightly closed containers in a cool, well-ventilated area.
<b>Waste Disposal Method:</b> Sanitary landfill in accordance with local, state, and federal regulations.
<b>Other Precautions:</b> None

**REGULATORY INFORMATION**

<b>CANADIAN WHMIS:</b> THIS PRODUCT IS CONTROLLED PRODUCT UNDER CANAD'S WORKPLACE HAZARDOUS MATERIALS INFORMATION SYSTEM: It contains the following toxic or highly toxic materials: Aluminum Oxide, Ferric Oxide, Mica, Propylene Glycol
<b>NEW JERSEY'S RIGHT TO KNOW PROGRAM:</b> This product contains the following chemicals: Aluminum Oxide, Mica

**25308**

**Opaque Black = 2213, 2004, 2005, 2006**

**Opaque Blue = 5103, 5104, 5105, 5106**

**Opaque Coral = 3243, 3244, 3245, 3246**

**Opaque Light Green = 7903, 7904, 7905, 7906**

**Opaque Lilac = 6033, 6034, 6035, 6036**

**Opaque Purple = 6003, 6004, 6005, 6006**

**Opaque Red = 3103, 3104, 3105, 3106**

**Opaque Sky Blue = 5073, 5074, 5075, 5076**

**Opaque White = 1203, 1304, 1105, 1206**

**Opaque Yellow = 4923, 4924, 4925, 4926**