

25308 - TRANS

MATERIAL SAFETY DATA SHEET**CREATEX
COLORS**14 Airport Park Road
P.O. Box 120
East Granby, CT. 06026
(860) 653-5505
(860) 653-0643 fax**PRODUCT IDENTIFICATION****REVISION DATE: 10/24/12**

IDENTITY: (As used on label)	Item numbers:
Creutex Transparent Airbrush Colors	5102,5103,5105,5106,5107,5108,5109,5110,5111,5112,5113,5114,5115,5116,5117,5118,5119,5121,5122,5123,5124,5125,5126,5127,5128,5129,5131,5132,5133,5134,5135,5136,5137,5138
Product Class:	Formula:
Acrylic Paint, Artist	Aqueous dispersion of organic pigment and acrylic polymer

HAZARDOUS INGREDIENTS

COMPONENT	CAS #	%	OSHA/PEL
Not a hazardous material as outlined by the OSHA Hazard Communication Standards. Meets ASTM D-4236 Standards			

PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling /melting point: 408°F (209° C)
Flash Point: N/A
Solubility in water: N/A
Vapor pressure (mm Hg): NA
Vapor density: N/A
Specific Gravity (H₂O-1): N/A
Evaporation Rate: (BuAct=1): N/A
V.O.C. : 0.42 lbs/gal

FIRE AND EXPLOSION HAZARD DATA

Extinguisher Media: No special media required, not combustible, not explosive
--

TRANSPORTATION INFORMATION

U.S. DOT (49 CFR 172.101): This is not a hazardous material as classified by CFR 172.101

REACTIVITY DATA

Stability: (X) Stable () Unstable Conditions to avoid: extreme temperatures, open flames
Incompatibility (materials to avoid) : N/A
Hazardous Decomposition or Byproducts: N/A
Hazardous Polymerization: () may occur (X) will not occur Conditions to avoid: None

HEALTH INFORMATION

Primary Route of Exposure:			
Inhalation:	Skin: X	Ingestion:	Eyes:
Carcinogen:	IARC: no	NTP: no	OSHA: no
Signs and Symptoms of Exposure: None expected			
Medical Conditions Generally Aggravated by Exposure: Non expected			
Emergency and First Aid Procedures:			
<u>Eye Contact</u> , remove contact lenses. Flush with water for 15 min. and consult physician if irritation persists.			
<u>Ingestion</u> , If victim is conscious give water, <i>do not</i> induce vomiting. Call physician.			

SPECIAL PROTECTION DATA

Respiratory Protection: Respiratory protection equipment is required under normal conditions of anticipated use with adequate ventilation. Wear a NIOSH/MSHA approved respirator.
Ventilation: The use of local exhaust ventilation is recommended to control emissions near the source. Provide mechanical ventilation of confined spaces. Use explosion proof ventilation equipment.
Protective Gloves: None required
Other Protective Clothing: Coveralls, apron, or other equipment can be worn to minimize skin contact. Where use can result in skin contact, wash thoroughly before eating, drinking, or smoking.

SPILL AND LEAK PROCEDURES

Storing/Handling: Store in tightly closed containers in a cool, well-ventilated area.
Waste Disposal Method: Sanitary landfill in accordance with local, state, and federal regulations.
Other Precautions: None

REGULATORY INFORMATION

CANADIAN WHMIS: THIS PRODUCT IS CONTROLLED PRODUCT UNDER CANAD'S WORKPLACE HAZARDOUS MATERIALS INFORMATION SYSTEM: It contains the following toxic or highly toxic materials: Aluminum Oxide, Ferric Oxide, Mica, Propylene Glycol
NEW JERSEY'S RIGHT TO KNOW PROGRAM: This product contains the following chemicals: Aluminum Oxide, Mica

25308

Transparent Aqua = 5253, 5254, 5255, 5256

Transparent Brite Blue = 5763, 5764, 5765, 5766

Transparent Brite Green = 7013, 7014, 7015, 7016

Tinting Black = 2013

Transparent Brite Red = 3003, 3304, 3005, 3006

Tinting White = 1113

Transparent Brite Yellow = 4103, 4104, 4105, 4106

Transparent Burgundy = 3143, 3144, 3145, 3146

Transparent Canary Yellow = 4263, 4264, 4265, 4266

Transparent Caribbean Blue = 5913, 5914, 5915, 5916

Transparent Dark Brown = 8033, 8034, 8035, 8036

Transparent Deep Blue = 5463, 5464, 5035, 5466

Transparent Deep Red = 3713, 3714, 3715, 3716

Transparent Flamingo Pink = 3063, 3064, 3065, 3066

Transparent Forest Green = 7803, 7804, 7805, 7806

Transparent Fuchsia = 6133, 6134, 6135, 6136

Transparent Gray = 2613, 2614, 2505, 2616

Transparent Leaf Green = 7153, 7154, 7155, 7156

Transparent Light Brown = 8013, 8014, 8015, 8016

Transparent Maui Blue = 5793, 5794, 5795, 5796

Transparent Orange = 4513, 4604, 4515, 4516

Transparent Peach = 3803, 1474, 3805, 3806

Transparent Purple = 6013, 6014, 6015, 6016

Transparent Red Violet = 3763, 3764, 3765, 3766

Transparent Sand = 8143, 8144, 8145, 8146

Transparent Sunrise Yellow = 4083, 4084, 4085, 4086

Transparent Sunset Red = 3083, 3084, 3085, 3086

Transparent Tropical Green = 7913, 7914, 7915, 7916

Transparent Turquoise = 5213, 5214, 5215, 5215

Transparent Ultramarine Blue = 5233, 5234, 5235, 5236

Transparent Violet = 6603, 6604, 6605, 6606

Transparent Sunrise Yellow = 4083, 4084, 4085, 4086

Transparent Sunset Red = 3083, 3084, 3085, 3086

Transparent Tropical Green = 7913, 7914, 7915, 7916

Transparent Turquoise = 5213, 5214, 5215, 5215

Transparent Ultramarine Blue = 5233, 5234, 5235, 5236

Transparent Violet = 6603, 6604, 6605, 6606