	27111- 2584				
MATERIAL SAFET					
SECTION 1 - CHEMICAL PRODUCT (AND COMPANY IDENTIFICATION :				
PRODUCT NAME : PEWTER PS-4, 501 IDENTIFICATION NUMBER: AM242 PRODUCT USE/CLASS :	DATE PRINTED: 02/03/06				
SUPPLIER: Triangle Coatings, Inc. 1930 Fairway Drive San Leandro, CA 94577-5631	MANUFACTURER: Triangle Coatings, Inc. 1930 Fairway Drive San Leandro, CA 94577-5631				
EMERGENCY TELEPHONE:800-895-8000 (7:00 am - 5:00 pm PST)	EMERGENCY TELEPHONE:800-895-8000 (7:00 am - 5:00 pm PST)				
PREPARER: Cmk', PHONE: , PREPARE DATE: 0	02/03/06				
SECTION 2 - COMPOSITION/INFO					
	WT/WT % CAS NUMBER LESS THAN				
No Hazardous Materials are Co	ontained in this Product				
(See Section 16 for abbreviation legend) SECTION 3 - HAZARDS IDENTIFICATION					
*** EMERGENCY OVERVIEW ***: Harmful if EFFECTS OF OVEREXPOSURE - EYE CONTACT: pain, tearing or reddening accompanied !	May cause irritation including				

EFFECTS OF OVEREXPOSURE - SKIN CONTACT: May cause skin irritation.

EFFECTS OF OVEREXPOSURE - INHALATION: No hazard in normal industrial use.

EFFECTS OF OVEREXPOSURE - INGESTION: This material may be harmful or fatal if swallowed.

EFFECTS OF OVEREXPOSURE - CHRONIC HAZARDS: None.

PRIMARY ROUTE(S) OF ENTRY: Unknown

(Continued on Page 2)

Page 1 of 5

Product: AM242	Preparation Date: 02/03/06	Page 2
====================================		======:
	SECTION 4 - FIRST AID MEASURES	:
=======================================		

FIRST AID - EYE CONTACT: Immediately flush eyes with plenty of water for 15 minutes. Set medical attention, if irritation persists.

FIRST AID - SKIN CONTACT: Wash with soap and water. Get medical attention if irritation develops or persists. Remove contaminated clothing and shoes. Do not reuse until cleaned.

FIRST AID - INHALATION: Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Set immediate medical attention.

FIRST AID - INGESTION: If swallowed, do NOT induce vomiting. Sive victim a glass of water or milk. Call a physician or poison control center immediately. Never give anything by mouth to an unconscious person.

į		=====	=====	========		=
ï	SECTI	ON 5 -	FIRE	FIGHTING	MEASURES	
į			=====:	========		=

FLASH POINT: 240 F (SETAFLASH CLOSED CUP) LOWER EXPLOSIVE LIMIT: N.A. UPPER EXPLOSIVE LIMIT: N.A.

AUTOIGNITION TEMPERATURE:

EXTINGUISHING MEDIA: Unknown

UNUSUAL FIRE AND EXPLOSION HAZARDS: Product will not burn but may spatter if temperature exceeds boiling point.

SPECIAL FIREFIGHTING PROCEDURES: Containers can build up pressure if exposed to heat (fire). As in any fire, wear self-contained breathing apparatus pressure-demand (MSHA/NIOSH approved or equivalent) and full protective gear. Water runoff can cause environmental damage. Dike and collect water used to fight fire.

•	=======================================	;
į	SECTION 6 - ACCIDENTAL RELEASE MEASURES	;
ŧ	<u> </u>	

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: Ventilate area. Absorb spill with suitable absorbent material, then place in a chemical waste container. Avoid runoff into storm sewers and ditches which lead to waterways. If large spill, dike area and call spill response team. Notify appropriate state and local agencies.

į	======================================			=======			:
ï	SECT	CON '	7 -	HANDLING	AND	STORAGE	:
Ī			===		====		:

HANDLING: Wash thoroughly after handling.

STORAGE: Keep from freezing. Keep container closed when not in use.

(Continued on Page 3)

Item Numbers: 27111-2584 Page 2 of 5

	Product: AM242	Preparation Date: 02/03/06	Page 3
÷	=======================================	=======================================	-=======:
i	SECTION S	- EXPOSURE CONTROLS/PERSONAL PROTECTION	:
ï			

ENGINEERING CONTROLS: Good general ventilation should be sufficient to control airborne levels.

RESPIRATORY PROTECTION: Atmospheric levels should be maintained below the exposure limits listed in Section 2 by using engineering controls. If not feasible, use a NIOSH approved respirator.

SKIN PROTECTION: General use of chemical resistant gloves are recommended to protect the skin from drying and irritation. Lotions and barrier creams are also recommended to prevent drying of the skin.

EYE PROTECTION: Eye protection is recommended.

OTHER PROTECTIVE EQUIPMENT: If repeated or prolonged skin contact or contamination is likely, protective clothing should be worn.

HYGIENIC PRACTICES: Establish good personal hygiene and work practices. Always wash hands before eating, drinking, or smoking.

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

BOILING RANGE VAPOR DENSITY : N.A. : Is lighter than air ODOR. ODOR THRESHOLD : EVAPORATION RATE: Is slower than Butyl AFFEARANCE SCLUBILITY IN H20 : Acetate FREEZE POINT SPECIFIC GRAVITY: 1.2212 VAPOR PRESSURE pH @ 0.0 % : VISCOSITY PHYSICAL STATE VOLATILE BY VOLUME: 75.2% COEFFICIENT OF WATER/OIL DISTRIBUTION:

(See Section 16 for abbreviation legend)

SECTION 10 - STABILITY AND REACTIVITY

CONDITIONS TO AVOID: No Information.

INCOMPATIBILITY: Avoid contact with strong oxidizing agents.

HAZARDOUS DECOMPOSITION PRODUCTS: Can include carbon dioxide and carbon monoxide.

HAZARDOUS POLYMERIZATION: Will not occur under normal conditions.

STABILITY: This product is stable under normal storage conditions.

(Continued on Page 4)

Item Numbers: 27111-2584 Page 3 of 5

Product: AM242	Preparati	on Date: 02/03	/CA	Page 4
			==========	
=====================================				-======
No product or component t	oxicological in	nformation is .	available.	
TOXICOLOGICAL INFORMATION the toxicity profiles for similar to this product.				
	N 12 - ECOLOGIO	CAL INFORMATIO	V	
ECOLOGICAL INFORMATION: water and air quality req		, county, state	and federal	storm
: ====================================	 DN 12 - DISFOSAL			:======: :
; ====================================		==============	=========	======
DISPOSAL METHOD: Dispose federal regulations. Inci			, county, sta	t∈, and
: SECTION	14 - TRANSPORTA	ATION INFORMAT	ION	
No transportation informa	ation is availa	ole.		
=====================================	:==========			
SECTION SECTIO	DN 15 - REGULATO			:=====================================
U.S. FEDERAL REGULATIONS:	AS FOLLOWS -			
OSHA: Non-hazardous by de 1910.1200)	finition of Ha	zard Communica	tion Standard	(29 CFR
SARA SECTION 313: This product contains the requirements of Section 3 Reauthorization Act of 19	Bi3 of Title II	[of the Super		
CHEMICAL NAME Ammonium Hydroxide Naphthalene 1,2,4-Trimethylbenzene	:	CAS NUMBER 1336216 71203 75636	WT/WT % IS L	0.1 % 0.1 % 0.1 % 0.1 %
u.s. STATE REGULATIONS: A	s follows -			
PENNSYLVANIA RIGHT-TO-KNO The following non-hazardo greater than 3%:		are present i	n the product	at
CHEMICAL NAME Water Acrylic Emulsion	·	CAS NUMBER 7732185 Not Hazardou	=	

(Continued on Page 5)
Page 4 of 5

Item Numbers: 27111-2584 Page 4 of 5

	Preparation Date:	02/03/04	Page 5		
·	- RESULATORY INFO	RMATION			
NO CHEMICAL NAME	CAS NU	MBER			
CALIFORNIA PROPOSITION 65: None Known.					
INTERNATIONAL REGULATIONS: AS	FOLLOWS -				
CANADIAN WHMIS: This MSDS has been prepared in compliance with Controlled Product Regulations except for use of the 16 headings.					
CANADIAN WHMIS CLASS: No info					
SECTION	16 - OTHER INFORM		======		
HMIS RATINGS - HEALTH: 0	FLAMMABILITY: 0	REACTIVITY: 0			
PREVIOUS MSDS REVISION DATE:	10/10/05				
VOLATILE GREANIC COMPOUNDS (V	OCS): 1.25 lbs/gal	, 150 grams/ltr			
LEGEND: N.A Not Applicabl N.D Not Determine		blished,			

The information contained on this MSDS has been checked and should be accurate. However, it is the responsibility of the user to comply with all Federal, State, and Local laws and regulations.

KEND OF MSDS> Item Numbers: 27111-2584